

Loxiol	R	G	20	LV

Revision-No.: Effective May 15, 2015

Description

Technical grade stearic acid

Appearance

Flakes

<u>Technical Data</u> Acid value Titer Saponification value

205 – 211 mg KOH/g 54.5 – 55.1℃ 206 – 212 mgKOH/g

Applications

An eternal lubricant for rigid PVC as well as plasticized PVC, most suitable for transparent articles..

<u>Dosage</u>

rigid PVC 0.2 - 0.5 Phr **Plasticized PVC** 0.1 – 0.3 Phr

Food Law approvals

Available upon request



A new brand. A new horizon.

Analysis Methods

Acid value	AM600.01*
Titer	AM622.23*
Saponification Value	AM601.02*

* AM Test methods are used by Emery Oleochemicals LLC

Storage

Store LOXIOL® G 20LV at temperatures below 35°C. If stored in the original sealed container this product has a shelf life of two years.

All products in the text marked with an ® are trademarks of the Emery Oleochemicals.

The information on product specifications provided herein is only binding to the extent confirmed by Emery Oleochemicals in a written Sales Agreement. Emery Oleochemicals EXPRESSLY DISCLAIMS ANY RESPONSIBILITY FOR THE SUITABILITY OF THE PRODUCTS FOR ANY SPECIFIC OR PARTICULAR PURPOSES INTENDED BY THE USER. Suggestions for the use and application of the products and guide formulations are given for information purposes only and without commitment. Such suggestions do not release Emery Oleochemicals customers from testing the products as to their suitability for the customer's intended processes and purposes. Emery Oleochemicals does not assume any liability or risk involved in the use of its products as the conditions of use are beyond its control. The user of the products is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties.

Emery

Oleochemicals

Plastic Additives All 01