



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GorillaPro® AG101
Product code : 100000013115

Manufacturer or supplier's details

Company : H.B. Fuller Company
Address : 9001 W Fey Drive
Frankfort, IL, 60423
Telephone : 1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Anaerobic Cure Adhesive
Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	purple

GHS Classification

Skin corrosion : Category 1
Serious eye damage : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements:

H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

Precautionary Statements:

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER. P363 Wash contaminated clothing before reuse.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Multifunctional Acrylate	Not Assigned	70 - 90
acrylic acid	79-10-7	10 - 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
Keep patient warm and at rest.
Consult a physician after significant exposure.



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

-
- | | | |
|-------------------------|---|--|
| In case of skin contact | : | Wash off immediately with soap and plenty of water.
Call a physician if irritation develops or persists. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids.
Seek medical advice. |
| If swallowed | : | If swallowed, call a poison control center or doctor
immediately.
Do not induce vomiting without medical advice. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : | Water spray jet |
| Hazardous combustion products | : | Nitrogen oxides (NOx)
Sulfur oxides |
| Specific extinguishing methods | : | |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for fire-fighters | : | Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Refer to protective measures listed in sections 7 and 8.
Ensure adequate ventilation. |
| Environmental precautions | : | Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up | : | Ventilate the area.
Soak up with inert absorbent material.
Shovel or sweep up. |
-

SECTION 7. HANDLING AND STORAGE

- | | | |
|-------------------------|---|-------------------------------------|
| Local/Total ventilation | : | Use only with adequate ventilation. |
|-------------------------|---|-------------------------------------|
-



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

- Advice on safe handling : Wear personal protective equipment.
Do not get on skin or clothing.
Keep away from heat and flame.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in original container.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acrylic acid	79-10-7	TWA	2 ppm	ACGIH
		TWA	10 ppm 30 mg/m ³	OSHA P0
		PEL	2 ppm 5.9 mg/m ³	CAL PEL

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Combined particulates and organic vapor type
- Hand protection
Material : Neoprene gloves
Nitrile rubber
butyl-rubber
- Eye protection : Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Long sleeved clothing
Preventive skin protection



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

Protective measures : Avoid contact with skin.
Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : purple
Odor Threshold : No data available
Melting point/freezing point : is not determined
Boiling point/boiling range : is not determined
> 150 °C
Flash point : > 93.3 °C
Evaporation rate : is not determined
Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit
is not determined
Lower explosion limit : Lower flammability limit
is not determined

Density : ca. 1.1 g/cm³
Solubility(ies)
Water solubility : is not determined
Partition coefficient: n-
octanol/water : No data available
Autoignition temperature : is not determined

Viscosity
Viscosity, kinematic : is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.
Hazardous decomposition products : Nitrogen oxides (NO_x)
Sulfur oxides



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 110 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

acrylic acid:

Acute inhalation toxicity : LC50 Rat: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

acrylic acid :

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 222 mg/l
Exposure time: 96 h
Test Method: semi-static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0.04 mg/l
Exposure time: 72 h
Test Type: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of together with household waste.
Do not dispose of waste into sewer.
To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks : Not dangerous goods

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

acrylic acid	79-10-7
1,2-benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2

Clean Air Act



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

acrylic acid

79-10-7

US State Regulations

California Prop 65 : Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:


DSL Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)
All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.



Brute Strength. Professional Grade.™

Print Date 08/21/2020
Page 10 of 10

SAFETY DATA SHEET

GorillaPro® AG101

Version 1.0

Revision Date 01/12/2022

Unless otherwise noted, trademarks are property of H.B. Fuller Company or one of its affiliated entities. Gorilla and GorillaPro are registered trademarks of The Gorilla Glue Company. © H.B. Fuller Company, 2022.