

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name : CONDENSADO PESADO / GASOIL / GASÓLEO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Raw material

1.3. Details of the supplier of the safety data sheet

Manufacturer:

BR 386 - Rodovia Tabaí-Canoas, km 419

Via do Contorno, 850

95853-000 - Triunfo - RS - Brasil Phone: (55 51) 3457-6000

E-mail: nelson.junior@braskem.com.br

1.4. Emergency telephone number

Emergency number : + 55 51 3457-6388

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 3
Acute Tox. 4 (Inhalation: dust, mist)
H332
Carc. 1B
H350
Full text of H-statements: see section 16

2.2. Label elements

Signal word (GHS-US)

GHS-US labelling

Hazard pictograms (GHS-US)





GHS02 GHS07

: Danger

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H332 - Harmful if inhaled H350 - May cause cancer

Precautionary statements (GHS-US)

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing vapors, spray, mist

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, protective gloves

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P312 - Call a doctor, a POISON CENTER if you feel unwell

P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to

extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

16/03/2018 EN (English) Page 1



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%	GHS-US classification
Hydrocarbons, C16-19, hydrotreated middle distillate, distillation lights (Main constituent)		100	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation: dust, mist), H332 Carc. 1B, H350

Full text of H-statements: see section 16

3.2. Mixture

Not applicable

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you

feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful by inhalation.

Symptoms/injuries after skin contact : May cause slight irritation to the skin.

Symptoms/injuries after eye contact : May cause slight temporary irritation.

Symptoms/injuries after ingestion : May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Incomplete combustion releases dangerous carbon monoxide,

carbon dioxide and other toxic gases.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Reactivity : Flammable liquid and vapor.

5.3. Advice for firefighters

Firefighting instructions : Cool closed containers exposed to fire with water spray. Exercise caution when fighting any

chemical fire.

Protective equipment for firefighters : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable

protective equipment may intervene. Avoid breathing mist, spray, and vapors.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

16/03/2018 EN (English) 2/6



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

6.2. **Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

For containment

: Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams.

Methods for cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

Other information

: Dispose of materials or solid residues at an authorized site.

Reference to other sections 6.4.

For further information refer to section 8: Exposure-controls/personal protection. For disposal of residues refer to section 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing vapors, spray, and mist.

Hygiene measures

Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible materials : Strong oxidizing agents.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Avoid the formation of mists in the atmosphere.

Hand protection

: Impermeable protective gloves. It is recommended that the glove supplier be consulted to

ensure the protective gloves are resistant to chemicals in this product.

Eye protection : Safety glasses. Use splash goggles when eye contact due to splashing is possible. Skin and body protection : Wear suitable protective clothing.

: Wear respiratory protection. Approved organic vapor respirator. Respiratory protection

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance : viscous Color : dark yellow Odor : characteristic Odor threshold : No data available : No data available рΗ Relative evaporation rate (butyl acetate=1) : No data available Melting point : 15 °C (1 atm) : No data available Freezing point

16/03/2018 EN (English) 3/6



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

Boiling point : 232 °C (1 atm) Flash point : 57 °C Auto-ignition temperature : 257 °C

Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : > 1 (20 °C)
Relative density : No data available
Density : 0.79 (20 °C)

Solubility : Water: < 0.1 % Insoluble

Organic solvent: Soluble

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. No polymerization.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: dust, mist: Harmful if inhaled.

CONDENSADO PESADO / GASOIL / GASÓLEO 97675-85-9		
LD50 oral rat	7400 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	4.6 mg/l/4h	

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified : Not classified Respiratory or skin sensitization Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

Aspiration hazard : Not classified Symptoms/injuries after inhalation : Harmful by inhalation.

Symptoms/injuries after skin contact : May cause slight irritation to the skin.

Symptoms/injuries after eye contact : May cause slight temporary irritation.

Symptoms/injuries after ingestion : May cause irritation to the digestive tract.

SECTION 12: Ecological information

12.1. Toxicity

LC50 fish 1 35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Classification for LAND transport: DOT

UN Number : UN1268

Proper Shipping Name : Petroleum distillates, n.o.s. (Hydrocarbons)

Class or Division : 3
Packing group : III

Reportable quantity : Not applicable

Classification for SEA transport: IMO - IMDG

UN Number : UN1268

Proper Shipping Name : PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons)

Class or Division : 3
Packing group : III

Marine Pollutant : Not considered marine pollutant based on available data

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code:

Product name : Consult IMO guidelines before transporting in bulk

Classification for AIR transport: IATA - ICAO

UN Number : UN1268

Proper Shipping Name : Petroleum distillates, n.o.s. (Hydrocarbons)

Class or Division : 3
Packing group : III

This information does not intend to convey all specific regulatory or operational requirements/information relating to the product therefore it cannot be considered exhaustive. Consult US DOT, IMO and ICAO regulations before transporting the product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

16/03/2018 EN (English) 5/6



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Revision date:16/03/2018 Version: 2.1

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations

CONDENSADO PESADO / GASOIL / GASÓLEO (97675-85-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.2.2. National regulations

CONDENSADO PESADO / GASOIL / GASÓLEO (97675-85-9)

Listed on the Korean ECL (Existing Chemicals List)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Sources of Key data : Data arise from reference works and literature.

Date of issue : September 9, 2015

Full text of H-statements:

T direction of the distance of the second of				
	Acute Tox. 4 (Inhalation: dust, mist)	Acute toxicity (inhalation: dust, mist) Category 4		
	Carc. 1B	Carcinogenicity, Category 1B		
	Flam. Liq. 3	Flammable liquids, Category 3		
	H226	Flammable liquid and vapor		
	H332	Harmful if inhaled		
	H350	May cause cancer		

Braskem - SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It warns that the handling of any chemical substance requires the previous knowledge of its hazards for the user. It is up to the user of the product company providing this SDS to and promote the training of its employees about possible risks come upon of the product. The information contained herein is not absolute, but only general information on the use of the chemical and indication of safety and security measures.

16/03/2018 EN (English) 6/6