

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015)

Issue date: 7 June 2019 Revision date: 19 February 2024 Supersedes: 21 February 2022 Version: 2.2

SECTION 1: Identification

	ON 1: Identification				
1.1.	Product identifier				
Product f		: Substance			
Trade na		, ,	: Polyisobutene (PIB)		
Chemical name		• •	1-Propene, 2-methyl-, homopolymer		
CAS-No.					
Product c	code	PIB10 TF, PIB1 PIB16 IBC, PIB PIB24, PIB24 A PIB30, PIB30 TI TF, PIB80 TR, F TF, PIB122 TR, PIB122 KL, PIB1	0 TR, PIB10B, PIB10B 16 TF, PIB16 TR, PIB18 , PIB24 A TR, PIB24 TF F, PIB30 TR, PIB32, PII PIB90, PIB120, PIB120 PIB122LZ, PIB126, PIB	IBC, PIB10B 3, PIB18 TF, I 5, PIB24 TR, I B32DM, PIB3 TF, PIB120 T 3126 TF, PIB	08 TF, PIB08 TR, PIB10, PIB10 IBC, TF, PIB12, PIB12 TF, PIB12 TR, PIB16, PIB18 TR, PIB20, PIB20 TF, PIB20 TR, PIB28, PIB28 TF, PIB28 TR, PIB28LZ, 22 TF, PIB32 TR, PIB32 3M, PIB80, PIB80 R, PIB121, PIB121 TR, PIB122, PIB122 126 TR, PIB128, PIB128 TF, PIB128 TR, 40 TR, PIB240KL, PIB240KL TR, PIB N/E
Formula		: (C4H8)x			
Synonym	IS	: POLYISOBUTE homopolymer	NE / Poly(4+) isobutyle	ne / Polyisobi	utene / 1-Propene, 2-methyl-,
1.2.	Recommended use a	nd restrictions on use			
Recomm	ended use	: Industrial use re	sulting in manufacture	of another sul	bstance (use of intermediates)
1.3.	Supplier				
1735 Maı Philadelp	America, Inc. rket Street ohia, PA 19103-7583 0) 396 – 5252				
productsa	afety@braskem.com				
1.4.	Emergency telephone				
Emergen	icy number		1-703-527-3887 (INTER (NORTH AMERICA)	NATIONAL)	
2.1.	ON 2: Hazard ident Classification of the s cation (GHS CA) sified				
2.2.	GHS Label elements,	including precautionary stateme	nts		
GHS CA No labelir	labeling ng applicable				
1 2	Other hererde				
2.3. Other haz	Other hazards zards which do not resul	t in : Spilled material	may present a slipping	hazard.	
2.4.	Unknown acute toxici	ty (GHS CA)			
	onal information availabl				
SECTIO	ON 3: Composition	/Information on ingredient	ts		
3.1.	Substances				
Name		Chemical name/Synonyms	Product identifier	%	Classification (GHS CA)
Polyisob (Main con:		1-Propene, 2-methyl-, homopolymer POLYISOBUTENE / Poly(4+) isobutylene / Polyisobutene / 1- Propene, 2-methyl-, homopolymer	(CAS-No.) 9003-27-4	100	Not classified
Commen	ts				ades meet the criteria for classification as the criteria for classification. The

an aspiration hazard, while some grades do not meet the criteria for classification. The information in Section 3 of this SDS indicates that the CAS number is associated with the Aspiration Toxicity hazard classification. In the absence of a measured viscosity, the substance will be classified as being an aspiration hazard. Where viscosity measurements are available, the overall classification presented in Section 2 of this SDS will reflect the hazard classification based on the measured viscosity.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. **Mixtures** Not applicable SECTION 4: First-aid measures Description of first aid measures 4.1. First-aid measures after inhalation : Remove victim to fresh air. If breathing stops, give artificial respiration. Get medical advice/attention. Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact : In case of contact with cold material: Wash skin with plenty of water and soap. In case of contact with hot material: Rinse immediately with plenty of water for 15 minutes. Seek immediate medical advice. Obtain medical attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. In case of contact with cold material: Rinse immediately with plenty of water. In case of contact First-aid measures after eye contact : with hot material: Rinse immediately with plenty of water for 15 minutes. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. : Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does First-aid measures after ingestion not enter the lungs. Seek medical attention immediately. Rinse mouth. Obtain emergency medical attention. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general advice (show the label where possible). Meet important compteme and effects (south and delayed) 4.0

4.2. WOST Important symptoms and	i ellecis (acute allu delayed)		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.		
Symptoms/effects after inhalation	: Overexposure to vapors may result in cough.		
Symptoms/effects after skin contact	: Heated product causes burns.		
Symptoms/effects after eye contact	: Heated product causes burns.		
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.		
4.3. Immediate medical attention a	nd special treatment, if necessary		
Note to physician :	: In case of skin burns, to minimize physical damage to the skin, do not remove the polybutene.		

: In case of skin burns, to minimize physical damage to the skin, do not remove the polybutene. Cover the injured area with appropriate burn gel.

SECTION 5: Fire-fighting measures			
5.1. Suitable extinguishing media			
Suitable extinguishing media	: carbon dioxide (CO2), dry chemical powder, foam. Water spray. Foam. Dry powder. Carbon dioxide. Sand.		
5.2. Unsuitable extinguishing media			
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread. Do not use a heavy water stream.		
5.3. Specific hazards arising from the l	nazardous product		
Fire hazard	: On combustion forms: Carbon dioxide. Carbon monoxide.		
Explosion hazard	: No direct explosion hazard.		
5.4. Special protective equipment and	precautions for fire-fighters		
Firefighting instructions	 Cool closed containers exposed to fire with water spray. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. 		
Protection during firefighting	 Fully enclosed impervious protective suit with integral or tight-fitting gloves, boots, self- contained or supplied air respirator must be worn. For further information refer to section 8: "Exposure controls/personal protection". Do not enter fire area without proper protective equipment, including respiratory protection. 		
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.		
SECTION 6: Accidental release mea	asures		
6.1. Personal precautions, protective e	quipment and emergency procedures		
Personal Precautions, Protective Equipment and Emergency Procedures	 Stop leak if safe to do so. Stay upwind/keep distance from source. Evacuate unnecessary personnel. Wear suitable protective clothing. For further information refer to section 8: "Exposure controls/personal protection". 		
Prevention Measures for Secondary Accidents	: Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Do not discharge into drains or the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.2. Methods and materials for contain	ment and cleaning up		
For containment	: Stop leaks if it can be done without personal risk. Ventilate spillage area. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.		

Safety Data Sheet

Methods for cleaning up	Take up liquid spill into dry absorbent material e.g. : dry sand/earth/vermiculite. Collect all waste in suitable and labeled containers and dispose according to local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage Store away from other materials.
6.3. Reference to other section	ns
For further information refer to section	n 8: "Exposure controls/personal protection"
SECTION 7: Handling and s	torage
7.1. Precautions for safe hand	lling
Precautions for safe handling	: Work in a well-ventilated area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe stora	ge, including any incompatibilities
Technical measures	: Provide adequate ventilation.
Storage conditions	Store tightly closed in a dry, cool and well-ventilated place. Bulk storage does not require any special measure. Keep only in the original container in a cool, well ventilated place away from Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Strong acids. Strong oxidizing agents. Sources of ignition. Direct sunlight.

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure adequate ventilation. Either local exhaust or general room ventilation is usually required. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Insulating protective gloves. Impermeable protective gloves. Wear protective gloves.

Eye protection:

Wear chemical goggles if material is handled hot. No special eye protection equipment recommended under normal conditions of use. Chemical goggles or safety glasses

Skin and body protection:

When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection must be worn

Respiratory protection:

If excessive exposure exists, use only approved air-purifying or supplied air respirator operated in a positive pressure mode. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and	1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Appearance	: Clear. Viscous.		
Color	: Colorless		
Odor	: characteristic		
Odor threshold	: No data available		
рН	: Not applicable		
Relative evaporation rate (butyl acetate=1)	: No data available		
Relative evaporation rate (ether=1)	: No data available		
19 February 2024	CA - en		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: PIB06, PIB06 IBC, PIB06 TF, PIB06 TR : 125° C PIB08, PIB08 TF, PIB08 TR : 130° C PIB10, PIB10 IBC, PIB10 TF, PIB10 TR : 130° C PIB10B, PIB10B IBC, PIB10 TF, PIB10 TR : 135° C PIB12, PIB12 TF, PIB12 TR : 135° C PIB16, PIB16 IBC, PIB16 TF, PIB16 TR : 135° C PIB20, PIB20 TF, PIB20 TR: 165° C PIB24, PIB24 TF, PIB24 TR: 190° C PIB28, PIB28 TF, PIB28 TR: 190° C PIB28, PIB28 TF, PIB28 TR: 190° C PIB30, PIB30 TF, PIB30 TR: 190° C PIB32, PIB32 TF, PIB32 TR: 195° C PIB32, PIB32 TF, PIB30 TR: 220° C PIB32, PIB32 TF, PIB80 TR: 220° C PIB32, PIB32 TF, PIB30 TR: 220° C PIB32, PIB32 TF, PIB32 TR: 220° C PIB120, PIB120 TF, PIB120 TR: 220° C PIB121, PIB121 TR: 240° C PIB122, PIB122 TF, PIB122 TR: 235° C PIB126, PIB128 TF, PIB128 TR: 240° C PIB128, PIB128 TF, PIB128 TR: 240° C
Auto ignition tomporature	PIB240, PIB240 TF, PIB240 TR, PIB240KL TR: 245°C
Auto-ignition temperature	: No data available
Decomposition temperature	: > 260 °C
Flammability	: Non flammable.
Vapor pressure	: No data available
Vapor pressure at 50°C	: No data available
Relative density	: 0,84 (PIB06) – 0,92 (PIB240) (water =1)
Solubility	: Soluble in hydrocarbons. Water: ≤ 0.1 % Negligible in water
Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic	 No data available PIB06, PIB06 IBC, PIB06 TF, PIB06 TR: 26 - 34 mm²/s (37.8°C) PIB08, PIB08 TF, PIB08 TR: 102 -110 mm²/s (37.8°C) PIB10, PIB10 IBC, PIB10 TF, PIB10 TR: 20 - 30 mm²/s (100°C) PIB10B, PIB10B IBC, PIB10B TF: 20 - 30 mm²/s (100°C) PIB12, PIB12 TF, PIB12 TR: 34 - 42 mm²/s (100°C) PIB16, PIB16 IBC, PIB16 TF, PIB16 TR: 46 - 52 mm²/s (100°C) PIB20, PIB20 TF, PIB20 TR: 100 - 120 mm²/s (100°C) PIB24, PIB24 TF, PIB24 TR: 200 - 240 mm²/s (100°C) PIB24, PIB24 TF, PIB24 TR: 200 - 240 mm²/s (100°C) PIB28, PIB28 TF, PIB28 TR: 260 - 320 mm²/s (100°C) PIB30, PIB30 TF, PIB30 TR: 600 - 660 mm²/s (100°C) PIB32 3M: 610 - 720 mm²/s (100°C) PIB32, PIB32DM, PIB32 TF, PIB32 TR: 640 - 720 mm²/s (100°C) PIB30, PIB30 TF, PIB30 TR: 450 - 1700 mm²/s (100°C) PIB30, PIB30 TF, PIB120 TR: 2300 - 2700 mm²/s (100°C) PIB32, PIB120 TF, PIB120 TR: 2300 - 2700 mm²/s (100°C) PIB121, PIB121 TR: 2900 - 3200 mm²/s (100°C) PIB122, PIB122 TF, PIB122 TR: 3000 - 4200 mm²/s (100°C) PIB123, PIB128 TF, PIB124 TR: 2300 - 4200 mm²/s (100°C) PIB124, PIB124 TF, PIB124 TR: 3900 - 4200 mm²/s (100°C) PIB124, PIB126 TF, PIB128 TR: 4000 - 4700 mm²/s (100°C) PIB128, PIB128 TF, PIB128 TR: 4000 - 4700 mm²/s (100°C) PIB128, PIB128 TF, PIB128 TR: 4000 - 4700 mm²/s (100°C) PIB1240, PIB128 TF, PIB128 TR: 4000 - 4700 mm²/s (100°C) PIB1240, PIB128 TF, PIB128 TR: 4000 - 4700 mm²/s (100°C)
Explosion limits	: No data available

SECTION 10: Stability and reactivi	ty
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under use and storage conditions as recommended in section 7. Not established.
Possibility of hazardous reactions	: No dangerous reactions known. Hazardous polymerization will not occur. Not established.
Conditions to avoid	: Extremely high temperatures. Direct sunlight. Extremely high or low temperatures.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5		
Incompatible materials	: Strong acids. Strong oxidizing agents. Strong acids. Strong bases.	
Hazardous decomposition products	: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological info	rmation	
11.1. Information on toxicological e	iffects	
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)	
Skin corrosion/irritation	 Not classified (Based on available data, the classification criteria are not met) pH: Not applicable 	

Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Overexposure to vapors may result in cough.
Symptoms/effects after skin contact	: Heated product causes burns.
Symptoms/effects after eye contact	: Heated product causes burns.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.

SECTION 12: Ecological information 12.1. Toxicity No additional information available 12.2. Persistence and degradability Polyisobutene (PIB) (9003-27-4) Persistence and degradability Not established. 12.3. Bioaccumulative potential Polyisobutene (PIB) (9003-27-4) Bioaccumulative potential Not established.

: Likely routes of exposure: ingestion, inhalation, skin and eye.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations 13.1. Disposal methods Regional legislation (waste) : Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations : Consult an expert on waste disposal or treatment. Dispose in a safe manner in accordance with local/national regulations. Ecology – waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA					
TDG DOT IMDG IA					
14.1. UN number					
UN3257	3257	3257	3257		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG	DOT	IMDG	ΙΑΤΑ	
14.2. Proper Shipping Name				
ELEVATED TEMPERATURE E	levated temperature liquid, n.o.s. (Polyisobutylene)	ELEVATED TEMPERATURE LIQUID, N.O.S. (Polyisobutylene)	Elevated temperature liquid, n.o.s. (Polyisobutylene)	
14.3. Transport hazard class(es)				
9	9	9	9	
14.4. Packing group				
III		III	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment: Yes Dangerous for the environment Yes Dangerous for the envint Yes Dangerous for the environment Yes Dangerous	angerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant : Yes, when transported at elevated temperature (=> 100°C).	Dangerous for the environment: Yes	
Transport at temperature below 100°C:	Not regulated for all modes of trans	port		
Special transport precautions	operational requiren guidelines from the Organisation (IMO) product. The transp	out transport regulations as supplied he nents and, therefore, can not be consi- regulations of the National Road and F and the International Air Transport As- orting company is responsible for com apply to the transport of the material.	dered exhaustive. Please check out th Rail organization, International Maritim sociation (IATA) before transporting th	
TDG UN-No. (TDG) TDG Special Provisions	contributes to the ha parentheses, on the 3.5(1)(c)(ii)(A) of Pa parentheses, on a s accordance with sub (2) Despite subsecti to be shown on a sh domestic transport of disclosure of the teo (a) UN1544, ALKAL (b) UN1851, MEDIO (c) UN3140, ALKAL (d) UN3248, MEDIO (e) UN3249, MEDIO (3) Despite subsecti to be shown on a sr (a) UN2814, INFEC	 other rules as may apply to the transport of the material. UN3257 16 - (1) The technical name of at least one of the most dangerous substances that predominant contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (f) UN3248, MEDICINE, SOLID, TOXIC, N.O.S. (g) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. 		
Explosive Limit and Limited Quantity Ind Excepted quantities (TDG) Passenger Carrying Road Vehicle or Pas Carrying Railway Vehicle Index Emergency Response Guide (ERG) Nur	ex : 0 : E0 ssenger : Forbidden			
DOT UN-No.(DOT)	: UN3257			

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

coording to the flazardous floddols regulation (February Fl	, 2013)
DOT Special Provisions (49 CFR 172.102)	 IB1 - Authorized IBCs: Metal (31A, 31B and 31N). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T3 - 2.65 178.274(d)(2) Normal
DOT Packaging Bulk (49 CFR 173.xxx)	: 247
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: Forbidden
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: Forbidden
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 85 - Under deck stowage must be in mechanically ventilated space
IMDG	
Special provision (IMDG)	: 232, 274
Packing instructions (IMDG)	: P099
IBC packing instructions (IMDG)	: IBC01
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP3, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-P - SPILLAGE SCHEDULE Papa - SUBSTANCES DANGEROUS WHEN WET (COLLECTABLE ARTICLES)
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW5
Flash point (IMDG)	: above 100°C
Properties and observations (IMDG)	: Any liquid which is transported at or above 100°C but below its flashpoint. May cause fire if in contact with combustible material due to extreme temperature.
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: Forbidden
CAO max net quantity (IATA)	: Forbidden
ERG code (IATA)	: 9L
14.7. Transport in bulk according to Annex II of M Product name: POLY(+4)ISOBUTYLENE	ARPOL 73/78 and the IBC Code
SECTION 15: Regulatory information	
15.1. National regulations	
Polyisobutene (PIB) (9003-27-4)	
Listed on the Canadian DSL (Domestic Substances	s List)
15.2. International regulations	
Polyisobutene (PIB) (9003-27-4)	
Listed introduction on Australian Industrial Chemica Listed on PICCS (Philippines Inventory of Chemica Listed on the Japanese ENCS (Existing New Chem Listed on KECL/KECI (Korean Existing Chemicals I Listed on IECSC (Inventory of Existing Chemical St Listed on NZIoC (New Zealand Inventory of Chemic Listed on the Japanese ISHL (Industrial Safety and	Is and Chemical Substances) nical Substances) inventory nventory) ubstances Produced or Imported in China) cals)
Listed on INSQ (Mexican National Inventory of Che	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 16: Other information	
Issue date	: 7 June 2019
Revision date	: 19 February 2024
Supersedes	: 21 February 2022
Other information	: None.

Braskem - SDS_Canada_GHS (modified 200817)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It warns that the handling of any chemical substance requires the previous knowledge of its hazards for the user. It is up to the user of the product company providing this SDS to and promote the training of its employees about possible risks come upon of the product. The information contained herein is not absolute, but only general information on the use of the chemical and indication of safety and security measures.