

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: ABNT NBR 14725-4:2014

Issuing Date 10-May-2021 Revision Date 10-May-2021 Revision Number 1.0

### 1. Identification

Product identifier

Product Name Braskem Ezolem™ 6-17

Other means of identification

Product Code(s) P807, P807C

UN/ID no UN1268

Synonyms Naphtha (petroleum), solvent-refined light

Recommended use of the chemical and restrictions on use

Recommended use Professional use

Industrial

Use in production of formulations: Adhesives, Paint

**Uses advised against** No information available.

Details of the supplier of the safety data sheet

Supplier

Braskem S.A.

Av. Presidente Costa e Silva, 1178 -

Capuava

Santo André, SP, CEP: 09270-001, Brasil

Telephone: +55 (11) 4478-1777

E-mail address productsafety@braskem.com

Emergency telephone number

Emergency telephone CHEMTREC: (021) 3958-1449, (011) 4349-1359, 0800 892 0479 (BRAZIL)

1-703-741-5970 (INTERNATIONAL)

# 2. Hazard(s) identification

### GHS Classification Most Important Hazards

Classification assessment completed in accordance with ABNT NBR 14725-2.

Aspiration hazard	Category 1
Acute toxicity - Dermal	Category 4
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Hazardous to the Aquatic Environment - Acute Hazard	Category 2
Hazardous to the Aquatic Environment - Chronic Hazard	Category 2
Flammable liquids	Category 2

#### Label elements



#### Signal word

Danger

### **Hazard statements**

Harmful in contact with skin May cause genetic defects May cause cancer

Toxic to aquatic life with long lasting effects

May be fatal if swallowed and enters airways

Highly flammable liquid and vapor

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical/ ventilating/ lighting/ equipment

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

Collect spillage

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

# 3. Composition/information on ingredients

#### Substance

Chemical name	CAS No	Weight-%
Naphtha, petroleum, solvent-refined light	64741-84-0	100

# 4. First-aid measures

### Description of first aid measures

**General advice**IF exposed or concerned: Get medical advice/attention. Immediate medical attention is

required. Show this safety data sheet to the doctor in attendance.

**Inhalation** Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

**Self-protection of the first aider** Remove all sources of ignition. See section 8 for more information. Ensure that medical

personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the R

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. May emit

toxic fumes under fire conditions.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

**Explosive properties** 

Sensitivity to static discharge Yes.

Sensitivity to mechanical impact None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing vapors or mists. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

See section 8 for more information.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Prevent product from

entering drains. Prevent further leakage or spillage if safe to do so. Avoid release to the environment. Do not allow run-off from fire-fighting to enter drains or water courses.

#### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. Handling and storage

#### Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not handle until all safety precautions have

been read and understood. Obtain special instructions before use.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out

of the reach of children. Store away from other materials.

**Incompatible materials** Strong oxidizing agents. Strong acids.

# 8. Exposure controls/personal protection

This product, as supplied, does not contain any hazardous materials with occupational **Exposure guidelines** 

exposure limits established by the region specific regulatory bodies.

#### Appropriate engineering controls

**Engineering controls** Showers

> Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves. Nitrile rubber. Polyvinyl chloride (PVC). Polyvinyl alcohol. For additional

information, consult the PPE supplier.

Skin and body protection Chemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective

clothina.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. A respiratory

> protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning General hygiene considerations

of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water. Avoid release to the

environment.

# 9. Physical and chemical properties

### Information on basic physical and chemical properties

**Appearance** Clear liquid Physical state Liquid

Color Colorless to yellow Odor Characteristic

No information available **Odor threshold** 

Property Values Remarks • Method

No data available None known Melting point / freezing point < -50 °C None known Initial boiling point and boiling 60 - 170 °C None known

range

< 20 °C Flash point None known **Evaporation rate** 4.73 None known No data available **Flammability** None known None known

Flammability Limit in Air

Upper flammability or explosive 7.6% limits

Lower flammability or explosive 1.4%

limits

Vapor pressure 300.02 mmHg None known

Vapor densityNo data availableNone knownRelative density0.70 - 0.74 g/cm³ @ 20°CWater = 1Water solubilityInsolubleNone knownSolubility(ies)Benzene, Chloroform, Ethanol,None known

Dichloroether

Partition coefficient Log Pow: 3.90 (n-Hexane); 3.44 None known

(Cyclohexane)

Autoignition temperature250 - 450 °CNone knownDecomposition temperatureNo data availableNone knownKinematic viscosity0.53 - 0.73 mm²/sNone knownDynamic viscosity0.34 - 0.54 mPa sNone known

Explosive properties

Oxidizing properties

No information available.

No information available.

Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
No information available
No information available
No information available
No information available

# 10. Stability and reactivity

### Reactivity

**Reactivity** None under normal use conditions.

Sensitivity to static discharge Yes.

Sensitivity to mechanical impact None.

Chemical stability

**Stability** Stable under normal conditions.

Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Eliminate sources of ignition.

Incompatible materials

**Incompatible materials** Strong oxidizing agents. Strong acids.

Hazardous decomposition products

Hazardous decomposition products Hazardous decomposition products due to incomplete combustion: Carbon monoxide.

Carbon dioxide (CO2).

# 11. Toxicological information

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

\_\_\_\_\_

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Specific test data for the substance or mixture is not available. Repeated exposure may

cause skin dryness or cracking. May be absorbed through the skin in harmful amounts.

Harmful in contact with skin. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

**Acute toxicity** 

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Naphtha, petroleum, solvent-refined	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h	
light				

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Target organ effects No information available.

**Neurological effects**No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Naphtha, petroleum,	EC50: =4700mg/L	LC50: =4.4mg/L (96h,	-	EC50: =9.74mg/L (48h,
solvent-refined light	(72h,	Oncorhynchus mykiss)		Daphnia magna)
	Pseudokirchneriella	LC50: =8.41mg/L (96h,		
	subcapitata)	Oncorhynchus mykiss)		

Persistence and degradability No information available.

Mobility in soil No information available.

**Bioaccumulation** No information available.

# 13. Disposal considerations

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

# 14. Transport information

Land transport - ANTT

**Proper shipping name** PETROLEUM DISTILLATES, N.O.S. (Naphtha, petroleum, solvent-refined light)

**UN** number UN1268

Transport hazard class(es) 3 Packing group Ш Hazard identification number 33

**Environmental hazards** Toxic to aquatic life with long lasting effects.

**Maritime Transport - IMDG** 

Proper shipping name PETROLEUM DISTILLATES, N.O.S. (Naphtha, petroleum, solvent-refined light)

**UN Number** UN1268

Transport hazard class(es) 3 Packing group Ш

**Environmental hazards** Toxic to aquatic life with long lasting effects Yes

Marine pollutant

Transport in bulk according to Annex I or II of MARPOL 73/78 and

the IBC or IGC Code:

**Product name** Not available. Consult IMO guidelines before transporting in bulk

**Air Transport - IATA** 

Proper shipping name Petroleum distillates, n.o.s. (Naphtha, petroleum, solvent-refined light)

**UN Number** UN1268 Transport hazard class(es) 3

**Packing group** Ш

**Environmental hazards** Toxic to aquatic life with long lasting effects

This information does not intend to convey all specific regulatory or operational requirements/information relating to the product, therefore it cannot be considered exhaustive. Consult ANTT, IMO and ICAO regulations before transporting the product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

# 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Brazil

See section 8 for national exposure control parameters

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### International Inventories

Contact supplier for inventory compliance status

### 16. Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 10-May-2021

Revision Date 10-May-2021

Revision Note Initial Release.

This safety data sheet was created pursuant to the requirements of: ABNT NBR 14725-4:2014, ABNT NBR 14725-2:2009.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**