# TILLEY

## **Safety Data Sheet**

This safety data sheet complies with the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Product code 11205-01 Product name FURANEOL US NAT 15% PG

Issuing Date 26-Aug-2024 Revision date 26-Aug-2024 Version 3

## 1. Identification

**Product identifier** 

Product name FURANEOL US NAT 15% PG

Other means of identification

Product code 11205-01

UN/ID no UN1760

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Industry Use

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

Tilley Distribution 355 Chestnut Street Norwood, NJ 07648

Phone: (201) 784-6100 Fax: (201) 784-8566

Emergency telephone number

Company Phone Number Use CHEMTREC instead of Emergency Phone Number

Emergency telephone Chemtrec 1-800-424-9300

Contract# CCN22338

## 2. Hazard(s) identification

#### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A

#### Hazards not otherwise classified (HNOC)

Not applicable

Page 1/9

#### Label elements

#### Danger

#### Hazard statements

Causes severe skin burns and eye damage May cause an allergic skin reaction



Appearance Clear

Physical state Liquid

**Odor** Characteristic odor

#### **Precautionary Statements - Prevention**

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/clothing and eye/face protection

Contaminated work clothing must not be allowed out of the workplace

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

#### Other Information

Harmful to aquatic life.

## 3. Composition/information on ingredients

#### **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Food additive code
Propylene glycol	57-55-6	85	E1520
4-Hydroxy-2,5-dimethyl-3(2H)-furanon	3658-77-3	15	N/A
е			

#### 4. First-aid measures

**Description of first aid measures** 

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical attention. May cause an allergic skin reaction.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

De not souther spined material with high procedure water streams.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

**Sensitivity to static discharge** None.

Conditivity to otatio alconarge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Revision date 26-Aug-2024

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

## 8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Color Pale Yellow Characteristic odor Odor **Odor threshold** No information available

**Property** Values

No data available pН Melting point / freezing point No data available **Boiling point / boiling range** No data available 106 °C / 223 °F **Flash Point Evaporation Rate** No data available No data available

Flammability (solid, gas) Flammability Limit in Air

**Upper flammability limit:** Lower flammability limit:

Vapor pressure **Vapor Density** Relative density

Water solubility

solubility(ies) **Partition coefficient Autoignition Temperature** 

**Decomposition temperature** 

Kinematic viscosity Dynamic viscosity

Other information

**Explosive properties** No information available No information available Oxidizing properties No information available Softening point No information available Molecular weight **VOC** content No information available **Density** No information available **Bulk Density** No information available

Remarks • Method

None known None known None known CC (closed cup) None known None known None known

None known None known (25°C)

None known None known

None known None known None known

None known None known

## 10. Stability and reactivity

Reactivity No information available.

Stable under normal conditions. **Chemical stability** 

None under normal processing. Possibility of hazardous reactions

Conditions to avoid Exposure to air or moisture over prolonged periods.

No data available

No data available Soluble in water

1.050 - 1.060

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or

prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

**Acute toxicity** 

**Numerical measures of toxicity** 

#### The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 7,580.40 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol	= 22 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	-
57-55-6			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

#### 11205-01 - FURANEOL US NAT 15% PG

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard

No information available.

Other adverse effects

No information available.

No information available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Persistence and degradability No information available.

#### Bioaccumulation

Chemical name	Partition coefficient
Propylene Glycol 57-55-6	-1.07
Dimethylhydroxy Furanone 3658-77-3	0.95

Other adverse effects No information available.

## 13. Disposal considerations

#### Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport Information

DOT

UN/ID no UN1760

Proper Shipping Name Corrosive liquids, n.o.s.

Transport hazard class(es) 8
Packing group

Special Provisions B2, IB2, T11, TP2, TP27

**Description** UN1760, Corrosive liquids, n.o.s. (4-Hydroxy-2,5-dimethyl-3(2H)-furanone), 8, II

IATA

UN number or ID number UN1760

**Proper Shipping Name** Corrosive liquid, n.o.s.

Transport hazard class(es) 8
Packing group II
Special Provisions A

Special Provisions A3, A803
Description UN1760, Corrosive liquid, n.o.s. (4-Hydroxy-2,5-dimethyl-3(2H)-furanone), 8, II

**IMDG** 

UN number or ID number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Transport hazard class(es) 8
Packing group II
EmS-No F-A, S-B
Special Provisions 274

Description UN1760, Corrosive liquid, n.o.s. (4-Hydroxy-2,5-dimethyl-3(2H)-furanone), 8, II

## 15. Regulatory information

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

**U.S. State Right-to-Know Regulations** 

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island
Propylene Glycol	X		X	
57-55-6				

#### EPA Pesticide registration number Not applicable

### 16. Other information

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Special hazards -
<u>HMIS</u>	Health hazards 3	Flammability 1	Physical hazards 0	Personal Protection X

\_\_\_\_\_

#### 11205-01 - FURANEOL US NAT 15% PG

Key or legend to abbreviations and acronyms used in the safety data sheet

LEG8 SECTION 8: Exposure controls/personal protection

TWA (time-weighted average) STEL TWA STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

**Revision date** 26-Aug-2024

**Revision note** No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Classification and labeling according to the IFRA/IOFI Labeling Manual 2023.

**End of Safety Data Sheet**