

# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

## **SECTION 1. IDENTIFICATION**

Product name : AQUACER 8033

Manufacturer or supplier's details

Company : BYK USA Inc.

524 South Cherry Street Wallingford CT 06492

Telephone : (203) 265-2086 Visit our web site : www.byk.com

E-mail address : BRIEF.BYK.NAFTA@altana.com

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1

number 703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Wax Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms

T.

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention**:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Nonionic emulsion based on a high density polyethylene wax



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

## **Hazardous components**

Component	CAS-No.	Concentration (%)
4-Nonylphenol branched, ethoxylated	127087-87-0	>= 6 - < 7

The specific chemical identity/weight percent of proprietary ingredient(s) is a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes. Wash clothing before reuse.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : Treat symptomatically.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet



**AQUACER 8033** 

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon oxides

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Keep away from oxidizing agents.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

**Engineering measures** : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Material : Impervious gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : tan, translucent

Odour : mild

Odour Threshold : No data available

pH : 9.5

Melting point/freezing point : 32 °F (0 °C)

(1,013 hPa)

Initial boiling point and boiling

range

: 212 °F (100 °C)

(1,013 hPa)

Vapour pressure : 17.5 mmHg (77 °F (25 °C))

Flash point : Not applicable Upper explosion limit : No data available

Lower explosion limit : No data available

Evaporation rate : No data available

Relative vapour density : No data available

Relative Density/Specific

Gravity

: No data available

Density : 1.0 g/cm3 (68 °F (20 °C))



# **AQUACER 8033**

Version 3 Print Date 07/08/2020 Revision Date 12/18/2019

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

: No data available

Ignition temperature

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

: < 50 mPa.s (77 °F (25 °C)) Viscosity, dynamic

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed. Chemical stability
Possibility of hazardous : No decomposition if stored and applied as directed. : No decomposition if stored and applied as directed.

reactions

Conditions to avoid : No data available Incompatible materials : No data available : Strong oxidizing a Hazardous decomposition : No data available : Strong oxidizing agents

products

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

**Acute toxicity** 

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

#### Skin corrosion/irritation

**Product:** 

Remarks: Extremely corrosive and destructive to tissue.

## Serious eye damage/eye irritation

**Product:** 

Remarks: May cause irreversible eye damage.



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Repeated dose toxicity

**Product:** 

Remarks: No known chronic health effects.

**Experience with human exposure** 

**Product:** 

Inhalation:

Symptoms: High concentrations of heated vapors may

irritate the respiratory tract and mucous

membranes.

Skin contact:

Symptoms: Contact may cause irritation.

Eye contact:

Symptoms: Contact will probably cause severe irritation

and corrosion.

Ingestion:

Symptoms: Ingestion will probably cause irritation of the

digestive tract.

**Further information** 

**Product:** 

Remarks: No data available



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Resource Conservation and

Recovery Act

**EPA Hazardous Waste** 

Code(s)

: Not applicable.

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

# US. EPA CERCLA Hazardous Substances (40 CFR 302)

Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Acute Health Hazard

Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for

reporting purposes.

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : 35 %

Non-volatile information is not a specification.

**Massachusetts Right To Know** 

1,4-Dioxane 123-91-1

Pennsylvania Right To Know

Water 7732-18-5

Polymer -

4-Nonylphenol branched, ethoxylated 127087-87-0

**New Jersey Right To Know** 

Water 7732-18-5

Polymer -

4-Nonylphenol branched, ethoxylated 127087-87-0

New Jersey Trade Secret : 800963-5570

Registry Number for the product (NJ TSRN)

## California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, Ethylene oxide, which is/are known to the State of California to cause cancer, and Ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

## The components of this product are reported in the following inventories:

TSCA: We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

TSCA Inventory Active List : All components of this product are listed active and/or are

exempt

Section 4 / 12(b) Not applicable

DSL : We certify that all of the components of this product are listed



# **AQUACER 8033**

Version 3 Revision Date 12/18/2019 Print Date 07/08/2020

on the DSL.

## **SECTION 16. OTHER INFORMATION**

Revision Date : 12/18/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.