

# SAFETY DATA SHEET

according to the Globally Harmonized System and US regulation

## ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

### 1. IDENTIFICATION

Product name : ARMOSTAT 300-XE75

Product Use Description : Specific use(s): Antistatic additive

Company : Akzo Nobel Functional Chemicals LLC  
525 West Van Buren  
Chicago IL 60607-3823  
US

Telephone : +18008287929

Fax : +13125447188

E-mail address : RegulatoryAffairs@akzonobel.com

Emergency telephone : 24 hours: +31 57 06 79211, CHEMTREC-USA: 1-800-424-9300, CANUTEC-CANADA: 1-613-996-6666, 化学事故应急咨询电话: 国家化学事故应急响应中心 +86 532 8388 9090

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|                |                         |
|----------------|-------------------------|
| Appearance     | granules                |
| Color          | off-white               |
| Odor           | fatty odor              |
| Hazard Summary | Risk of dust explosion. |

#### GHS Classification

Acute toxicity, Category 4, Oral  
Skin corrosion, Category 1C  
Serious eye damage, Category 1  
Short-term (acute) aquatic hazard, Category 1  
Long-term (chronic) aquatic hazard, Category 1

#### GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

Precautionary Statements : **Prevention:**  
P260 Do not breathe dusts or mists.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

## Carcinogenicity:

**IARC** : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name : Alkylamine ethoxylate  
Pure substance/mixture : Mixture

### Hazardous ingredients

| Chemical name                          | CAS-No.    | Classification                                                                                                                                                     | Concentration [% W/W] |
|----------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Bis (2-hydroxyethyl) tallow alkylamine | 61791-44-4 | Acute Tox. 4; H302<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>M-Factor (Acute): 10<br>M-Factor (Chronic): 1 | $\geq 70 - < 90$      |
| Tallowamine                            | 61790-33-8 | Acute Tox. 4; H302<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>STOT RE 2; H373<br>Asp. Tox. 1; H304<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410          | $\geq 1 - < 3$        |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

General advice : Immediate medical attention is required.  
Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Burns may occur several hours after the removal of the product.

Inhalation : Rinse nose and mouth with water.

Skin contact : Take off contaminated clothing and shoes immediately.  
Carefully remove paste or solidified product.  
Wash skin immediately with 0,5 % acetic acid in water, and then with soap and water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Skin irritation, if untreated, may be prolonged and serious (e.g., necrosis). This may be prevented by early treatment with medium strength corticosteroids.

Eye contact : In case of contact with eyes, rinse immediately with 0.5% acetic acid in water for a few minutes, followed by rinsing with plenty of water for as long as possible. Eyelids should be held away from the eyeball to ensure thorough rinsing.

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

|                           |                                                                                                                                                                                                                                                                              |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                           | <p>Get medical attention immediately. Continue to rinse during transport of patient.<br/>Remove contact lenses.<br/>Protect unharmed eye.<br/>Keep eye wide open while rinsing.<br/>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</p> |
| Ingestion                 | <p>: Clean mouth with water and drink afterwards plenty of water.<br/>Never give anything by mouth to an unconscious person.<br/>Take victim immediately to hospital.<br/>Do not induce vomiting! May cause chemical burns in mouth and throat.</p>                          |
| <b>Notes to physician</b> |                                                                                                                                                                                                                                                                              |
| Symptoms                  | <p>: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.</p>                                                                                                                                    |
| Risks                     | <p>: Harmful if swallowed.<br/>Causes serious eye damage.<br/>Causes severe burns.</p>                                                                                                                                                                                       |
| Treatment                 | <p>: Treat symptomatically.</p>                                                                                                                                                                                                                                              |

---

## 5. FIRE-FIGHTING MEASURES

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                                                       | <p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p>                                                                                                                                                                                                                                                                                                         |
| Unsuitable extinguishing media                                                     | <p>: High volume water jet</p>                                                                                                                                                                                                                                                                                                                                                                                           |
| Specific hazards during fire fighting / Specific hazards arising from the chemical | <p>: Treat as oil fire.<br/>Do not use a solid water stream as it may scatter and spread fire.<br/>Water spray may be ineffective unless used by experienced firefighters.<br/>Do not allow run-off from fire fighting to enter drains or water courses.<br/>Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.</p> |
| Combustion products                                                                | <p>: Carbon oxides<br/>Nitrogen oxides (NOx)</p>                                                                                                                                                                                                                                                                                                                                                                         |
| Special protective equipment for fire-fighters                                     | <p>: In the event of fire, wear self-contained breathing apparatus.</p>                                                                                                                                                                                                                                                                                                                                                  |
| Further information                                                                | <p>: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br/>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</p>                                                                                                                                                                                        |

See also Section 9. Physical and chemical properties: Safety data

---

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- |                                                      |   |                                                                                                                                                                             |
|------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions                                 | : | Use personal protective equipment.<br>Wear respiratory protection.<br>Avoid dust formation.<br>Avoid breathing dust.<br>Ensure adequate ventilation.                        |
| Emergency measures on accidental release             | : | Evacuate personnel to safe areas.<br>Only qualified personnel equipped with suitable protective equipment may intervene.<br>Prevent unauthorized persons entering the zone. |
| Environmental precautions                            | : | Do not flush into surface water or sanitary sewer system.<br>If the product contaminates rivers and lakes or drains inform respective authorities.                          |
| Methods for cleaning up /<br>Methods for containment | : | Pick up and arrange disposal without creating dust.<br>Keep in suitable, closed containers for disposal.                                                                    |
| Reference to other sections                          | : | For disposal considerations see section 13.<br><br>For personal protection see section 8.                                                                                   |

---

## 7. HANDLING AND STORAGE

### Handling

- |                                                 |   |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling                         | : | For personal protection see section 8.<br>Avoid formation of respirable particles.<br>Do not breathe vapors/dust.<br>Keep away from heat/sparks/open flames/hot surfaces. No smoking.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed.<br>No sparking tools should be used.                                                                                                                                                                                                                                     |

### Storage

- |                                               |   |                                                                                                                                                                                                       |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Requirements for storage areas and containers | : | Avoid elevated temperatures.<br>Keep in a dry place.<br>Reacts with copper, aluminum, zinc and their alloys<br>Store at room temperature in the original container.<br>Keep container tightly closed. |
| Other data                                    | : | No decomposition if stored and applied as directed.                                                                                                                                                   |

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

| Components | CAS-No.             | Value | Control parameters                                                                                                                                                                                                                                                                                                                                                                  | Update     | Basis    | Form of exposure    |
|------------|---------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|---------------------|
| Dust       |                     | TWA   | 50 Million particles per cubic foot                                                                                                                                                                                                                                                                                                                                                 | 2011-07-01 | OSHA Z-3 | total dust          |
|            | Further information | :     | a: Based on impinger samples counted by light-field techniques.<br>d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.<br>1. mppcf X 35.3 = million particles per cubic meter = particles per c.c |            |          |                     |
| Dust       |                     | TWA   | 15 mg/m3                                                                                                                                                                                                                                                                                                                                                                            | 2011-07-01 | OSHA Z-3 | total dust          |
|            | Further information | :     | d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.                                                                                                                                               |            |          |                     |
| Dust       |                     | TWA   | 5 mg/m3                                                                                                                                                                                                                                                                                                                                                                             | 2011-07-01 | OSHA Z-3 | respirable fraction |
|            | Further information | :     | d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.                                                                                                                                               |            |          |                     |
| Dust       |                     | TWA   | 15 Million particles per cubic foot                                                                                                                                                                                                                                                                                                                                                 | 2011-07-01 | OSHA Z-3 | respirable fraction |
|            | Further information | :     | a: Based on impinger samples counted by light-field techniques.<br>d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.<br>1. mppcf X 35.3 = million particles per cubic meter = particles per c.c |            |          |                     |

ACGIH: American Conference of Governmental Industrial Hygienists  
 BEI: Biological Exposure Index  
 MAC: Maximum Allowable Concentration  
 NIOSH: National Institute for Occupational Safety and Health  
 OEL: OEL: Occupational exposure limit.  
 STEL: Short term exposure limit  
 TWA: Time Weighted Average

### Appropriate engineering controls

Provide eyewash station and safety shower. Keep solutions of 0.5% acetic acid in water close at hand.  
 Provide appropriate exhaust ventilation at places where dust is formed.

### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.

Hand protection : Glove material: Nitrile rubber  
 : Glove material: butyl-rubber

Skin and body protection : Protective suit

Respiratory protection : In the case of dust, vapor or aerosol formation use respirator

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

with an approved filter.  
Wear full face mask supplied with:  
Combination filter: ABEKP.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
When using do not eat or drink.  
When using do not smoke.  
Dry-clean contaminated clothing before reuse.

## Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form : granules  
Color : off-white  
Odor : fatty odor  
Odor Threshold : No data available

### Safety data

pH : No data available  
Melting point : > 120 °C  
Boiling point/boiling range : No data available  
Flash point : Not applicable  
Evaporation rate : Not applicable  
Flammability (solid, gas) : Not classified as a flammability hazard  
Flammability (liquids) : Not applicable  
Lower explosion limit : No data available  
Upper explosion limit : No data available  
Vapor pressure : Not applicable  
Relative vapor density : Not applicable  
Relative density : ca. 0.95  
Water solubility : insoluble  
Solubility in other solvents : No data available  
Partition coefficient: n-octanol/water : No data available

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

|                           |                                |
|---------------------------|--------------------------------|
| Autoignition temperature  | : Not applicable               |
| Decomposition temperature | : No data available            |
| Viscosity, dynamic        | : Not applicable               |
| Viscosity, kinematic      | : Not applicable               |
| Explosive properties      | : Not explosive                |
| Oxidizing properties      | : Not classified as oxidizing. |

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

---

## 10. STABILITY AND REACTIVITY

|                                  |                                                       |
|----------------------------------|-------------------------------------------------------|
| Conditions to avoid              | : Extremes of temperature and direct sunlight.        |
| Materials to avoid               | : Reacts with copper, aluminum, zinc and their alloys |
| Hazardous decomposition products | : No hazardous decomposition products are known.      |
| Thermal decomposition            | : No data available                                   |
| Reactivity                       | : Stable under normal conditions.                     |
| Chemical stability               | : Stable under recommended storage conditions.        |
| Hazardous reactions              | : Dust may form explosive mixture in air.             |

---

## 11. TOXICOLOGICAL INFORMATION

### PRODUCT INFORMATION:

#### Hazard Summary

|                                   |                                                                                                                                                   |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity                    | : Harmful if swallowed.                                                                                                                           |
| Skin corrosion/irritation         | : Causes severe burns.                                                                                                                            |
| Serious eye damage/eye irritation | : Causes serious eye damage.                                                                                                                      |
| Respiratory or skin sensitization | : Respiratory sensitization: Not classified based on available information.<br>Skin sensitization: Not classified based on available information. |
| Germ cell mutagenicity            | : Not classified based on available information.                                                                                                  |
| Carcinogenicity                   | : Not classified based on available information.                                                                                                  |
| Reproductive toxicity             | : Not classified based on available information.                                                                                                  |
| STOT-single exposure              | : Not classified based on available information.                                                                                                  |

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

STOT-repeated exposure : Not classified based on available information.

Aspiration hazard : Not classified based on available information.

## Potential Health Effects

Inhalation : Thermal decomposition can lead to release of irritating gases and vapors.  
Product dust may be irritating to respiratory system.

Skin : Product dust may be irritating to skin.  
Burns may occur several hours after the removal of the product.  
Symptoms may be delayed.  
Causes severe skin burns.  
The product may be absorbed through the skin.

Eyes : Vapor in the eyes may cause irritation and pain.  
Causes severe eye burns.

Ingestion : Harmful if swallowed.  
Causes burns.

Aggravated Medical Condition : None known.

Symptoms of Overexposure : The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

## Toxicology Assessment

Further information : No further data available.

## Test result

Acute oral toxicity : Acute toxicity estimate: 653.59 mg/kg  
Method: Calculation method

Target Organ Systemic Toxicant - Repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Carcinogenicity:

IARC : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## TOXICOLOGY DATA FOR THE INGREDIENTS:

## Test result

Component: Bis (2-hydroxyethyl) tallow alkylamine

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

|                     |                                                                                                                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : LD50: > 300 - 2,000 mg/kg<br>Species: Rat<br>Method: OECD Test Guideline 401                                                                                                            |
| Skin irritation     | : Species: Rabbit<br>Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.<br>Method: OECD Test Guideline 404 |
| Eye irritation      | : Result: Risk of serious damage to eyes.<br>Read-across (Analogy)                                                                                                                        |
| Sensitization       | : Maximization Test<br>Species: Guinea pig<br>Result: negative<br>Method: OECD Test Guideline 406<br>Read-across (Analogy)                                                                |

## **Component: Tallowamine**

|                                                    |                                                                                                                                                      |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity                                | : LD50: > 300 - 2,000 mg/kg<br>Species: Rat<br>Method: OECD Test Guideline 401                                                                       |
| Skin irritation                                    | : Species: Rabbit<br>Result: Causes burns.<br>Method: OECD Test Guideline 404                                                                        |
| Eye irritation                                     | : Species: Rabbit<br>Result: Risk of serious damage to eyes.<br>Method: OECD Test Guideline 405<br>Read-across (Analogy)                             |
| Sensitization                                      | : Maximization Test<br>Species: Guinea pig<br>Result: Does not cause skin sensitization.<br>Method: OECD Test Guideline 406<br>Read-across (Analogy) |
| Target Organ Systemic Toxicant - Repeated exposure | : Target Organs: Liver, Gastrointestinal tract, Immune system<br>May cause damage to organs through prolonged or repeated exposure.                  |
| Aspiration toxicity                                | : May be fatal if swallowed and enters airways.                                                                                                      |

---

## 12. ECOLOGICAL INFORMATION

### PRODUCT INFORMATION:

#### Ecotoxicology Assessment

|                                   |                                                                                                                                                            |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.<br>Very toxic to aquatic life with long lasting effects. |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Further information on ecology

### Hazardous to the ozone layer

|            |                                                                                                                                                                         |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Regulation | : 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances                                                      |
| Remarks    | : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |

## COMPONENTS:

### Test result

#### Component: Bis (2-hydroxyethyl) tallow alkylamine

### Ecotoxicity effects

|                                                                        |                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50: > 0.1 - 1 mg/l<br>Exposure time: 96 h<br>Species: Danio rerio (zebra fish)<br>Method: OECD Test Guideline 203<br>Read-across (Analogy)                                                                                                                                                   |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50: > 0.01 - 0.1 mg/l<br>Exposure time: 48 h<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 202                                                                                                                                                                       |
| Toxicity to algae                                                      | : EC50: > 0.01 - 0.1 mg/l<br>Exposure time: 72 h<br>Species: Pseudokirchneriella subcapitata (green algae)<br>Method: OECD Test Guideline 201<br><br>EC10: > 0.01 - 0.1 mg/l<br>Exposure time: 72 h<br>Species: Pseudokirchneriella subcapitata (green algae)<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute)                                                       | : 10                                                                                                                                                                                                                                                                                             |
| M-Factor (Chronic)                                                     | : 1                                                                                                                                                                                                                                                                                              |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EC10: > 0.001 - 0.01 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 211                                                                                                                                                                     |

### Elimination information (persistence and degradability)

|                  |                                                                      |
|------------------|----------------------------------------------------------------------|
| Bioaccumulation  | : Bioconcentration factor (BCF): < 500<br>Method: Calculation method |
| Mobility         | : immobile                                                           |
| Biodegradability | : Result: Readily biodegradable.                                     |

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

Method: OECD Test Guideline 301D

## Further information on ecology

Biochemical Oxygen Demand (BOD) : No data available

## Component: Tallowamine

### Ecotoxicity effects

Toxicity to fish : LC50: > 0.01 - 0.1 mg/l  
Exposure time: 96 h  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 203  
Read-across (Analogy)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 0.01 - 0.1 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202  
Read-across (Analogy)

Toxicity to algae : EC50: > 0.01 - 0.1 mg/l  
Exposure time: 72 h  
Species: Scenedesmus subspicatus (algae)  
Method: OECD Test Guideline 201  
Read-across (Analogy)

### Elimination information (persistence and degradability)

Bioaccumulation : Bioconcentration factor (BCF): > 500

Mobility : Can be leached out from soil.

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

## Further information on ecology

Biochemical Oxygen Demand (BOD) : No data available

---

## 13. DISPOSAL CONSIDERATIONS

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Hazardous waste  
Dispose of contents/container in accordance with local regulation.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

UN/ID No. : UN 3259  
Proper shipping name : Amines, solid, corrosive, n.o.s.  
(Alkylamine ethoxylate)  
Class : 8  
Packing group : III  
Labels : 8  
Packing instruction (cargo aircraft) : 864  
Packing instruction (passenger aircraft) : 860  
Packing instruction (LQ) : Y845  
Environmentally hazardous : no

#### IMDG-Code

UN number : UN 3259  
Proper shipping name : AMINES, SOLID, CORROSIVE, N.O.S.  
(Alkylamine ethoxylate)  
Class : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : yes  
(Alkylamine ethoxylate)

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3259  
Proper shipping name : Amines, solid, corrosive, n.o.s.  
(Tallowbis(2-hydroxyethyl)amine)  
Class : 8  
Packing group : III  
Labels : 8  
ERG Code : 154  
Marine pollutant : yes  
(Tallowbis(2-hydroxyethyl)amine)  
Reportable Quantity : This product does not contain an environmentally hazardous substance per 49 CFR 172.101, Appendix A.

---

## 15. REGULATORY INFORMATION

### Notification status

DSL : YES. All components of this product are on the Canadian DSL  
AICS : YES. On the inventory, or in compliance with the inventory  
NZIoC : NO. Not in compliance with the inventory  
ENCS : YES. On the inventory, or in compliance with the inventory  
ISHL : YES. On the inventory, or in compliance with the inventory  
KECI : YES. On the inventory, or in compliance with the inventory  
PICCS : YES. On the inventory, or in compliance with the inventory

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

IECSC : YES. On the inventory, or in compliance with the inventory  
TCSI : YES. On the inventory, or in compliance with the inventory  
TSCA : YES. All chemical substances in this product are either listed on the  
TSCA Inventory or in compliance with a TSCA Inventory exemption.

For explanation of abbreviations, see section 16.

## TSCA list

TSCA 5(a)(2) : No substances are subject to a Significant New Use Rule.  
TSCA 12(b) : No substances are subject to TSCA 12(b) export notification  
requirements.

## EPCRA - Emergency Planning and Community Right-to-Know

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section  
302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with  
known CAS numbers that exceed the threshold (De Minimis)  
reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

Z8: This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## US State Regulations

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

|                                        |            |           |
|----------------------------------------|------------|-----------|
| Bis (2-hydroxyethyl) tallow alkylamine | 61791-44-4 | 70 - 90 % |
| Polyethylene                           | 9002-88-4  | 20 - 30 % |

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019

Print Date 04/10/2019

US / Z8

## New Jersey Right To Know

|                                        |            |           |
|----------------------------------------|------------|-----------|
| Bis (2-hydroxyethyl) tallow alkylamine | 61791-44-4 | 70 - 90 % |
| Polyethylene                           | 9002-88-4  | 20 - 30 % |
| Tallowamine                            | 61790-33-8 | 1 - 5 %   |

## California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## 16. OTHER INFORMATION

### Full text of H-Statements

|      |                                                                      |
|------|----------------------------------------------------------------------|
| H302 | : Harmful if swallowed.                                              |
| H304 | : May be fatal if swallowed and enters airways.                      |
| H314 | : Causes severe skin burns and eye damage.                           |
| H318 | : Causes serious eye damage.                                         |
| H373 | : May cause damage to organs through prolonged or repeated exposure. |
| H400 | : Very toxic to aquatic life.                                        |
| H410 | : Very toxic to aquatic life with long lasting effects.              |

### Full text of other abbreviations

|                |                                                                      |
|----------------|----------------------------------------------------------------------|
| OSHA Z-3       | : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts |
| OSHA Z-3 / TWA | : 8-hour time weighted average                                       |

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# ARMOSTAT 300-XE75

Version 1

Revision Date 02/26/2019


Print Date 04/10/2019

US / Z8

## Further information

**HMIS Classification** : Health Hazard: 3  
Flammability: 1  
Physical hazards: 0

**NFPA Classification** : Health Hazard: 3  
Fire Hazard: 1  
Reactivity Hazard: 0



## Notification status explanation

|       |                                                                    |
|-------|--------------------------------------------------------------------|
| REACH | 1907/2006 (EU)                                                     |
| DSL   | Canadian Domestic Substances List (DSL)                            |
| AICS  | Australia Inventory of Chemical Substances (AICS)                  |
| NZIoC | New Zealand. Inventory of Chemical Substances                      |
| ENCS  | Japan. ENCS - Existing and New Chemical Substances Inventory       |
| ISHL  | Japan. ISHL - Inventory of Chemical Substances                     |
| KECI  | Korea. Korean Existing Chemicals Inventory (KECI)                  |
| PICCS | Philippines Inventory of Chemicals and Chemical Substances (PICCS) |
| IECSC | China. Inventory of Existing Chemical Substances in China (IECSC)  |
| TCSI  | Taiwan Chemical Substance Inventory (TCSI)                         |
| TSCA  | United States TSCA Inventory                                       |

## Further information

Revision Date 02/26/2019

The information in this material safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the context of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.