

Version	Revision Date:	SDS Number:	Date of last issue: 12/16/2020
4.0	12/18/2020	400000000727	Date of first issue: 12/20/2016

SECTION 1. IDENTIFICATION

Product name	: BLANC FIXE N
Manufacturer or supplier's de	tails
Company name of supplier Address	 Venator Americas LLC 10001 Woodloch Forest Drive The Woodlands, TX 77380 United States of America (USA)
Telephone Telefax	: (001) 844 831 6720 : (001) 281 465 6731
E-mail address of person responsible for the SDS	: msds@venatorcorp.com
Emergency telephone number	: USA & Canada: +1-800-424-9300 Other Americas: +1-703- 741-5970 [CCN 820025]
Recommended use of the che	emical and restrictions on use
Recommended use	: Manufacture of plastics products Additive Filler Paint additive Pigment
Restrictions on use	: Do not use for cosmetics, food additives, drug additives, feed additives or permanent implant applications., Due to lack of related experience or data, the supplier cannot approve this use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance



Version	Revision Date:	SDS Number:	Date of last issue: 12/16/2020
4.0	12/18/2020	40000000727	Date of first issue: 12/20/2016

Chemical nature

: inorganic

Components

Chemical name	CAS-No.	Concentration (% w/w)
barium sulfate	7727-43-7	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES		
General advice	: Consult a physician.	
If inhaled	: If breathed in, move person into fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash off with soap and water. Call a physician if irritation develops or persists.	
In case of eye contact	: Rinse with water. If eye irritation persists, consult a specialist.	
If swallowed	 Rinse mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If symptoms persist, call a physician. 	
Most important symptoms and effects, both acute and delayed	 Dust contact with the eyes can lead to mechanical irritation. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. The product is not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure. Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure. 	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.	
Notes to physician	: No specific measures identified.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Version 4.0	Revision Date: 12/18/2020		OS Number: 0000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
			Water spray	
			Foam	
			Dry powder	
			Carbon dioxide	(CO2)
	suitable extinguishing dia	:	High volume wa	ter jet
•	ecific hazards during fighting	:	Cool closed con	tainers exposed to fire with water spray.
	zardous combustion	:	Sulphur oxides	
pro	ducts		Metal oxides	
•	ecific extinguishing thods	:	•	g measures that are appropriate to local nd the surrounding environment.
Fu	ther information	:	Standard proced	lure for chemical fires.
•	ecial protective equipment firefighters	:	In the event of fi	re, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations". For disposal considerations see section 13.
Environmental precautions	:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid creating dusty conditions and prevent wind dispersal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Minimize dust generation and accumulation. Avoid formation of respirable particles. Avoid inhalation, ingestion and contact with skin and eyes. Avoid exposure - obtain special instructions before use. For personal protection see section 8.





Version 4.0	Revision Date: 12/18/2020		DS Number: 0000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
Co	nditions for safe storage	:	application area. Provide sufficient Dispose of rinse v regulations.	and drinking should be prohibited in the air exchange and/or exhaust in work rooms. water in accordance with local and national atly closed in a dry and well-ventilated place.
			Observe label preca Electrical installation technological safety	ons / working materials must comply with the
Sto	prage period	:	12 Months	
	rther information on rage stability	:		ce. n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
barium sulfate	7727-43-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Engineering measures	: Maintain air c standards.	oncentrations be	elow occupational exp	oosure
Personal protective equipment	it			
Respiratory protection	ventilation is p	provided or expo	ess adequate local ex sure assessment der ommended exposure	nonstrates

:	Use gloves approved (Europe), F739 (US).	standards e.g. EN 374	

Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks

Hand protection Directive



Version 4.0	Revision Date: 12/18/2020	SDS Number: 400000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
		involved and s handling this p	should be approved by a specialist before product.
Prote	ective measures	to the concent at the specific Ensure that ey	otective equipment must be selected according ration and amount of the dangerous substance workplace. re flushing systems and safety showers are to the working place.
Hygiene measures		the product. Remove conta before entering Barrier creams	before breaks and immediately after handling minated clothing and protective equipment g eating areas. Is may help to protect the exposed areas of uld however not be applied once exposure has

VENATOR

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	none
Odour Threshold	:	Not relevant
рН	:	ca. 9
Melting point/range	:	> 2,462 °F / > 1,350 °C
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data is available on the product itself.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data is available on the product itself.

Version 4.0	Revision Date: 12/18/2020	SDS Number: 400000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
Der	nsity	: ca. 4.4 g/cm	13
	ubility(ies) Vater solubility	: No data is a	vailable on the product itself.
Par	Solubility in other solvents tition coefficient: n- anol/water	: < 0.01 g/l : Not applicat	le
	o-ignition temperature	: Not applicable	e
Thermal decomposition		: No data is a	vailable on the product itself.
	cosity Viscosity, kinematic	: Not applicat	le
Exp	plosive properties	: Not expecte	d to form explosive dust-air mixtures.
Oxi	dizing properties	: The substar	nce or mixture is not classified as oxidizing.
Pa	ticle size	: No data is a	vailable on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	No dangerous reaction known under conditions of r No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned.	
Conditions to avoid	Do not expose to temperatures above: > 1,300 °C	
Incompatible materials	Strong reducing agents	
Hazardous decomposition products	Sulphur oxides Metal oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: No data is available on the product itself	-
Acute toxicity		
<u>Components:</u> barium sulfate: Acute oral toxicityComponents	: LD50 (Rat, male): > 5,000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: No data available	
Acute dermal toxicity	: No data available	
Acute toxicity (other routes of	: No data available	



Version 4.0 Revision Date: 12/18/2020

SDS Number: 400000000727 Date of last issue: 12/16/2020

Date of first issue: 12/20/2016

administration)

Skin corrosion/irritation

Components:

barium sulfate: Species: human skin Result: No skin irritation

Serious eye damage/eye irritation

Components:

barium sulfate: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

barium sulfate: Exposure routes: Skin Species: Mouse Method: OECD Test Guideline 429 Result: Does not cause skin sensitisation.

Assessment:

No data available

Germ cell mutagenicity

Components:

barium sulfate: Genotoxicity in vitro : Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

> Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

> Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative


Genotoxicity in vivo

: No data available

Carcinogenicity

Components:

barium sulfate: Species: Rat, male and female Application Route: Oral Exposure time: 104 weeks Dose: 60 - 75 mg/kg Method: OPPTS 870.4200





Versio 4.0	n Revision Date: 12/18/2020	SDS Number: 40000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
	epeated dose toxicity - ssessment	: No data available	
	spiration toxicity o data available		
E	xperience with human	oxposuro	
	eneral Information:	No data available	
In	halation:	No data available	
S	kin contact:	No data available	
E	ye contact:	No data available	
In	gestion:	No data available	
	oxicology, Metabolism o data available	, Distribution	
	eurological effects o data available		
	urther information gestion:	No data available	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

barium sulfate: Toxicity to fish

: LC50: Exposure time: 96 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility

Components:

barium sulfate: Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)):





BL	ANC I				
Versi 4.0	ion	Revision Date: 12/18/2020		0S Number: 0000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
	aquatic	invertebrates		Exposure time: 48 Test Type: static t Test substance: F Method: OECD Te Remarks: No toxic	est resh water
	Compor barium s Toxicity plants		:	EC50: Exposure time: 72 Test Type: static t Test substance: F Method: OECD Te Remarks: No toxic	est resh water
	M-Facto toxicity)	r (Acute aquatic	:	No data available	
	Toxicity toxicity)	to fish (Chronic	:	No data available	
	aquatic		:	Exposure time: 21 Test Type: semi-s Test substance: F Method: OECD Te	tatic test resh water
	M-Facto toxicity)	r (Chronic aquatic	:	No data available	
	Toxicity	to microorganisms	:	No data available	
	Toxicity organisn	to soil dwelling ns	:	No data available	
	Plant to	xicity	:	No data available	
	Sedimer	nt toxicity	:	No data available	
	Toxicity organisn	to terrestrial ns	:	No data available	
		cology Assessment quatic toxicity	:	No data available	
	Chronic	aquatic toxicity	:	No data available	
	Toxicity	Data on Soil	:	No data available	
	Other or the envir	ganisms relevant to onment	:	No data available	

Version 4.0	Revision Date: 12/18/2020	-	S Number: 0000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
Persi	stence and degradabil	itv		
	egradability - Product	-		nethods for determining the biological e not applicable to inorganic substances.
	nemical Oxygen and (BOD)	:	No data availabl	e
Cherr (COD	nical Oxygen Demand))	:	No data availabl	e
BOD	(COD	:	No data availabl	e
ThOD)	:	No data availabl	e
BOD/	/ThOD	:	No data availabl	e
Disso (DOC	blved organic carbon	:	No data availabl	e
	ico-chemical vability	:	No data availabl	e
Stabi	lity in water	:	No data availabl	e
Photo	odegradation	:	No data availabl	e
Impao Treat	ct on Sewage ment	:	No data availabl	e
Bioa	ccumulative potential			
Bioad	ccumulation - Product	:	Remarks: Bioad	ccumulation is unlikely.
	ion coefficient: n- ol/water - Product	:	Remarks: Not a	pplicable
Mobi	lity in soil			
Mobil	lity	:	No data availabl	e
	bution among onmental compartments	:	No data availabl	e
Stabi	lity in soil	:	No data availabl	e
Othe	r adverse effects			
Enviro pathv	onmental fate and vays	:	No data availabl	e
	Its of PBT and vPvB ssment - Product	:	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
Endo	crine disrupting	:	No data availabl	e



Vers 4.0	sion	Revision Date: 12/18/2020	SDS Number: 400000000727	Date of last issue: 12/16/2020 Date of first issue: 12/20/2016
	potenti	al		
		ed organic bound ns (AOX)	: No data available	
	Hazaro	lous to the ozone lay	er	
	Ozone	Depletion Potential	Protection of Stra Substances Remarks: This p manufactured wi	FR Protection of Environment; Part 82 atospheric Ozone - CAA Section 602 Class I roduct neither contains, nor was th a Class I or Class II ODS as defined by the ct Section 602 (40 CFR 82, Subpt. A, App.A +
	Additio informa	nal ecological tion	: No data available	
	Global (GWP)	warming potential	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

ΙΑΤΑ

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations





Version	
4.0	

Revision Date: 12/18/2020

SDS Number: 40000000727 Date of last issue: 12/16/2020 Date of first issue: 12/20/2016

DOT Classification

Not regulated as dangerous goods

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazards	: No SARA Hazards
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING: This product can expose you to chemicals including Arsenic (As), Cadmium (Cd), Chromium VI (Cr6+), Cobalt (Co), Lead (Pb), Mercury (Hg) and Nickel (Ni), present as trace impurities and not intentionally added, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL : AICS : NZIoC : ENCS : KECI : PICCS :	On the inventory, or in compliance with the inventory All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory
PICCS :	On the inventory, or in compliance with the inventory
	On the inventory, or in compliance with the inventory
	On the inventory, or in compliance with the inventory All substances listed as active on the TSCA inventory

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.



Version	Revision Date:	SDS Number:	Date of last issue: 12/16/2020
4.0	12/18/2020	40000000727	Date of first issue: 12/20/2016

SECTION 16. OTHER INFORMATION



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Sources of key data used to compile the Safety Data Sheet		Information taken from reference works and the literature., Information derived from practical experience.
Revision Date	:	12/18/2020
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
	•	Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

This information is given in good faith to the best of our current reasonable knowledge, taking into consideration current status of technology as generally applied in the industry. For updates/more information, visit www.venatorcorp.com. NOTHING IN THIS COMMUNICATION IS (OR SHOULD BE TAKEN AS) A WARRANTY (EXPRESS OR IMPLIED). NO REPRESENTATION, ASSURANCE OR UNDERTAKING IS MADE. NO LIABILITY IS OR WILL BE ACCEPTED BY VENATOR IN RELATION TO THE ADEQUACY, ACCURACY, COMPLETENESS, REASONABLENESS OF THIS COMMUNICATION. ALL AND ANY SUCH LIABILITY IS EXPRESSLY DISCLAIMED. IN ALL CASES IT IS YOUR RESPONSIBILITY TO DETERMINE THE APPLICABILITY OF THE INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF THE PRODUCTS DESCRIBED FOR ANY PARTICULAR PURPOSE. Venator products are provided only for manufacturing, processing, formulation, treatment and other such activities. Unless otherwise expressly stated in this document or a valid safety data sheet, Venator products must not be used, resold, distributed, transferred, or otherwise disposed of in (or in each case where intended to be used in) any applications or process in: a) which lead stabilisers/stabilised systems are used where the end product is rigid pvc; b) food; c) cosmetics; d) pharmaceuticals; or e) medical. Nothing in this disclaimer or otherwise limits claims in respect



Version	Revision Date:	SDS Number:	Date of last issue: 12/16/2020
4.0	12/18/2020	40000000727	Date of first issue: 12/20/2016

of death or personal injury caused by our negligence. You have full responsibility to use products consistent with safety and technical data sheets. Once a Venator product is within your custody/control, you shall have full responsibility for and liability arising out of its storage, handling, transportation, sale, use, reuse, recycling and/or disposal, and of any derivative product, co-product, by-product or waste product therefrom, including the use of any such product alone or in combination with other substances, and compliance with any laws or regulations relating thereto. This is not: a) a license under any intellectual property right of any entity; or b) a recommendation or authorization to action that infringes any intellectual property right. Unless otherwise agreed in writing and signed by the parties, all sales are subject to the Venator standard terms and conditions of sale. Reference to Venator includes Venator Materials PLC, and any entity that it directly controls, is controlled by, or is under common control with it, and their employees, officers, agents and distributors. All the above applies to this document and anything else made available to you in any form or medium (written or verbal).

The trademarks above are the property of Venator or an affiliate thereof.

© Copyright 2018. Venator Materials PLC. All rights reserved.

TRANSLATION NOTE: This document is a translation of an original Venator communication written in English and is provided for the convenience of the reader. In the event of any discrepancy or ambiguity, the English version will control.