

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

**SECTION 1. IDENTIFICATION**

Product name : BLANC FIXE SUPER F

**Manufacturer or supplier's details**

Company name of supplier : Venator Americas LLC  
Address : 10001 Woodloch Forest Drive  
The Woodlands,  
TX 77380  
United States of America (USA)  
Telephone : (001) 844 831 6720  
Telefax : (001) 281 465 6731

E-mail address of person responsible for the SDS : msds@venatorcorp.com

Emergency telephone number : USA & Canada: +1-800-424-9300 Other Americas: +1-703-741-5970 [CCN 820025]

**Recommended use of the chemical and restrictions on use**

Recommended use : Manufacture of plastics products  
Additive  
Filler  
Paint additive  
Pigment

Restrictions on use : Do not use for cosmetics, food additives, drug additives, feed additives or permanent implant applications., Due to lack of related experience or data, the supplier cannot approve this use.

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

**BLANC FIXE SUPER F**

Version 3.0      Revision Date: 07/19/2019      SDS Number: 400000000729      Date of last issue: 03/14/2018  
Date of first issue: 12/20/2016

Chemical nature : inorganic

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
barium sulfate	7727-43-7	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- General advice : Consult a physician.
- If inhaled : If breathed in, move person into fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and water.  
Call a physician if irritation develops or persists.
- In case of eye contact : Rinse with water.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Dust contact with the eyes can lead to mechanical irritation.  
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.  
The product is not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure.  
Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician : No specific measures identified.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Sulphur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations". For disposal considerations see section 13.
Environmental precautions	:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid creating dusty conditions and prevent wind dispersal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Minimize dust generation and accumulation. Avoid formation of respirable particles. Avoid inhalation, ingestion and contact with skin and eyes. Avoid exposure - obtain special instructions before use. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the

**BLANC FIXE SUPER F**

Version 3.0      Revision Date: 07/19/2019      SDS Number: 400000000729      Date of last issue: 03/14/2018  
 Date of first issue: 12/20/2016

application area.

Provide sufficient air exchange and/or exhaust in work rooms.  
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : Keep in a dry place.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
barium sulfate	7727-43-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH

**Engineering measures** : Maintain air concentrations below occupational exposure standards.

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Hand protection  
 Directive : Use gloves approved to relevant standards e.g. EN 374 (Europe), F739 (US).

Eye protection : Safety glasses  
 Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Protective measures : The type of protective equipment must be selected according

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

to the concentration and amount of the dangerous substance at the specific workplace.

Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Wash hands before breaks and immediately after handling the product.  
Remove contaminated clothing and protective equipment before entering eating areas.  
Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: powder
Colour	: white
Odour	: none
Odour Threshold	: Not relevant
pH	: ca. 9
Melting point/freezing point	: > 2,462 °F / > 1,350 °C
Initial boiling point and boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data is available on the product itself.
Density	: ca. 4.4 g/cm <sup>3</sup>
Solubility(ies)	

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Water solubility	: No data is available on the product itself.
Solubility in other solvents	: < 0.01 g/l
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not expected to form explosive dust-air mixtures.
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle size	: No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	: Do not expose to temperatures above: > 1,300 °C
Incompatible materials	: Strong reducing agents
Hazardous decomposition products	: Sulphur oxides Metal oxides

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	: No data is available on the product itself.
------------------------------------------	-----------------------------------------------

**Acute toxicity****Components:**

barium sulfate:

Acute oral toxicityComponents	: LD50 (Rat, male): > 5,000 mg/kg Method: OECD Test Guideline 401
-------------------------------	----------------------------------------------------------------------

Acute inhalation toxicity	: No data available
---------------------------	---------------------

Acute dermal toxicity	: No data available
-----------------------	---------------------

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

barium sulfate:

Species: human skin

Result: No skin irritation

**Serious eye damage/eye irritation****Components:**

barium sulfate:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**Respiratory or skin sensitisation****Components:**

barium sulfate:

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: Does not cause skin sensitisation.

Assessment: No data available

**Germ cell mutagenicity****Components:**

barium sulfate:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : No data available

**Carcinogenicity****Components:**

barium sulfate:

Species: Rat, male and female

Application Route: Oral

Exposure time: 104 weeks

Dose: 60 - 75 mg/kg

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Method: OPPTS 870.4200  
Result: negative

Species: Mouse, male and female  
Application Route: Oral  
Dose: 160 - 200 mg/kg  
Method: OPPTS 870.4200  
Result: negative

Carcinogenicity - Assessment : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Effects on fertility : No data available

Effects on foetal development : No data available

Reproductive toxicity - Assessment : No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

barium sulfate:  
Species: Rat  
NOAEL:  $\geq 104$  mg/kg  
Application Route: Ingestion

Species: Rat  
Application Route: Inhalation  
Exposure time: 5 h  
Number of exposures: 5 d



**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Remarks: No significant adverse effects were reported

Repeated dose toxicity - : No data available  
Assessment

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

Ingestion: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

barium sulfate:

Toxicity to fish

: LC50:

Exposure time: 96 h

Test Type: static test

Test substance: Fresh water

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

## BLANC FIXE SUPER F

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

**Components:**

barium sulfate:

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)):  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

**Components:**

barium sulfate:

Toxicity to algae/aquatic plants : EC50:  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

**Components:**

barium sulfate:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)):  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic toxicity) : No data available

Toxicity to microorganisms : No data available

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

## BLANC FIXE SUPER F

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

Other organisms relevant to the environment : No data available

**Persistence and degradability**

Biodegradability - Product : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential**

Bioaccumulation - Product : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water - Product : Remarks: Not applicable

**Mobility in soil**

Mobility : No data available

Distribution among environmental compartments : No data available

Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment - Product : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

Not regulated as dangerous goods

**IMDG**

Not regulated as dangerous goods

## BLANC FIXE SUPER F

Version 3.0      Revision Date: 07/19/2019      SDS Number: 400000000729      Date of last issue: 03/14/2018  
Date of first issue: 12/20/2016

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

Not regulated as dangerous goods

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
zinc di(acetate)	557-34-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

CH INV : On the inventory, or in compliance with the inventory  
DSL : All components of this product are on the Canadian DSL  
AICS : On the inventory, or in compliance with the inventory  
NZIoC : On the inventory, or in compliance with the inventory  
ENCS : On the inventory, or in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory  
PICCS : On the inventory, or in compliance with the inventory  
IECSC : On the inventory, or in compliance with the inventory  
TCSI : On the inventory, or in compliance with the inventory  
TSCA : All substances listed as active on the TSCA inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**


No substances are subject to a Significant New Use Rule.

**BLANC FIXE SUPER F**

Version 3.0      Revision Date: 07/19/2019      SDS Number: 400000000729      Date of last issue: 03/14/2018  
 Date of first issue: 12/20/2016

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Sources of key data used to compile the Safety Data Sheet : Information taken from reference works and the literature.,  
 : Information derived from practical experience.

Revision Date : 07/19/2019

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1  
 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 OSHA Z-1 / TWA : 8-hour time weighted average

This information is given in good faith to the best of our current reasonable knowledge, taking into consideration current status of technology as generally applied in the industry. For updates/more information, visit [www.venatorcorp.com](http://www.venatorcorp.com). NOTHING IN THIS COMMUNICATION IS (OR SHOULD BE TAKEN AS) A WARRANTY (EXPRESS OR IMPLIED). NO REPRESENTATION, ASSURANCE OR UNDERTAKING IS MADE. NO LIABILITY IS OR WILL BE ACCEPTED BY VENATOR IN RELATION TO THE ADEQUACY, ACCURACY, COMPLETENESS, REASONABLENESS OF THIS COMMUNICATION. ALL AND ANY SUCH LIABILITY IS EXPRESSLY DISCLAIMED. IN ALL CASES IT IS YOUR RESPONSIBILITY TO DETERMINE THE APPLICABILITY OF THE INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF THE PRODUCTS DESCRIBED FOR ANY PARTICULAR PURPOSE. Venator products are provided only for manufacturing, processing, formulation, treatment and other such

**BLANC FIXE SUPER F**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
3.0	07/19/2019	400000000729	Date of first issue: 12/20/2016

activities. Unless otherwise expressly stated in this document or a valid safety data sheet, Venator products must not be used, resold, distributed, transferred, or otherwise disposed of in (or in each case where intended to be used in) any applications or process in: a) which lead stabilisers/stabilised systems are used where the end product is rigid pvc; b) food; c) cosmetics; d) pharmaceuticals; or e) medical. Nothing in this disclaimer or otherwise limits claims in respect of death or personal injury caused by our negligence. You have full responsibility to use products consistent with safety and technical data sheets. Once a Venator product is within your custody/control, you shall have full responsibility for and liability arising out of its storage, handling, transportation, sale, use, reuse, recycling and/or disposal, and of any derivative product, co-product, by-product or waste product therefrom, including the use of any such product alone or in combination with other substances, and compliance with any laws or regulations relating thereto. This is not: a) a license under any intellectual property right of any entity; or b) a recommendation or authorization to action that infringes any intellectual property right. Unless otherwise agreed in writing and signed by the parties, all sales are subject to the Venator standard terms and conditions of sale. Reference to Venator includes Venator Materials PLC, and any entity that it directly controls, is controlled by, or is under common control with it, and their employees, officers, agents and distributors. All the above applies to this document and anything else made available to you in any form or medium (written or verbal).

The trademarks above are the property of Venator or an affiliate thereof.

© Copyright 2018. Venator Materials PLC. All rights reserved.

TRANSLATION NOTE: This document is a translation of an original Venator communication written in English and is provided for the convenience of the reader. In the event of any discrepancy or ambiguity, the English version will control.