

SAFETY DATA SHEET

according to the Globally Harmonized System and US regulation

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

1. IDENTIFICATION

Product name : CELQUAT SC-230M 20 LB POH PAIL

Product Use Description : Specific use(s): Cosmetic additive

Company : Nouryon Surface Chemistry LLC
131 S Dearborn St, Suite 1000
Chicago IL 60603-5566
US

Telephone : +18009069977

Fax : +13125447188

E-mail address :

Emergency telephone : CANUTEC: +1 613-996-6666 CHEMTREC: +1 800-424-9300-

2. HAZARDS IDENTIFICATION


Emergency Overview

Appearance	powder
Color	tan
Odor	slight
Hazard Summary	Risk of dust explosion.

GHS Classification

Combustible dust
Short-term (acute) aquatic hazard, Category 2
Long-term (chronic) aquatic hazard, Category 2

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
H411 Toxic to aquatic life with long lasting effects.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

- Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container in accordance with local regulation.
- Carcinogenicity:**
- IARC** : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA** : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- NTP** : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture
No hazardous ingredients

4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

Inhalation : Remove to fresh air.
Keep patient warm and at rest.
Rinse nose and mouth with water.

Skin contact : Take off contaminated clothing and shoes immediately.
Rinse immediately with plenty of water.

Eye contact : Rinse with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

Ingestion : Clean mouth with water and drink afterwards plenty of water.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Notes to physician

Symptoms : The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

Risks : No information available.

Treatment : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards during fire fighting / Specific hazards arising from the chemical : Do not allow run-off from fire fighting to enter drains or water courses.
Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Combustion products : Carbon oxides
Nitrogen oxides (NOx)

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

See also Section 9. Physical and chemical properties: Safety data

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid dust formation.
Ensure adequate ventilation.
- Emergency measures on accidental release : Evacuate personnel to safe areas.
Only qualified personnel equipped with suitable protective equipment may intervene.
Prevent unauthorized persons entering the zone.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Discharge into the environment must be avoided.
- Methods for cleaning up /
Methods for containment : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.
- Reference to other sections : For disposal considerations see section 13.

For personal protection see section 8.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : For personal protection see section 8.
Avoid creating dust.
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
No sparking tools should be used.
- Dust explosion class : St1

Storage

- Requirements for storage areas and containers : Store in original container.
Keep in a dry place.
Store between 40-77°F (5-25°C).
Keep container tightly closed.
- Other data : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis	Form of exposure
------------	---------	-------	--------------------	--------	-------	------------------

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

Dust		TWA	50 Million particles per cubic foot	2012-07-01	OSHA Z-3	total dust
	Further information	:	a: Based on impinger samples counted by light-field techniques. d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1. mppcf X 35.3 = million particles per cubic meter = particles per c.c			
Dust		TWA	15 mg/m3	2012-07-01	OSHA Z-3	total dust
	Further information	:	d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.			
Dust		TWA	5 mg/m3	2012-07-01	OSHA Z-3	respirable fraction
	Further information	:	d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1.			
Dust		TWA	15 Million particles per cubic foot	2012-07-01	OSHA Z-3	respirable fraction
	Further information	:	a: Based on impinger samples counted by light-field techniques. d: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1. mppcf X 35.3 = million particles per cubic meter = particles per c.c			
Dust		PEL	10 mg/m3	2014-11-26	CAL PEL	Total dust
Dust		PEL	5 mg/m3	2014-11-26	CAL PEL	respirable dust fraction
	Further information	:	(n): The concentration and percentage of the particulate used for this limit are determined from the fraction passing a size selector with the following characteristics: Aerodynamic Diameter in Micrometers (unit density sphere)..... Percent Passing Selector 0 100 1 97 2 91 3 74 4 50 5 30 6 17 7 9 8 5 10 1			

ACGIH: American Conference of Governmental Industrial Hygienists
 BEI: Biological Exposure Index
 MAC: Maximum Allowable Concentration
 NIOSH: National Institute for Occupational Safety and Health
 OEL: OEL: Occupational exposure limit.
 STEL: Short term exposure limit
 TWA: Time Weighted Average

Appropriate engineering controls

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection : Glove material: For prolonged or repeated contact use protective gloves.

: Glove material: Protective gloves complying with EN 374.

Skin and body protection : Protective suit

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

- | | |
|------------------------|---|
| Respiratory protection | : Half mask with a particle filter P2 (EN 143) |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice.
Wash hands before breaks and at the end of workday. |

Environmental exposure controls

- | | |
|----------------|--|
| General advice | : Do not flush into surface water or sanitary sewer system.
Discharge into the environment must be avoided. |
|----------------|--|

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

- | | |
|----------------|---------------------|
| Form | : powder |
| Color | : tan |
| Odor | : slight |
| Odor Threshold | : No data available |

Safety data

- | | |
|--|---|
| pH | : 5 - 8 at 1 % solution |
| Melting point/range | : No data available |
| Boiling point/boiling range | : Not applicable |
| Flash point | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : May form combustible dust concentrations in air during processing, handling or other means. |
| Lower explosion limit | : 30,000 mg/m3 |
| Upper explosion limit | : No data available |
| Vapor pressure | : Not applicable |
| Relative vapor density | : Not applicable |
| Relative density | : No data available |
| Bulk density | : 500 kg/m3 |
| Water solubility | : soluble |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Autoignition temperature | : No data available |

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

Decomposition temperature	: No data available
Viscosity, dynamic	: at 20 °C Not applicable
Viscosity, kinematic	: at 20 °C Not applicable
Dust explosion class	: St1
Dust deflagration index (Kst)	: 36.1 m.b_/s
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

10. STABILITY AND REACTIVITY

Conditions to avoid	: None known.
Materials to avoid	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.
Thermal decomposition	: No data available
Reactivity	: Stable under normal conditions.
Chemical stability	: Stable under recommended storage conditions.
Hazardous reactions	: Dust may form explosive mixture in air.

11. TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION:

Hazard Summary

Acute toxicity	: Not classified based on available information.
Skin corrosion/irritation	: Not classified based on available information.
Serious eye damage/eye irritation	: Not classified based on available information.
Respiratory or skin sensitization	: Respiratory sensitization: Not classified based on available information. Skin sensitization: Not classified based on available information.
Germ cell mutagenicity	: Not classified based on available information.
Carcinogenicity	: Not classified based on available information.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

Reproductive toxicity : Not classified based on available information.

STOT-single exposure : Not classified based on available information.

STOT-repeated exposure : Not classified based on available information.

Aspiration hazard : Not classified based on available information.

Potential Health Effects

Inhalation : Product dust may be irritating to respiratory system.

Skin : Product dust may be irritating to skin.
May be harmful in contact with skin.

Eyes : Product dust may be irritating to eyes.

Ingestion : Not expected to be irritating.

Aggravated Medical Condition : None known.

Symptoms of Overexposure : The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

Toxicology Assessment

Further information : No further data available.

Test result

Acute oral toxicity : LD50: > 5,000 mg/kg
Species: Rat

Acute dermal toxicity : LD50: > 2,000 mg/kg
Species: Rabbit

Acute toxicity estimate: 2,604 mg/kg
Method: Calculation method

Eye irritation : Species: Rabbit
Result: No eye irritation

Germ cell mutagenicity
Genotoxicity in vitro : Ames test
Result: negative

Carcinogenicity:

IARC : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

12. ECOLOGICAL INFORMATION

PRODUCT INFORMATION:

Ecotoxicology Assessment

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Test result

Ecotoxicity effects

Toxicity to fish : LC50: > 1 - 10 mg/l
Exposure time: 96 h
Species: Fish

Toxicity to daphnia and other aquatic invertebrates : EC50: > 10 - 100 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

Elimination information (persistence and degradability)

Bioaccumulation : Bioaccumulation is unlikely.

Mobility : No data available

Biodegradability : Result: Not readily biodegradable.

Further information on ecology

Biochemical Oxygen Demand (BOD) : No data available

Hazardous to the ozone layer

Regulation : 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

13. DISPOSAL CONSIDERATIONS

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of contents/container in accordance with local regulation.

: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Quaternized hydroxyethyl cellulose)
Class : 9
Packing group : III
Labels : 9
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Quaternized hydroxyethyl cellulose)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
(Quaternized hydroxyethyl cellulose)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Further information for transport

49CFR: no dangerous good in non-bulk packaging

Domestic regulation

49 CFR

UN/ID/NA number : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Quaternized hydroxyethyl cellulose)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes
(Quaternized hydroxyethyl cellulose)
Reportable Quantity : This product does not contain an environmentally hazardous substance per 49 CFR 172.101, Appendix A.

15. REGULATORY INFORMATION

Notification status

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

TCSI	: YES. On the inventory, or in compliance with the inventory
TSCA	: YES. All substances listed as active on the TSCA inventory
AICS	: YES. On the inventory, or in compliance with the inventory
DSL	: YES. All components of this product are on the Canadian DSL
ENCS	: YES. On the inventory, or in compliance with the inventory
ISHL	: YES. On the inventory, or in compliance with the inventory
KECI	: YES. On the inventory, or in compliance with the inventory
PICCS	: YES. On the inventory, or in compliance with the inventory
IECSC	: YES. On the inventory, or in compliance with the inventory
NZloC	: NO. Not in compliance with the inventory

For explanation of abbreviations, see section 16.

TSCA list

TSCA 5(a)(2)	: No substances are subject to a Significant New Use Rule.
TSCA 12(b)	: No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible dust

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

CELQUAT SC-230M 20 LB POH PAIL

Version 1

Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

16. OTHER INFORMATION

Full text of other abbreviations

CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
CAL PEL / PEL	:	Permissible exposure limit
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information

HMIS Classification	:	Health Hazard: 0 Chronic Health Hazard: / Flammability: 2 Physical hazards: 0
---------------------	---	--

CELQUAT SC-230M 20 LB POH PAIL

Version 1


Revision Date 10/15/2020

Print Date 01/21/2021

US / Z8

NFPA Classification

: Health Hazard: 0
Fire Hazard: 1
Reactivity Hazard: 0



Notification status explanation

TCSI	Taiwan Chemical Substance Inventory (TCSI)
TSCA	United States TSCA Inventory
AICS	Australia Inventory of Chemical Substances (AICS)
DSL	Canadian Domestic Substances List (DSL)
ENCS	Japan. ENCS - Existing and New Chemical Substances Inventory
ISHL	Japan. ISHL - Inventory of Chemical Substances
KECI	Korea. Korean Existing Chemicals Inventory (KECI)
PICCS	Philippines Inventory of Chemicals and Chemical Substances (PICCS)
IECSC	China. Inventory of Existing Chemical Substances in China (IECSC)
NZIoC	New Zealand. Inventory of Chemical Substances

Further information

Revision Date 10/15/2020

The information in this safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the context of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.