Reversion:

Chemi

Safety Data Sheet

Section 1. Identification

Product identifier: Iron Oxide Yellow BM850 Chemical Class: Synthetic iron oxide alpha-FeOOH Application: Colorants (pigments and dyestuffs), inorganic Manufacturer/Supplier: Chemik Co.,Ltd. Add: 2225,,55 Yunshi Street, Ningbo 315010, P.R.China Telephone: +86 574 87296330, 87296114, 87296118 Fax: +86 574 87297461 Emergency Information: Telephone: +86 574 87296330

Section 2. Hazards identification

HAZCOM Standard Status: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), the SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product. Physical state: Powder. Color: Yellow. Classification of the substance or mixture: Not classified. Signal word: No signal word. Hazard statements: No known significant effects or critical hazards. Hazard Not Otherwise Classified (HNOC) Precautionary statements: None known. Prevention: Not applicable. Response: Not applicable. Storage: Not applicable. Disposal: Not applicable. Supplemental label elements: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

Section 3. Composition/information on ingredients

Ingredient name	%	CAS Number
Iron oxide yellow pigment	69min	51274-00-1

Chemical characterization: Synthetic iron oxide Fe2O3.H2O (a -FeooH),

C. I. Pigment YELLOW 42 EINECS No.: 257-098-5

Registration Number in REACH: 01-2119457554-33-0012

Substance/mixture: Substance

Section 4. First aid measure

Description of first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to o dos by medical personnel. Get medical attention of symptoms occur.

Potential acute health effects

Eye contact: May cause mechanical irritation (abrasion).

Inhalation: No known significant effects or critical hazards.

Skin contact: May cause mechanical irritation (abrasion).

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

Potential chronic health effects

Long-term exposure to high concentrations of dust containing iron oxide can cause a benign condition termed "pulmonary siderosis." This condition is not associated with any physical impairment of lung function.

Notes to physician: Treat symptomatically. No specific treatment.

Protection of first-aiders: No special measures required.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray(fog), foam or dry chemical.

Unsuitable extinguishing media: None known.

Special hazards arising from the chemical: No specific fire or explosion hazard.

Hazardous thermal decomposition products: No specific data.

Special protective actions for fire-fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.

Environmental precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Move containers from spill area. Approach release from upwind. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

Reference to other sections:

See Section 1 for emergency contact information.

See Section 13 for waste disposal.

Prevent entry into sewers, water courses, basements or confined areas.

Section 7. Handling and storage

Handling:

Precautions for safe handling

Avoid breathing dust. Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Storage:

Conditions for safe storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

Section 8. Exposure controls/personal protection

Occupational exposure limits: No exposure limit value known.

Appropriate engineering controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection:

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection: Dust-protection mask.

Skin protection: Wear suitable protective clothing and gloves. Suitable protective footwear. Eye/face protection: If contact with product is possible, wear safety glasses with side shields. Medical Surveillance: Not available.

Section 9. Physical and chemical properties

Physical state:	Solid (powdor)				
Physical state:					
Color:	Yellow				
Odor:	Odorless				
Odor threshold:	Not available.				
PH:	5-8				
Boiling point:	Not available.				
Melting point:	>1000°C (>1832°F)				
Flash point:	Not available.				
Evaporation rate	: Not available.				
Explosion limits	Not available.				
Vapor pressure:	Not available.				
Density:	3.8 g/cm3 (20°C(68°F))				
Specific gravity (Relative density): Not available.					
Bulk density:	300 to 1000 kg/m3				
Solubility:	insoluble in the following materials :cold water				
Partition coefficient: noctanol/water: Not available.					
Vapor density:	Not available.				
Viscosity:	Not available.				
Auto-ignition temperature: Not available.					
Decomposition temperature: 180°C					

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients. **Chemical Stability:** This product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

Incompatible materials: No specific data.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation Ingestion. Potential acute health effects Eve contact: May cause mechanical irritation(abrasion). Inhalation: No known significant effects or critical hazards. Skin contact: May cause mechanical irritation(abrasion). Ingestion: No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics: Eye contact: No specific data. Inhalation: No specific data. Skin contact: No specific data. Ingestion: No specific data. Potential chronic health effects: Short term exposure/Potential immediate effects: Not available. Long term exposure: Potential delayed effects: No specific data. General: No known significant effects or critical hazards. Carcinogenicity: No known significant effects or critical hazards. Mutagenicity: No known significant effects or critical hazards. Teratogenicity: No known significant effects or critical hazards. Developmental effects: No known significant effects or critical hazards. Fertility effects: No known significant effects or critical hazards. Information on toxicological effects Acute toxicity: Product/ingredient Result Species Dose Exposure Test name C.I.Pigment yellow LD50 Oral Rat-Male >10000 mg/kg -_ 42 C.I.Pigment yellow LC50 Rat >195 g/m3 6 hours _ 42 Inhalation

Dusts and mists LC50 Rat >195 g/m3 2 weeks inhalation Dusts and mists Irritation/Corrosion

Reversibility Product/Ingredient Result Species Score Exposure Observation name 7 days C.I.Pigment yellow Eyes-Draise Rabbit 0 50mg _ 42 Skin-Erythemea/Eschar Rabbit 0 24 hours 7 days _ 500mg

Reversion:

Sensitization:	yellow 42:Non-irri	tating.						
Product/Ingredient	Route of ex	posure	Species		Resu	Result		
name		-						
C.I.Pigment yellow 42	gment yellow 42 Skin		Guinea pig		Not sensitizing.			
Chronic toxicity:								
Product/Ingredient			oecies				Exposure	
name	Sub-acute NOA	EC Ra	t-Male >195 g/m3			14 days:6 hours		
C.I.Pigment yellow	inhalation Dusts	alation Dusts				per day 5 days pe		ys pe
42	and mists	mists					week	
Mutagenicity:			T					
Product/Ingredier	nt Test	•				Result		
name			-	ent: In vitro				
	low OECD 47	'6 IN		BACTERIA		Negative		
42	VITRO		METABC	-				
			ACTIVATION:WITH/WITHOUT					
	CELL GEN		S9 MIX					
	MUTATION TEST Experiment: In vitro							
	Subie		Subject	ect:MAMMALIAN-ANIMAL		Negative		
	OECD 47	73 IN	IN CELL:SOMATIC		Nege	noganvo		
	VITRO	0 11	METABOLIC ACTIVATION:					
	MAMMALIA	٨N	WITH/WITHOUT					
	CHROMOS							
	ABERRATI							
	TEST		Subject:MAMMALIAN-ANIMAL		Nega	itive		
			CELL:SOMATIC		Ū			
			METABOLIC					
			ACTIVATION:WITH/WITHOUT					
			S9 MIX					
Carcinogenicity:								
Product/Ingredient	Result			Species	Dose	-	osure	
name							days; 3	
C.I.Pigment yellow 42 Negative-Intraperi		raperito				-	ction a 200	
				Fermale	Fermale mg/kg		kg in 8	
						wee	ks.	
Product/Ingredient	CAS#	IAR	C	NTP		OSHA		
name								
C.I.Pigment yellow 42	2 51274-00-1	Not	classified	assified Not classified		Not classified		

Section 12. Ecological information

Toxicity:				
	Test	Result	Species	Exposure
Product/Ingredient				
name				
C.I.Pigment yellow	ISO 8192	Acute	Bacteria-adapted	3 hours
42		EC50>10000mg/l	and activated	
		Fresh water	sludge	
			micro-organism	
	OECD 202	Acute	Daphnia-Daphnia	48 hours
	Daphnia sp.Acute	EC50>100mg/l	magna	
	Immobilization	Fresh water		
	Test			
	OECD 203 Fish,	Acute	Fish-Danio rerio	96 hours
	Acute Toxicity Test	LC0>100000mg/l		
		Fresh water		

Conclusion/Summary: Not available.

Persistence and degradability Conclusion/Summary: Not applicable.

Bioaccumulative potential: Not available.

Mobility in soil soil water partition: Not available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods:	The generation of waste should be avoided or minimized wherever possible. This			
	material and its container must be disposed of in a safe way. Empty containers or			
	liners may retain some product residues. Avoid dispersal of spilled material and			
	runoff and contact with soil, waterways, drains and sewers. Waste disposal should			
	be in accordance with existing federal state, provincial and or local environment			
	controls laws.			
RCRA classification: If discarded in its purchased form, this product would not be a hazardous waster				
	either by listing or by characteristic. However, under RCRA, it is the responsibility of			
	the product user to determine at the time of disposal, whether a material containing			
	the product or derived from the product should be classified as a hazardous			

waste.(40 CFR 261.20-24)

Poquiatory	UN Number	Bropor	Classes	Daaking	Label	Additional
Regulatory	ON Number	Proper	Classes	Packing	Laber	
information		shipping		Group		information
		name				
DOT	-	-	-	-		Not
Classification						regulated.
IMDG Class	-	-	-	-		Not
						regulated.
IATA-DGR	-	-	-	-		Not
Class						regulated.

Section 15. Regulatory information

SARA311/312: None.

SARA title III Section 302 Extremely Hazardous Substances: None.

SARA Title III Section 313 Toxic Chemicals: None.

US EPA CERCLA Hazardous Substances (40 CFR 302): None.

State regulations:

The following chemicals are specifically listed by individual states: other product specific health and safety data in other sections on the SDS may also be applicable for state requirement. For details on your regulator requirements you should contact the appropriate agency in your state.

Ingredient Name: C.I.Pigment yellow 42

CAS Number: 51274-00-1

California Prop.65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Potential exposure to some or all of the California Prop 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL)

TSCA inventory

TSCA: On TSCA Inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements

Section 16. Other information

Hazardous Material Information System:

Health: 0, Flammability: 0, Physical hazards: 0

(0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

National Fire Protection Association (U.S.A.)

Health: 0, Flammability: 0, Instability/Reactivity: 0 Special:

(0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe)

Water hazard class:

Substance non-hazardous to water.

(WGK 1=low hazardous to water WGK 2=hazardous to water WGK 3=severly hazardous to water)

Revision Date:	01-Jan-2017
Revision Summary:	
Reason for revision:	Not applicable
Department issuing this data sheet:	Product safety department
Disclaimer	

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet