

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

**SECTION 1. IDENTIFICATION**

Product name : DISPERBYK-118

**Manufacturer or supplier's details**

Company : BYK USA Inc.  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : [www.byk.com](http://www.byk.com)

E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
number 703-527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Wetting &amp; Dispersing Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : solution of polymeric phosphoric acid ester

**Hazardous components**

| Component                    | CAS-No.  | Concentration (%) |
|------------------------------|----------|-------------------|
| 1-Methoxy-2-propanol acetate | 108-65-6 | >= 19 - < 20      |

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

|   |  |
|---|--|
| If inhaled  | : Consult a physician after significant exposure.<br>If unconscious, place in recovery position and seek medical advice.   |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.   |
| In case of eye contact                                      | : Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Clean mouth with water and drink afterwards plenty of water.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : No information available.  |

**SECTION 5. FIREFIGHTING MEASURES**

|                                      |   |
|--------------------------------------|---|
| Suitable extinguishing media         | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media       | : High volume water jet   |
| Specific hazards during firefighting | : Will not explode on mechanical impact.<br>Cool closed containers exposed to fire with water spray.<br><br>Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products        | : Carbon oxides<br>Oxides of phosphorus<br>Nitrogen oxides (NO <sub>x</sub> )<br>chlorinated compounds  |
| Further information                  | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must                  |

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Keep away from oxidizing agents.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components                   | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis   |
|------------------------------|----------|----------------------------------|---|---------|
| 1-Methoxy-2-propanol acetate | 108-65-6 | TWA                              | 50 ppm  | US WEEL |

**Engineering measures** : Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : Unless air monitoring demonstrates dusts/mists/vapors are below the recommended exposure levels and/or WEEL, wear a properly fitted respirator (NIOSH) or dust mask during exposure.

In the case of vapour formation use a respirator with an approved filter.

Hand protection

Material : Nitrile rubber

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Goggles  
Safety glasses with side-shields  
Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice.  
Clean long legged, long sleeved work clothes.  
If splashing is possible, wear chemically resistant protective

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

clothing.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|   |  |
|---|--|
| Appearance                              | : liquid   |
| Colour                                  | : yellow - brown, milky  |
| Odour                                   | : ester-like   |
| Odour Threshold                         | : No data available  |
| pH                                      | : 2.5, Concentration: 10 % (68 °F (20 °C)) Method: Universal pH-value indicator  |
| Melting point/freezing point            | : < 41 °F (< 5 °C)<br>Method: derived  |
| Initial boiling point and boiling range | : 295 °F (146 °C)<br>Method: derived   |
| Vapour pressure                         | : 3.55 hPa (68 °F (20 °C))<br>Method: derived                                    |
| Flash point                             | : 136 °F (58 °C)<br>Method: 49 (Pensky-Martens)                                  |
| Upper explosion limit                   | : No data available  |
| Lower explosion limit                   | : No data available  |
| Evaporation rate                        | : No data available  |
| Flammability (solid, gas)               | : No data available  |
| Relative vapour density                 | : No data available  |
| Relative Density/Specific Gravity       | : No data available  |
| Density                                 | : 1.066 g/cm <sup>3</sup> (68 °F (20 °C))<br>Method: 4 (20°C oscillating U-tube) |
| Bulk density                            | : Not applicable   |

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

|  |  |
|--|--|
| Solubility(ies)                        |  |
| Water solubility                       | : completely miscible                      |
| Solubility in other solvents           | : No data available                        |
| Partition coefficient: n-octanol/water | : No data available                        |
| Ignition temperature                   | : > 392 °F (> 200 °C)<br>Method: DIN 51794 |
| Thermal decomposition                  | : No data available                        |
| Viscosity                              |  |
| Viscosity, dynamic                     | : No data available                        |
| Conductivity                           | : 0.00 µS/cm                               |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Not classified as a reactivity hazard.<br><br>No decomposition if stored and applied as directed.   |
| Chemical stability                 | : Stable; polymerization will not occur<br><br>No decomposition if stored and applied as directed.  |
| Possibility of hazardous reactions | : 1-Methoxy-2-propanol acetate may form peroxides of unknown stability.<br>Gives off hydrogen by reaction with metals.<br><br>No decomposition if stored and applied as directed.<br><br>Vapours may form explosive mixture with air. |
| Conditions to avoid                | : Heat, flames and sparks.  |
| Incompatible materials             | : Strong oxidizing agents<br>Metals   |
| Hazardous decomposition products   | : No data available<br>No decomposition if stored and applied as directed.  |

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Ingestion  
Eyes  
Skin Absorption  
Skin contact

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Components:****108-65-6 1-Methoxy-2-propanol acetate:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 100 ppm  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation****Product:**

Remarks: No data available

Remarks: May cause skin irritation in susceptible persons.

**Components:****108-65-6 1-Methoxy-2-propanol acetate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

**Serious eye damage/eye irritation****Product:**

Remarks: No data available

Remarks: Causes serious eye irritation.

**Components:****108-65-6 1-Methoxy-2-propanol acetate:**



**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes

**Respiratory or skin sensitisation****Product:**

Remarks: No data available

**Components:****108-65-6 1-Methoxy-2-propanol acetate:**

Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

**Carcinogenicity****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Repeated dose toxicity****Product:**

Remarks: Solvent absorption by inhalation and/or repeated skin contact may cause injury to liver, kidney and respiratory system.

**Experience with human exposure****Product:**

Inhalation:

Symptoms:

High concentrations are irritating to the respiratory tract. Has caused headaches, dizziness, nausea, vomiting and CNS depression (drowsiness, loss of coordination and fatigue).

Skin contact:

Symptoms:

Contact will probably cause irritation.

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

Absorption has caused same symptoms as inhalation.

Eye contact:

Symptoms:

Contact will probably cause irritation.

Ingestion:

Symptoms:

Ingestion will probably irritate the digestive tract; high dosages may cause CNS depression.

**Further information****Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish

:

Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates

:

Remarks: No data available

**Persistence and degradability****Product:**

Biodegradability

:

Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation

:

Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Results of PBT and vPvB

:

This substance/mixture contains no components considered

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

|                                   |   |
|-----------------------------------|---|
| assessment                        | to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                             |
| Regulation                        | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  |
| Remarks                           | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : Not available<br><br>No data available  |

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                             |   |
|-----------------------------|---|
| EPA Hazardous Waste Code(s) | : D001: Ignitable   |
| Waste from residues         | : Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.<br><br>Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company. |
| Contaminated packaging      | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.  |

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

|                                      |  |
|--------------------------------------|--|
| UN/ID No.                            | : UN 3272  |
| Proper shipping name                 | : Esters, n.o.s.<br>(1-Methoxy-2-propanol acetate) |
| Class                                | : 3  |
| Packing group                        | : III  |
| Labels                               | : Flammable Liquids                                |
| Packing instruction (cargo aircraft) | : 366  |

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

Packing instruction : 355  
(passenger aircraft)

**IMDG-Code**

UN number : UN 3272  
Proper shipping name : ESTERS, N.O.S.  
(1-Methoxy-2-propanol acetate)  
: )  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no  
Remarks : IMDG Code segregation group - none

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

UN/ID/NA number : UN 3272  
Proper shipping name : Esters, n.o.s.  
(1-Methoxy-2-propanol acetate)  
Class : 3  
Packing group : III  
Labels : FLAMMABLE LIQUID  
ERG Code : 127  
Marine pollutant : no  
Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 - Emergency Release Notification**

Calculated RQ exceeds reasonably attainable upper limit.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)**

Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : 80 %  
Method: 22 (10min/150°C)  
DIN EN ISO 3251  
Non-volatile information is not a specification.

**Massachusetts Right To Know**

|                   |           |
|-------------------|-----------|
| Hydrogen Chloride | 7647-01-0 |
|-------------------|-----------|

**Pennsylvania Right To Know**

|                              |              |
|------------------------------|--------------|
| Copolymer                    | Not Assigned |
| 1-Methoxy-2-propanol acetate | 108-65-6     |
| Hydrogen Chloride            | 7647-01-0    |

**New Jersey Right To Know**

|                              |              |
|------------------------------|--------------|
| Copolymer                    | Not Assigned |
| 1-Methoxy-2-propanol acetate | 108-65-6     |

**New Jersey Trade Secret Registry Number for the product (NJ TSRN)** : 800963-5298

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**DISPERBYK-118**

Version 7

Revision Date 01/19/2021

Print Date 09/29/2022

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

**The components of this product are reported in the following inventories:**

TSCA : We certify that all of the components of this product are either listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

Section 5 : Not applicable

TSCA Inventory Active List : All components of this product are listed active and/or are exempt

DSL : The following component(s) is/are not listed on the DSL:  
:

CEPA Category : Polymer  
Weight percent : 80 %  
NSN Filed : Schedule 9  
Max. NSN Required : Schedule 10

**SECTION 16. OTHER INFORMATION**

Revision Date : 01/19/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.