

Version 7		Revision Date 11/26/2019	Print Date 09/29/2022	
SECTION 1. IDENTIFICATION				
Product name		DISPERBYK-145		
	-			
Manufacturer or supplier's	deta	ails		
Company	:	BYK USA Inc. 524 South Cherry Street Wallingford CT 06492		
Telephone	:	(203) 265-2086		
Visit our web site	:	www.byk.com		
E-mail address	:	BRIEF.BYK.NAFTA@altana.com		
Emergency telephone number	:	203-265-2086; CHEMTREC 1-800-424-9300 / +1 703-527-3887		
Recommended use of the	chen	nical and restrictions on use		
Recommended use	:	Wetting & Dispersing Additive		
Restrictions on use	:	Refer to Section 15 for any restriction	ns that may apply	
ECTION 2. HAZARDS IDENTIF		TION		
	10/1			
GHS Classification				
Eye irritation	:	Category 2A		
GHS label elements				
Hazard pictograms	:	\wedge		
		•		
		×		
Signal word	:	Warning		
Hazard statements	:	H319 Causes serious eye irritation.		
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after har	ndling.	
		P280 Wear eye protection/ face prot	ection.	
		Response: P305 + P351 + P338 IF IN EYES: Ri	nso cautiously with water	
		for several minutes. Remove contact		
		to do. Continue rinsing.		
		P337 + P313 If eye irritation persists attention.	: Get medical advice/	
Other hazards				
None known.				
		1/12		



Chemical nature Hazardous components HMIRA# 8282 Filing Date 26.07 Component 1,2-Ethanediamine, polymer wit [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	: Substance : Phosphoric aci pigment affinic 7.2011 th aziridine, N-[3- dervs., compds. e gly	id ester salt of a high groups CAS-No. 398475-96-2	molecular copolymer with Concentration (%) >= 99 - <= 100 (s) is a trade secret
Chemical nature Hazardous components HMIRA# 8282 Filing Date 26.07 Component 1,2-Ethanediamine, polymer witt [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	: Phosphoric aci pigment affinic 7.2011 th aziridine, N-[3- dervs., compds. e gly	groups CAS-No. 398475-96-2	Concentration (%) >= 99 - <= 100
Hazardous components HMIRA# 8282 Filing Date 26.07 Component 1,2-Ethanediamine, polymer wit [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	pigment affinic 7.2011 th aziridine, N-[3- dervs., compds. e gly	groups CAS-No. 398475-96-2	Concentration (%) >= 99 - <= 100
HMIRA# 8282 Filing Date 26.07 Component 1,2-Ethanediamine, polymer wit [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene	th aziridine, N-[3- dervs., compds. e gly	398475-96-2	>= 99 - <= 100
Component 1,2-Ethanediamine, polymer wit [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	th aziridine, N-[3- dervs., compds. e gly	398475-96-2	>= 99 - <= 100
1,2-Ethanediamine, polymer wit [(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	dervs., compds. e gly	398475-96-2	>= 99 - <= 100
[(2-ethylhexyl)oxy]-3-oxypropyl] with polyethylene-polypropylene The specific chemical identity/w	dervs., compds. e gly		
	eight percent of p	proprietary ingredient	(s) is a trade secret
CTION 4. FIRST AID MEASURE			
	S		
General advice			doctor in attendance.
If inhaled	advice.	, place in recovery po ersist, call a physicia	osition and seek medical n.
In case of skin contact	: If on skin, rinse If on clothes, re Wash clothing	emove clothes.	
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 		
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 		unconscious person.
Most important symptoms and effects, both acute and delayed	: No information	available.	
Notes to physician	: Treat symptom	natically.	



ersion 7		Revision Date 11/26/2019	Print Date 09/29/20
CTION 5. FIREFIGHTING MEA	SU	RES	
Suitable extinguishing media	:	Foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during firefighting	:	Cool closed containers exposed to fi Will not explode on mechanical impa	
Hazardous combustion products	:	Carbon oxides Oxides of phosphorus Nitrogen oxides (NOx)	
Further information	:	Standard procedure for chemical fire Use extinguishing measures that are circumstances and the surrounding	e appropriate to local
Special protective equipment for firefighters	:	Wear self-contained breathing apparent necessary.	ratus for firefighting if
CTION 6. ACCIDENTAL RELE	ASI	E MEASURES	
Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.	
Environmental precautions	:	Prevent further leakage or spillage if	^s safe to do so.
Methods and materials for containment and cleaning up		: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
		AGE	
CTION 7. HANDLING AND STO	5117		
Advice on safe handling	-	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking should application area. Dispose of rinse water in accordance regulations.	be prohibited in the
ECTION 7. HANDLING AND STO Advice on safe handling Conditions for safe storage	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking should application area. Dispose of rinse water in accordance	l be prohibited in the e with local and national
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking should application area. Dispose of rinse water in accordance regulations.	l be prohibited in the e with local and national



ersion 7	Revision Date 11/26/2019	Print Date 09/29/202
	Keep product and empty container a sources of ignition. Take measures to prevent the build	-
	Keep container tightly closed in a dr place.	y and well-ventilated
	Electrical installations / working mat the technological safety standards.	erials must comply with
Materials to avoid	: Keep away from oxidizing agents.	
CTION 8. EXPOSURE CONT	ROLS/PERSONAL PROTECTION	
Components with workpla Contains no substances with	ce control parameters	
Engineering measures	: Use with local exhaust ventilation.	
Personal protective equipr	nent	
Respiratory protection	: No personal respiratory protective e required.	equipment normally
Hand protection Material	: Neoprene gloves	
Remarks	: The suitability for a specific workpla with the producers of the protective	
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit problems.	t for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according t concentration of the dangerous sub-	
Hygiene measures	 Clean long legged, long sleeved wo Handle in accordance with good ind practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the 	lustrial hygiene and safety
CTION 9. PHYSICAL AND CH	IEMICAL PROPERTIES	
Appearance	: liquid	



Version 7		Revision Date 11/26/2019	Print Date 09/29/2022
Colour	:	light yellow	
Odour	:	not significant	
Odour Threshold	:	No data available	
рН	:	No data available	
Melting point/freezing point	:	No data available	
Initial boiling point and boiling range	:	No data available	
Vapour pressure	:	< 1.0000000 hPa (68.00 °F (20.00 °C)) Method: derived	
Flash point	:	> 212.00 °F (> 100.00 °C) Method: 49 (Pensky-Martens)	
Upper explosion limit	:	No data available	
Lower explosion limit	:	No data available	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Relative vapour density	:	No data available	
Relative Density/Specific Gravity	:	No data available	
Density	:	1.07 g/cm3 (68.00 °F (20.00 °C)) Method: 4 (20°C oscillating U-tube)	
Bulk density	:	Not applicable	
Solubility(ies) Water solubility	:	1.66 g/l (68 °F (20 °C)) pH: 7 Method: OECD Test Guideline 105 GLP: yes	
Solubility in other solvents	:	 > 522 g/l (68 °F (20 °C)) completely soluble Solvent: Alcohol Method: OECD Test Guideline 105 GLP: yes 	
		5/12	
		0/12	



:	Revision Date 11/26/2019 No data available > 392 °F (> 200 °C) Method: DIN 51794 No data available No data available	Print Date 09/29/202
:	> 392 °F (> 200 °C) Method: DIN 51794 No data available	
:	Method: DIN 51794 No data available	
:		
	No data available	
ND REAC	ΤΙVΙΤΥ	
:	No decomposition if stored and ap	plied as directed.
:	No decomposition if stored and ap	plied as directed.
:	Gives off hydrogen by reaction with	h metals.
	No decomposition if stored and ap	plied as directed.
:	No data available	
:	Strong oxidizing agents Metals	
on :	None expected	
	: : on :	 No decomposition if stored and ap Gives off hydrogen by reaction with No decomposition if stored and ap No data available Strong oxidizing agents Metals

C BYK

Skin contact Skin Absorption Inhalation Eyes Ingestion

Acute toxicity

Components:

398475-96-2 1,2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly: Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

GLP: yes



DISPERBYK-145

Version 7

Revision Date 11/26/2019

Print Date 09/29/2022

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

398475-96-2 1,2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly:

Species: Rabbit Assessment: No skin irritation Method: OECD Test Guideline 404 Result: No skin irritation GLP: yes

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Components:

398475-96-2 1,2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly: Species: Rabbit Result: Irritating to eyes. Assessment: Irritating to eyes. Method: OECD Test Guideline 405 GLP: yes

Respiratory or skin sensitisation

Product:

Remarks: No data available

Components:

398475-96-2 1,2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly: Remarks: No data available

CarcinogenicityIARCNo component of this product present at levels greater than or
equal to 0.1% is identified as probable, possible or confirmed
human carcinogen by IARC.OSHANo component of this product present at levels greater than or
equal to 0.1% is on OSHA's list of regulated carcinogens.NTPNo component of this product present at levels greater than or



Version 7	Revision Date 1	1/26/2019	Print Date 09/29/2022
	equal to 0.1% is ide by NTP.	ntified as a known or ar	nticipated carcinogen
Repeated dose toxicity			
Product:			
Remarks: No known chron	ic health effects.		
<u>Components:</u> 398475-96-2 1,2-Ethanedi dervs., compds. with poly Remarks: No data availabl	yethylene-polypropylen		exyl)oxy]-3-oxypropyl]
Experience with human e	exposure		
Product:	•		
Inhalation:	Symptoms:	None expected.	
Skin contact:	Symptoms:	Contact may cause	irritation.
Eye contact:	Symptoms:	Contact will probab	ly cause irritation.
Ingestion:	Symptoms:	Ingestion will proba digestive tract.	bly cause irritation of the
Further information			
Product:			
Remarks: No data availabl	e		
SECTION 12. ECOLOGICAL I	NFORMATION		
Ecotoxicity			
No data available			
Persistence and degrada No data available	bility		
Bioaccumulative potentia No data available	al		
	8 / 12		

DISPERBYK-145

rsion 7	Revision Date 11/26/2019	Print Date 09/29/202
Mobility in soil		
No data available		
Other adverse effects		
Product:		
Results of PBT and vPvB assessment	 This substance/mixture contains no to be either persistent, bioaccumular very persistent and very bioaccumul 0.1% or higher. 	tive and toxic (PBT), or
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Ac Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological information	: No data available	

C BYK

SI

Disposal methods EPA Hazardous Waste Code(s)	: Not applicable.
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Alkylammonium salt)
Class Packing group Labels	9IIIMiscellaneous substances and articles
Packing instruction (cargo	: 964

DISPERBYK-145

rsion 7	Revision Date 11/26/2019	Print Date 09/29/20
aircraft) Packing instruction (passenger aircraft)	: 964	
IMDG-Code UN number	: UN 3082	
Proper shipping name	 ENVIRONMENTALLY HAZARDOUS N.O.S. (Alkylammonium salt)) 	S SUBSTANCE, LIQUID,
Class Packing group Labels	: 9 : III	
EmS Code	: 9 : F-A, S-F	
Marine pollutant Remarks	: yes	0
	: IMDG Code segregation group - non	
Not applicable for product as	g to Annex II of MARPOL 73/78 and the	
National Regulations	, oappiloa.	
-		
49 CFR UN/ID/NA number	: UN 3082	
Proper shipping name	: Environmentally hazardous substance (Alkylammonium salt)	ce, liquid, n.o.s.
Class	: 9	
Packing group	: III	
Labels ERG Code	: Miscellaneous substances and article : 171	es
Marine pollutant	: Ves	
-	rums, 5 or 6-gallon pails, 2oz/16oz samples	8
TION 15. REGULATORY IN	FORMATION	
EPCRA - Emergency Plann	ning and Community Right-to-Know Act	
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)	
This material does not conta	in any components with a CERCLA RQ.	
SARA 304 - Emergency Re	lease Notification	
This material does not conta	in any components with a section 304 EHS	SRQ.
Section 302 Extremely Haz	ing and Community Right-To-Know Act ardous Substance (40 CFR 355, Append	
I his material does not conta	in any components with a SARA 302 RQ.	
SARA 311/312 Hazards	: Per the June 13, 2016 Federal Regis harmonized the EPCRA 311/312 ha:	
	10 / 12	

О ВУК

DISPERBYK-145

Version 7	Revision Date 11/26/2019	Print Date 09/29/2022		
	2012 OSHA hazard communication sta and labeling of chemicals (i.e. GHS). P of the SDS to identify the appropriate h reporting purposes.	lease refer to Section 2		
SARA 302	No chemicals in this material are subject requirements of SARA Title III, Section			
SARA 313	This material does not contain any che known CAS numbers that exceed the the reporting levels established by SARA T	hreshold (De Minimis)		
Clean Air Act				
This product does not contain an Act Section 112 (40 CFR 61).	ny hazardous air pollutants (HAP), as defi	ned by the U.S. Clean Air		
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).				
This product does not contain an Intermediate or Final VOC's (40	y chemicals listed under the U.S. Clean A CFR 60.489).	Air Act Section 111 SOCMI		
Non-volatile (Wt)	: 95 - 100 % Method: 22 (10min/150°C)			

: 95 - 100 % Method: 22 (10min/150°C) DIN EN ISO 3251 Non-volatile information is not a specification.

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

C BYK

Pennsylvania Right To Know

1,2-Ethanediamine, polymer with aziridine, 398475-96-2 N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly

New Jersey Right To Know

1,2-Ethanediamine, polymer with aziridine, 398475-96-2 N-[3-[(2-ethylhexyl)oxy]-3-oxypropyl] dervs., compds. with polyethylene-polypropylene gly New Jersey Trade Secret : 800963-5624

Registry Number for the product (NJ TSRN)



JF LIND I N-14J			
rsion 7		Revision Date 11/26/2019	Print Date 09/29/2022
California Prop. 65 This product does not contain defects, or any other reproduc		chemicals known to State of Califor harm.	nia to cause cancer, birth
	ratio	that we use packaging and/or pack n levels of lead, mercury, cadmium a y weight.	
The components of this pro-	duc	t are reported in the following inv	entories:
TSCA		We certify that all of the component listed on the TSCA Inventory or are notification requirements per 40 CF	ts of this product are either not subject to the
Section 4 / 12(b)	:	Not applicable	
TSCA Inventory Active List		All components of this product are listed active and/or are exempt	
DSL	:	We certify that all of the component on the DSL.	s of this product are listed
information and belief at the d	ate	afety Data Sheet is correct to the be of its publication. The information giv	en is designed only as a
CTION 16. OTHER INFORMAT		11/26/2019	
guidance for safe handling, us not to be considered a warran	se, p ity oi ind n	rocessing, storage, transportation, or r quality specification. The information nay not be valid for such material us	lisposal and release and is on relates only to the