Rev.-Nr. 6: 2017-12-18





# LOXIOL® G 16

# **Description**

LOXIOL® G 16 is a partial fatty acid ester of glycerine.

# **General Appearance**

Yellowish to yellow orange, liquid

# **Specified Data**

Parameter	Value	Test Method
Acid value (mg KOH/g)	0 - 1.0	DIN EN ISO 2114
Refractive index (20 °C)	1.468 - 1.472	DIN 51423
Color Lovibond 1" yellow	0 - 10	DGF C-IV 4b
Color Lovibond 1" red	0 - 2.0	DGF C-IV 4b
Saponification value (mg KOH/g)*	180 - 190	DIN EN ISO 3681

\*Values remain within indicated bandwidth, but will not be measured with every batch.

# **Properties and Applications**

- ✓ Internal lubricant for PVC
- ✓ Very good compatibility
- ✓ Suited for transparent applications
- ✓ Improves free flowing properties of the dry blend
- ✓ Synergistic support of Sn-stabilisers containing sulphur

LOXIOL® G 16 is particularly suited for rigid PVC processing, especially calendering and extrusion of films.



Rev.-Nr. 6: 2017-12-18





# Recommended Dosage

0.5 - 1.5 phr

#### Additional Properties

Parameter	Value	Test Method
Pour point (°C)	< 0	ISO 3016
Viscosity (mPa·s; 20 °C )	90 - 130	DIN 53019

# **Certifications**

LOXIOL® G 16 is registered in compliance with the EU REACH regulation. LOXIOL® G 16 complies with indirect food contact directives. Further information is available upon request.

# Health and Safety Information

Please review our Safety Data Sheet for best practices when using this material.

# **Packaging Sizes**

IBC tote, liquid Drum, liquid

# **Storage and Handling**

It is recommended to store LOXIOL® G 16 at room temperature and to protect the product against the effects of heat and frost. Due to its pour-point, the product may deposit and it becomes solid at approximately 0 °C. This physical property is specific to the product and will be reversible when heated under mixing. It has no influence on the effectivity or application properties. If stored in original sealed packaging, LOXIOL® G 16 should be stable for at least 24 months from the date of manufacture.

Emery Oleochemicals GmbH T | +49 211 5611 2000 E | gp.europe@emeryoleo.com Emery Oleochemicals LLC T | +1 513 762 2500 E | gp.americas@emeryoleo.com Emery Oleochemicals (M) Sdn Bhd T | +603 3326 8686 E | gp.asia@emeryoleo.com

**Disclaimer:** The content in this document is provided on an "as is" and "as available" basis purely for informational purposes and, unless and to the extent specifically agreed otherwise for a sales transaction, does not constitute any warranty, whether express, implied or statutory, including but not limited to warranties or guarantees of merchantability, fitness or suitability for a particular purpose nor any representations of a binding nature. EMERY OLEOCHEMICALS EXPRESSLY DISCLAIMS ANY RESPONSI-BILITY FOR THE SUITABILITY OF THE PRODUCTS FOR ANY SPECIFIC OR PARTICULAR PURPOSES INTENDED BY THE USER. Suggestions for the use and application of the products and guide formulations are for informational purposes only and you are advised to carry out any necessary steps to test the suitability of the products for your intended processes and purposes. You are solely responsible for compliance with all applicable laws and regulations in use of the products including any third party intellectual within the Emery Oleochemicals group of companies.



Page 2 of 2