

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2020/07/22	PR52407-00	Date of first issue: 2020/07/22
(GHS_AR)			

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TP 2034/64 - FO

Manufacturer or supplier's details					
Company	:	Omya International AG			
Address	:	Baslerstrasse Oftringen AG 4665			
Telephone	:	+41627892929			
Emergency telephone Telefax	:	+41613192837 +41627892077			

#### Recommended use of the chemical and restrictions on use

Recommended use :	Manufacture of: Adhesives, Sealants including silicone applications Mixing Filling Adhesives and/or sealants
-------------------	--

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards which do not result in classification

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture Substance name	-	Substance Calcium carbonate (GCC) coated fine powder
---------------------------------------	---	---

CAS-No. : Not Assigned

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 -<= 100
magnesium carbonate	546-93-0	>= 1 -< 5

### SECTION 4. FIRST AID MEASURES

#### If inhaled

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.



Versior 1.0 (GHS_/	2020/07/22	SDS Number: PR52407-00		Date of last issue: - Date of first issue: 2020/07/22
	In case of skin contact In case of eye contact		Take off contamin Wash off with soa Flush eyes with w Remove contact lo	
	If swallowed		Do not give milk o Never give anythi	5
an	Most important symptoms and effects, both acute and delayed		None known.	
SECTIO	ON 5. FIRE-FIGHTING ME	ASL	JRES	
Su	itable extinguishing media	:		measures that are appropriate to local difference of the surrounding environment.
	azardous combustion	: No hazardous combustion products are known		5
	ecific extinguishing ethods	:	Standard procedu	re for chemical fires.
	ecial protective equipment fire-fighters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on storage stability	:	Keep in a dry place. No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2020/07/22	PR52407-00	Date of first issue: 2020/07/22
(GHS_AR)			

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components         CAS-No.         Value type (Form of exposure)         Control parameters / Permissible concentration         Basis           Ground calcium carbonate         1317-85-3         CMP         10 mg/m3         AR OEL           magnesium carbonate         546-93-0         CMP         10 mg/m3         AR OEL           Magnesium carbonate         546-93-0         CMP         10 mg/m3         AR OEL           Personal protective equipment         Respirator must be worn if exposed to dust. Handle in accordance with good industrial hygiene and safety practice.         Handle in accordance with good industrial hygiene and safety practice.           Hand protection         :         For prolonged or repeated contact use protective gloves. Eve protection         :           Remarks         :         For prolonged or repeated contact use protective gloves.           Sectron 9. PHYSICAL AND CHEMICAL PROPERTIES           Appearance         :         powder           Color         :         white           Odor         :         characteristic           Odor         :         s.5 - 9.5 (20 °C) Concentration: 100 gl Method: DIN-ISO 787/9           Melting point/range         :         > 800 °C Concentration: Decomposes below the boiling point.           Boiling point/boiling range         :         Decomposition: Decomposes below the boiling point						
(GCC)       C       0       0         magnesium carbonate       546-93-0       CMP       10 mg/m3       AR OEL         Personal protective equipment       Respirator must be worn if exposed to dust. Handle in accordance with good industrial hygiene and safety practice.         Hand protection       :       Respirator must be worn if exposed to dust. Handle in accordance with good industrial hygiene and safety practice.         Hand protection       :       Safety glasses         Skin and body protection       :       Safety glasses         Schron 9. PHYSICAL AND CHEMICAL PROPERTIES       Appearance       :       powder         Color       :       white       Odor       :       characteristic         Odor       :       shite       Og concentration: 100 gl       Method: DIN-ISO 787/9         Melting point/range       :       > 800 °C       :       100 mg/manuble. </td <td>Components</td> <td></td> <td>CAS-No.</td> <td>(Form of</td> <td>Permissible</td> <td>Basis</td>	Components		CAS-No.	(Form of	Permissible	Basis
Personal protective equipment         Respiratory protection       :         Respiratory protection       :         Remarks       :         For prolonged or repeated contact use protective gloves.         Eye protection       :         Safety glasses         Skin and body protection       :         Section 9. PHYSICAL AND CHEMICAL PROPERTIES         Appearance       :         Color       :         white         Odor       :         Odor       :         8,5 - 9,5 (20 °C)         Concentration:       :         PH       :         8,5 - 9,5 (20 °C)         Concentration:       :         Odor       :         PH       :         8,5 - 9,5 (20 °C)         Concentration:       :         Odor       :         PH       :         8,5 - 9,5 (20 °C)         Concentration:       :         Decomposition: Decomposes below the melting point.         Boiling point/range       :         >       :         Decomposition: Decomposes below the boiling point.         Flash point       :         Goes not f			1317-65-3	CMP	10 mg/m3	AR OEL
Respiratory protection       :       Respirator must be worn if exposed to dust. Handle in accordance with good industrial hygiene and safety practice.         Hand protection       :       Safety glasses         Skin and body protection       :       Safety glasses         Store       :       General industrial hygiene practice.         Section       :       White         Odor       :       white         Odor       :       :       Not relevant         pH       :       :       :       :         Melting point/range       :       > 800 °C	magnesium carbonate		546-93-0	CMP	10 mg/m3	AR OEL
Handle in accordance with good industrial hygiene and safety practice.Hand protection:Remarks:Eye protection:Safety glassesSkin and body protection:Protective suitHygiene measures:General industrial hygiene practice.SECTION 9. PHYSICAL AND CHEMICAL PROPERTIESAppearance:powderColor:Odor:color:whiteOdor:color:billing point/range:billing point/range:soliling point/boiling range:Plash point:flash point:flash point:flash point:flash point:flash point:flash point:flash point:flash mability (solid, gas):flammability (solid, gas):flammability limit:hore explosion limit / Upper:Lower explosion limit / Lower:Lower explosion limit / Lower:	Personal protective equipme	ent				
Remarks Eye protection Skin and body protection Hygiene measures:For prolonged or repeated contact use protective gloves. Safety glasses :Protective suit Hygiene measures:General industrial hygiene practice.SECTION 9. PHYSICAL AND CHEMICAL PROPERTIESAppearance:powderColor:whiteOdor:characteristicOdor:characteristicOdor Threshold:Not relevantpH:8,5 - 9,5 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Flash point:does not flashFlammability (solid, gas):The product is not flammable.Burning number:1Upper explosion limit / Upper flammability limit Not applicable:Lower explosion limit / Lower:Lower flammability limit Not applicable		:	Handle in acco			and safety
Eye protection       :       Safety glasses         Skin and body protection       :       Protective suit         Hygiene measures       :       General industrial hygiene practice.         SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES         Appearance       :       powder         Color       :       white         Odor       :       characteristic         Odor       :       characteristic         Odor Threshold       :       Not relevant         pH       :       8,5 - 9,5 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9         Melting point/range       :       > 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.         Boiling point/boiling range       :       Decomposition: Decomposes below the boiling point.         Flash point       :       does not flash         Flammability (solid, gas)       :       The product is not flammable.         Burning number       :       1         Upper explosion limit / Upper       :       Upper flammability limit Not applicable         Lower explosion limit / Lower       :       Lower flammability limit	Hand protection					
Appearance:powderColor:whiteOdor:characteristicOdor Threshold:Not relevantpH: $8,5 - 9,5 (20 °C)$ Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Flash point:Decomposition: Decomposes below the boiling point.Flash point:Interproduct is not flashFlammability (solid, gas):1Upper explosion limit / Upper:Upper flammability limit Not applicableLower explosion limit / Lower:Lower flammability limit	Eye protection Skin and body protection	:	Safety glasses Protective suit	5 :		loves.
Color:whiteOdor:characteristicOdor Threshold:Not relevantpH:8,5 - 9,5 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range:Decomposition: Decomposes below the boiling point.Flash point:does not flashFlammability (solid, gas):The product is not flammable.Burning number:1Upper explosion limit / Upper flammability limit Not applicable:Lower explosion limit / Lower:Lower flammability limit	ECTION 9. PHYSICAL AND CHE	MIC	CAL PROPER	TIES		_
Odor:characteristicOdor Threshold:Not relevantpH: $8,5 - 9,5 (20 \ ^{\circ}C)$ Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 \ ^{\circ}C (1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range:Decomposition: Decomposes below the melting point.Flash point:does not flashFlammability (solid, gas):The product is not flammable.Burning number:1Upper explosion limit / Upper flammability limit:Upper flammability limit Not applicableLower explosion limit / Lower:Lower flammability limit	Appearance	:	powder			
Odor Threshold:Not relevantpH: $8,5 - 9,5 (20 °C)$ Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range:Decomposition: Decomposes below the boiling point.Flash point:does not flashFlammability (solid, gas):The product is not flammable.Burning number:1Upper explosion limit / Upper flammability limit Not applicableUpper flammability limit Not applicableLower explosion limit / Lower:Lower flammability limit	Color	:	white			
pH:8,5 - 9,5 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range:> 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range:Decomposition: Decomposes below the boiling point.Flash point:does not flashFlammability (solid, gas):The product is not flammable.Burning number:1Upper explosion limit / Upper flammability limit:Upper flammability limit Not applicableLower explosion limit / Lower:Lower flammability limit	Odor	:	characteristic			
Concentration: 100 g/l Method: DIN-ISO 787/9Melting point/range: > 800 °C (1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range: Decomposition: Decomposes below the boiling point.Flash point: does not flashFlammability (solid, gas): The product is not flammable.Burning number: 1Upper explosion limit / Upper: Upper flammability limit Not applicableLower explosion limit / Lower: Lower flammability limit	Odor Threshold	:	Not relevant			
(1.013 hPa) Decomposition: Decomposes below the melting point.Boiling point/boiling range:Boiling point/boiling range:Flash point:flash point:flammability (solid, gas):Burning number:1Upper explosion limit / Upper flammability limit:Lower explosion limit / Lower:Lower flammability limit:	рН	:	Concentration	n: 100 g/l		
Flash point       :       does not flash         Flammability (solid, gas)       :       The product is not flammable.         Burning number       :       1         Upper explosion limit / Upper flammability limit flammability limit       :       Upper flammability limit Not applicable         Lower explosion limit / Lower       :       Lower flammability limit	Melting point/range	:	(1.013 hPa)	on: Decomposes	s below the melting po	bint.
Flammability (solid, gas)       :       The product is not flammable.         Burning number       :       1         Upper explosion limit / Upper       :       Upper flammability limit         Isomer explosion limit / Lower       :       Upper flammability limit         Lower explosion limit / Lower       :       Lower flammability limit	Boiling point/boiling range	:	Decompositio	on: Decomposes	s below the boiling po	int.
Burning number       :       1         Upper explosion limit / Upper       :       Upper flammability limit         flammability limit       :       Upper flammability limit         Lower explosion limit / Lower       :       Lower flammability limit	Flash point	:	does not flas	n		
Upper explosion limit / Upper : Upper flammability limit flammability limit Not applicable Lower explosion limit / Lower : Lower flammability limit	Flammability (solid, gas)	:	The product i	s not flammable	9.	
flammability limit Not applicable Lower explosion limit / Lower : Lower flammability limit	Burning number	:	1			
		:				
		:				



Version 1.0 (GHS_AR)	Revision Date: 2020/07/22	-	S Number: 52407-00	Date of last issue: - Date of first issue: 2020/07/22			
Vapor	Vapor pressure		: Not applicable				
Densi	Density		: 2,3 - 2,8 g/cm3 (20 °C, 1.013 hPa) Method: DIN-ISO 787/10				
	Solubility(ies) Water solubility		0,014 g/l(20 °C	, 1.013 hPa)			
	Partition coefficient: n- octanol/water Autoignition temperature		Not applicable				
			Not applicable				
Decor	Decomposition temperature		> 600 °C				
Explo	sive properties	:	Not explosive Not explosive				
Minim	um ignition energy	:	> 1.000 mJ (20 °	C, 1.013 hPa)			

## SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	::	Stable under recommended storage conditions. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid Hazardous decomposition products	:	No data available Carbon dioxide (CO2)

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product: Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Components:	
Ground calcium carbonate	(GCC):
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
magnesium carbonate: Acute oral toxicity	: Acute toxicity estimate (Rat): > 5.000 mg/kg



Version 1.0 (GHS_AR	Revision Date: 2020/07/22 R)	SDS Ni PR5240	 Date of last issue: - Date of first issue: 2020/07/22
Resp	piratory or skin sensitiz	ation	
<u>Prod</u> No d	<mark>luct:</mark> ata available		
IAR	c	equal	product present at levels greater than or ntified as probable, possible or confirmed y IARC.
STO	T-single exposure		
Com	ponents:		
-	nesium carbonate: essment		mixture is not classified as specific target ngle exposure.
STO	T-repeated exposure		
Com	ponents:		
-	nesium carbonate: essment		mixture is not classified as specific target peated exposure.
Furt	her information		
<u>Prod</u> No d	<mark>luct:</mark> ata available		

## SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity

## Product:

Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae/aquatic plants	:	No data available
Components:		
<u>Components:</u> Ground calcium carbonate (	GC	C):
	GC :	<b>C):</b> LC50 (Oncorhynchus mykiss (rainbow trout)): > 10.000 mg/l Exposure time: 96 h



Versio 1.0 (GHS	on S_AR)	Revision Date: 2020/07/22		0S Number: 852407-00	Date of last issue: - Date of first issue: 2020/07/22			
a	aquatic	invertebrates		Exposure time: 4	3 h			
	Toxicity plants	to algae/aquatic	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h				
F	Persist	ence and degradabi	lity					
F	Produc	:t:						
_		radability	:	Not applicable				
E	Bioacc	umulative potential						
<u>c</u>	Compo	onents:						
C	Ground	d calcium carbonate	(GC	C):				
	Partition octanol	n coefficient: n- /water	:	Not applicable				
N	Mobilit	y in soil						
١	No data	a available						
C	Other a	adverse effects						
<u>F</u>	Produc	<u>:t:</u>						
	Additior nforma	nal ecological tion	:	the earth's surface They are dissolved the natural waters These minerals a Negative effects of excluded. Restrictions may these minerals in effect on water or fauna in the sedir	ed in a natural state and indispensable part of			
<u>(</u>	Compo	onents:						
C	Ground	d calcium carbonate	(GC	C):				
	Results assessi	of PBT and vPvB ment	:	Non-classified PE	BT substance Non-classified vPvB substance			
r	magne	sium carbonate:						
	Results assessi	of PBT and vPvB ment	:	Non-classified PE	BT substance Non-classified vPvB substance			
SECT	FION 1	3. DISPOSAL CONSI	DER	ATIONS				
-	<b>Diam</b> = -	al matheda						
	-	al methods from residues		Offer curelus and	non recycloble solutions to a lisensed			
v	vastel	nom residues	•	disposal company	non-recyclable solutions to a licensed			

:	Empty remaining contents.

Contaminated packaging

disposal company.



	1.0	2020/07/22	SDS Number: PR52407-00	Date of last issue: - Date of first issue: 2020/07/22
--	-----	------------	---------------------------	--

Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

### IATA-DGR

Not regulated as a dangerous good

## IMDG-Code

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legisla mixture	atio	n specific for the substance or
Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
Control of precursors and essential chemicals for the preparation of drugs.	:	Distillates (petroleum), hydrotreated light

### International Regulations

The receiver should verify the possible existence of legal regulations applicable to chemical.

### **SECTION 16. OTHER INFORMATION**

### Further information

Other information	:	This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.
Sources of key data used to compile the Material Safety Data Sheet	:	Information taken from reference works and the literature.
Full text of other abbreviatio	ns	
AR OEL	:	Argentina. Occupational Exposure Limits

### AR OEL / CMP : TLV (Threshold Limit Value)

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2020/07/22	PR52407-00	Date of first issue: 2020/07/22
(GHS_AR)			

Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.