

Version 1.0 (GHS_US)	Revision Date: 09/17/2024		DS Number: R98260-00	Date of last issue: - Date of first issue: 09/17/2024
05071011				
SECTION	1. IDENTIFICATION			
Produ	ict name	:	OMYA SYNCAR	B S180 - NE 24%
Produ	ct code	:	9826000	
	facturer or supplier's			
Comp	Company name of supplier		Omya Internation	al AG
Addre	SS	:	42 Baslerstrasse Oftringen AG 466	65
Telep	hone	:	+41627892929	
Telefa	ах	:	+41627892077	
Emerç	Emergency telephone		1 (800) 424-9300)
Recor	mmended use of the o	cher	nical and restricti	ons on use
Recor	nmended use	:	Filler or Pigment	
Restri	Restrictions on use		For industrial use	e only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
calcium carbonate	471-34-1	>= 9.5 - <= 100





Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2024	PR98260-00	Date of first issue: 09/17/2024
(GHS_US)			

SECTION 4. FIRST AID MEASURES				
If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.		
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
Most important symptoms and effects, both acute and delayed	:	None known.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8.

SAFETY DATA SHEET





Version 1.0 (GHS_US)	Revision Date: 09/17/2024		DS Number: R98260-00	Date of last issue: - Date of first issue: 09/17/2024
			No special handli	ng advice required.
Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place.	
Materials to avoid		:	Do not store near acids.	
Further information on stor- age stability		:	No decompositior	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH
		TWA (Total)	15 mg/m3	OSHA P0
		TWA (Res- pirable frac- tion)	5 mg/m3	OSHA P0
		TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL

Ingredients with workplace control parameters

Personal protective equip	ment	
Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2024	PR98260-00	Date of first issue: 09/17/2024
(GHS_US)			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES liquid (20 °C / 20 °C, 1,013 hPa) Appearance : Odor characteristic 5 Melting point/range : 0 °C / 0 °C 100 °C / 100 °C **Boiling point** ÷ Water Flash point : Not applicable Flammability (liquids) Does not sustain combustion., Will not burn : Self-ignition does not ignite 2 1 (20 °C / 20 °C) **Burning number** ÷ Upper explosion limit / Upper Upper flammability limit 1 flammability limit Not applicable Lower explosion limit / Lower 1 Lower flammability limit flammability limit Not applicable Vapor pressure : 23 hPa (20 °C / 20 °C) aqueous phase : 1.1 - 1.7 g/cm3 (20 °C / 20 °C) Density Method: DIN-ISO 787/10 Density depends on the solids content of the dispersion. Solubility(ies) : 0.014 g/l (20 °C / 20 °C) Water solubility 0.018 g/l (75 °C / 75 °C) Partition coefficient: n-1 Not applicable octanol/water Not applicable Autoignition temperature : Decomposition temperature > 400 °C / > 400 °C 1 Explosive properties Not explosive :





Version 1.0 (GHS_US)	Revision Date: 09/17/2024	SDS Number: PR98260-00	Date of last issue: - Date of first issue: 09/17/2024
(GHS_US)			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Not classified due to lack of data.	
Product:	
Acute oral toxicity : LD50 Oral (Ra	t): > 5,000 mg/kg
<u>Components:</u>	
calcium carbonate:	
Acute oral toxicity : LD50 Oral (Ra	t): > 5,000 mg/kg
Skin corrosion/irritation	
Not classified due to lack of data.	
Serious eye damage/eye irritation	
Not classified due to lack of data.	
Respiratory or skin sensitization	
Skin sensitization	
Not classified due to lack of data.	
Respiratory sensitization	
Not classified due to lack of data.	
Product:	
No data availa	ble
Germ cell mutagenicity	
Not classified due to lack of data.	
Carcinogenicity	
Not classified due to lack of data.	



Version 1.0 (GHS_US)	Revision Date: 09/17/2024	SDS Number: PR98260-00	Date of last issue: - Date of first issue: 09/17/2024				
IARC	5	• •	esent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.				
NTP	FP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.						
•	ductive toxicity ssified due to lack of	data.					
	STOT-single exposure Not classified due to lack of data.						
	STOT-repeated exposure Not classified due to lack of data.						
-	Aspiration toxicity Not classified due to lack of data.						
Furthe	Further information						
Produc	<u>ct:</u>						
	No data a	available					
	2. ECOLOGICAL IN						

Ecotoxicity

|--|

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h
Components:		
calcium carbonate:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l





Version 1.0 (GHS_US)	Revision Date: 09/17/2024		DS Number: R98260-00	Date of last issue: - Date of first issue: 09/17/2024
plants			Exposure time: 72 EC50 (Desmodes Exposure time: 72	smus subspicatus (green algae)): 289 mg/l
	stence and degradabil	lity		
<u>Produ</u> Biodeç	<u>ct:</u> gradability	:	Remarks: Not ap	blicable
Bioac	cumulative potential			
<u>Comp</u>	onents:			
Partitio	m carbonate: on coefficient: n- ol/water	:	Remarks: Not ap	plicable
	i ty in soil ta available			
Other	adverse effects			
<u>Produ</u>	<u>ict:</u>			
Ozone	e-Depletion Potential	:	tection of Stratos Substances Remarks: This pr tured with a Class	FR Protection of Environment; Part 82 Pro- oheric Ozone - CAA Section 602 Class I oduct neither contains, nor was manufac- s I or Class II ODS as defined by the U.S. ction 602 (40 CFR 82, Subpt. A, App.A + B).
Additic matior	onal ecological infor- า	:	There is no data	available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Version 1.0 09/17/2024 (GHS_US)

Revision Date:

SDS Number: PR98260-00

Date of last issue: -Date of first issue: 09/17/2024

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act





Version 1.0 (CHS_US)	Revision Date: 09/17/2024	SDS Number: PR98260-00	Date of last issue: - Date of first issue: 09/17/2024
(GHS_US)			

US State Regulations


Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

SECTION 16. OTHER INFORMATION

Further information





HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EHS - Extremely Hazardous Gubt rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -

SAFETY DATA SHEET



9826000 OMYA SYNCARB S180 - NE 24%

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2024	PR98260-00	Date of first issue: 09/17/2024
(GHS_US)			

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date

: 09/17/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8