3999001 TP990T - FL



1.0	sion IS_US)			DS Number: R39990-01	Date of last issue: - Date of first issue: 12/14/2020
SEC	CTION 1	. IDENTIFICATION			
	Produc	t name	:	TP990T - FL	
	Produc	t code	:	3999001	
	Manufa	acturer or supplier's	deta	ails	
	Compa	ny name of supplier	:	Omya Internation	al AG
	Addres	S	:	42 Baslerstrasse Oftringen AG 466	5
	Teleph	one	:	+41627892929	
	Telefax	:	:	+41627892077	
	Emerge	ency telephone	:	(800) 424-9300	
	Recom	mended use of the c	her	nical and restriction	ons on use
	Recom	mended use	:	Filler or Pigment	

SECTION 2. HAZARDS IDENTIFICATION	

Restrictions on use : For industrial use only.

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Carcinogenicity (Inhalation)	:	Category 1A			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	H350 May cause cancer by inhalation.			
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.			

3999001 TP990T - FL



VersionRevision Date:SDS Number:Date of last issue: -1.012/14/2020PR39990-01Date of first issue: 12/14/2020(GHS_US)

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	0.2

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Use extinguishing measures that are appropriate to local
		circumstances and the surrounding environment.

3999001 TP990T - FL



Version 1.0 (GHS_U	Revision Date: 12/14/2020 S)		DS Number: R39990-01	Date of last issue: - Date of first issue: 12/14/2020
	Hazardous combustion products		No hazardous co	mbustion products are known
Fur	her information	:	Standard procedu	ire for chemical fires.
Special protective equipment for fire-fighters		:	In the event of fire	e, wear self-contained breathing apparatus.
SECTION 6. ACCIDENTAL RELE		AS	E MEASURES	
prot	Personal precautions, protective equipment and emergency procedures		Avoid dust format	ion.
Env	ironmental precautions	:	No special enviro	nmental precautions required.
	hods and materials for tainment and cleaning up	:	Sweep up and sh Keep in suitable,	ovel. closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0



3999001 TP990T - FL

rsion Revision Date: 12/14/2020 HS_US)	SDS Number: PR39990-01	Date of las Date of firs	t issue: - st issue: 12/14/2020)		
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0		
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH RI		
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH RI		
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3		
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3		
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0		
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH		
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH RI		
		TWÁ (Respirable dust)	0.05 mg/m3	OSHA Z-1		
		PEL (respirable)	0.05 mg/m3	OSHA CA		
Personal protective equi	pment					
Respiratory protection			centrations above t te certified respirato			
Hand protection						
Remarks	: For prolonge	d or repeated co	ntact use protective	e gloves.		
Eye protection	: Safety glasse	es				
Skin and body protection	: Protective su	Protective suit				
Hygiene measures	: General indu	strial hygiene pra	actice.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	fine powder

Color	:	white

Odor : odorless	
-----------------	--

3999001 TP990T - FL



Version 1.0 (GHS_U	Revision Date: 12/14/2020 VS)		S Number: 39990-01	Date of last issue: - Date of first issue: 12/14/2020
рH		:	8.5 - 9.5 (20 °C / Concentration: 1 Method: DIN-ISC	00 g/l
Ме	lting point/range	:	> 800 °C / > 800 (1,013 hPa) Decomposition: I	°C Decomposes below the melting point.
Boi	ling point/boiling range	:	Decomposition: I	Decomposes below the boiling point.
Fla	sh point	:	does not flash	
Fla	mmability (solid, gas)	:	The product is no	ot flammable.
			Will not burn	
Bur	ning number	:	1	
	ver explosion limit / Lower nmability limit	:	Not applicable	
Vap	oor pressure	:	Not applicable	
Dei	nsity	:	2.6 - 2.9 g/cm3 (/ Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa)) 787/10
	ubility(ies) Water solubility	:	0.014 g/l(20 °C	/ 20 °C, 1,013 hPa)
			0.018 g/l (75 °C	/ 75 °C, 1,013 hPa)
	tition coefficient: n- anol/water	:	Not applicable	
Dee	composition temperature	:	> 600 °C / > 600	°C
Exp	plosive properties	:	Not explosive Not explosive	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)

3999001 TP990T - FL



	evision Date: /14/2020	SDS Number: PR39990-01	Date of last issue: - Date of first issue: 12/14/2020
Conditions	to avoid	: No data avail	able
SECTION 11. T	OXICOLOGICA	L INFORMATION	
Acute toxi	city		
Product: Acute oral	toxicity	: LD50 Oral (Ra	at): > 5,000 mg/kg
<u>Compone</u>	<u>nts:</u>		
	alcium carbonat		
Acute oral	toxicity	: LD50 Oral (Ra	at): > 5,000 mg/kg
Respirato	ry or skin sensi	tization	
<u>Product:</u> No data av	ailable		
Carcinoge	enicity		
<u>Compone</u>	<u>nts:</u>		
quartz (Si	O2):		
Carcinoger Assessme		: Positive evide (inhalation)	nce from human epidemiological studies
IARC	quartz (SiO	arcinogenic to humar 2) , crystalline)	s 14808-60-7
NTP	quartz (SiO	e human carcinogen 2) stalline (Respirable S	14808-60-7 ize))
STOT-rep	eated exposure		
<u>Compone</u>	nts:		
quartz (Si	O2):		
Routes of Target Org		: Inhalation : Lungs	
Assessme			mage to organs through prolonged or repeated
Further in	formation		
Product:			
No data av	ailable		



3999001 TP990T - FL

Version	Revision Date:
1.0	12/14/2020
(GHS_US)	

SDS Number: PR39990-01 Date of last issue: -Date of first issue: 12/14/2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ρ	ro	du	ct:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h

Components:

Ground calcium carbonate (GCC):					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h			
quartz (SiO2):					
Toxicity to fish		No toxicity at the limit of solubility.			
	•	No toxicity at the inflit of solubility.			
Toxicity to daphnia and other aquatic invertebrates	:	No toxicity at the limit of solubility.			
Toxicity to algae/aquatic plants	:	No toxicity at the limit of solubility.			
Toxicity to microorganisms	:	No toxicity at the limit of solubility.			
Persistence and degradability	ty				
Product:					
Biodegradability	:	Not applicable			
Components:					
quartz (SiO2):					
Biodegradability		Result: Not biodegradable.			
Disasgradability	•				

3999001 TP990T - FL



Version 1.0 (GHS_U	12/14/2020		0S Number: (39990-01	Date of last issue: - Date of first issue: 12/14/2020
	chemical Oxygen mand (BOD)	:	Not applicable	
	emical Oxygen Demand DD)	:	Not applicable	
Bio	baccumulative potential			
<u>Co</u>	mponents:			
Pa	ound calcium carbonate (rtition coefficient: n- anol/water	(GC :	C): Not applicable	
-	artz (SiO2): accumulation	:	This substance is bioaccumulating a	not considered to be persistent, ind toxic (PBT).
	rtition coefficient: n- anol/water	:	Not applicable	
	bility in soil data available			
Otl	ner adverse effects			
	oduct:			
Oz	one-Depletion Potential	:	Protection of Strat Substances This product neith Class I or Class II	R Protection of Environment; Part 82 cospheric Ozone - CAA Section 602 Class I er contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act FR 82, Subpt. A, App.A + B).
	ditional ecological prmation	:	the earth's surface They are dissolve the natural waters These minerals an Negative effects of excluded. Restrictions may be these minerals in effect on water or fauna in the sedim	d in a natural state and indispensable part of

Components:

Ground calcium carbonate (GCC):

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance



3999001 TP990T - FL

Version Revision Date: 1.0 12/14/2020 (GHS_US)	SDS Number: PR39990-01	Date Date
--	---------------------------	--------------

Date of last issue: -Date of first issue: 12/14/2020

assessment

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



3999001 TP990T - FL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/14/2020	PR39990-01	Date of first issue: 12/14/2020
(GHS_US)			

Clean Water Act


This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A. This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3. This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know				
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7			
Pennsylvania Right To Know				
Ground calcium carbonate (GCC)	1317-65-3			

SECTION 16. OTHER INFORMATION

Further information



Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC		OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
		1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3
		Mineral Dusts



3999001 TP990T - FL

	Version 1.0 (GHS_US)	Revision Date: 12/14/2020		Number: 990-01	Date of last issue: - Date of first issue: 12/14/2020	
ACGIH / TWA NIOSH REL / TWA		 8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 				
OSHA CARC / PEL		: Pe	Permissible exposure limit (PEL)			
OSHA P0 / TWA		: 8-1	8-hour time weighted average			
OSHA Z-1 / TWA		: 8-1	8-hour time weighted average			
OSHA Z-3 / TWA			: 8-1	8-hour time weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date

: 12/14/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a



3999001 TP990T - FL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/14/2020	PR39990-01	Date of first issue: 12/14/2020
(GHS_US)			

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242