0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VIOLET LABEL-OM

Manufacturer or supplier's details

Company : Omya International AG

Address : Baslerstrasse

Oftringen AG 4665

Telephone : +41627892929

Emergency telephone : (42) 3219-2600 Telefax : +41627892077

Recommended use of the chemical and restrictions on use

Recommended use : Manufacture of paints, varnishes and similar coatings, printing

ink and mastics

Chemical-technical Industry
Manufacture of rubber products
Manufacture of plastics products
Manufacture of paper and paperboard

Manufacture of soap and detergents, cleaning and polishing

mixtures

Building and construction work

Filling Mixing

Filler or Pigment

Building and construction mixtures not covered elsewhere

Water treatment chemical

Restrictions on use : For industrial use only.

Other industries not mentioned are excluded.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Carcinogenicity (Inhalation) : Category 1A

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

Signal Word : Danger

Hazard Statements : H350i May cause cancer by inhalation.

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Calcium carbonate (GCC) fine powder

CAS-No. : 215-279-6

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Silica, crystalline (quartz)	14808-60-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

0010304 VIOLET LABEL-OM



Version **Revision Date:** SDS Number: Date of last issue: -

21.03.2018 PR00103-04 Date of first issue: 21.03.2018 1.0

(GHS_BR)

Most important symptoms and effects, both acute and

delayed

: None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Hazardous combustion

products

No hazardous combustion products are known

Specific extinguishing

methods

Standard procedure for chemical fires.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Hygiene measures General industrial hygiene practice.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid Do not store near acids.

Further information on

storage stability

Keep in a dry place.

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silica, crystalline (quartz)	14808-60-7	TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH

Personal protective equipment

Respiratory protection : Respirator must be worn if exposed to dust.

Handle in accordance with good industrial hygiene and safety

practice.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : characteristic

Odor Threshold : Not relevant

pH : 8.5 - 9.5 (20 °C)

Concentration: 100 g/l Method: DIN-ISO 787/9

Melting point/range : > 800 °C

(1,013 hPa)

Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : does not flash

Flammability (solid, gas) : The product is not flammable.

Burning number : 1

Upper explosion limit / Upper : Upper flammability limit

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

flammability limit Not applicable

Lower explosion limit / Lower

flammability limit

Lower flammability limit

Not applicable

Vapor pressure : Not applicable

Density : 2.3 - 2.8 g/cm3 (20 °C, 1,013 hPa)

Method: DIN-ISO 787/10

Solubility(ies)

Water solubility : 0.014 g/l (20 °C, 1,013 hPa)

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : Not applicable

Decomposition temperature : > 600 °C

Explosive properties : Not explosive

Not explosive

Minimum ignition energy : > 1,000 mJ (20 °C, 1,013 hPa)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

No decomposition if used as directed.

Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of

suffocation)

Conditions to avoid : No data available

Hazardous decomposition

products

Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

0010304 VIOLET LABEL-OM



Version **Revision Date:** SDS Number: Date of last issue: -

21.03.2018 PR00103-04 Date of first issue: 21.03.2018 1.0

(GHS_BR)

Respiratory or skin sensitization

Product:

No data available

Carcinogenicity

IARC Group 1: Carcinogenic to humans

> Silica, crystalline (quartz) 14808-60-7

Ingredients:

Silica, crystalline (quartz):

Carcinogenicity -Positive evidence from human epidemiological studies

Assessment (inhalation)

STOT-repeated exposure

Ingredients:

Silica, crystalline (quartz):

Routes of exposure Inhalation **Target Organs**

Assessment May cause damage to organs through prolonged or repeated

exposure.

Further information

Product:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l

Exposure time: 72 h

Ingredients:

Silica, crystalline (quartz):

Toxicity to fish No toxicity at the limit of solubility.

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

Toxicity to daphnia and other :

aquatic invertebrates

No toxicity at the limit of solubility.

Toxicity to algae : No toxicity at the limit of solubility.

Toxicity to microorganisms : No toxicity at the limit of solubility.

Persistence and degradability

Product:

Biodegradability : Not applicable

Ingredients:

Silica, crystalline (quartz):

Biodegradability : Result: Not biodegradable.

Biochemical Oxygen

Demand (BOD)

Not applicable

Chemical Oxygen Demand

(COD)

Not applicable

Bioaccumulative potential

Ingredients:

Silica, crystalline (quartz):

Bioaccumulation : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

In solid state these minerals are a major part of the rocks of

the earth's surface.

They are dissolved in a natural state and indispensable part of

the natural waters.

These minerals are not biodegradable.

Negative effects on the environment should therefore be

excluded.

Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and -

fauna in the sediment and subsequent detriment to the

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

existence of higher water organisms).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Silica, crystalline (quartz)

(LINACH)

International Regulations

The receiver should verify the possible existence of legal regulations applicable to chemical.

SECTION 16. OTHER INFORMATION

Further information

Other information : This material safety datasheet only contains information

relating to safety and does not replace any product

information or product specification.

Sources of key data used to

compile the Material Safety

Data Sheet

Information taken from reference works and the literature.

Full text of other abbreviations

0010304 VIOLET LABEL-OM



Version Revision Date: SDS Number: Date of last issue: -

1.0 21.03.2018 PR00103-04 Date of first issue: 21.03.2018

(GHS_BR)

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.