

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OMYABRITE 1300 X-OM

Product code : 0130000

Other means of identification : Calcium carbonate (MCC) fine powder

#### Manufacturer or supplier's details

Company name of supplier : Omya International AG

Address : 42 Baslerstrasse  
Oftringen AG 4665

Telephone : +41627892929

Telefax : +41627892077

Emergency telephone : 1-800-681-9531

#### Recommended use of the chemical and restrictions on use

Recommended use : Manufacture of paints, varnishes and similar coatings, printing ink and mastics  
Manufacture of dyes and pigments  
Manufacture of glues  
Mixing  
Filling  
Fillers  
Carrier  
Coloring agents, pigments  
Chemical-technical Industry  
Manufacture of rubber products  
Manufacture of plastics products  
Manufacture of paper and paperboard  
Manufacture of soap and detergents, cleaning and polishing mixtures  
Building and construction work  
Building and construction mixtures not covered elsewhere  
Water treatment chemical

Restrictions on use : For industrial use only., Other industries not mentioned are excluded.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version 1.1  
(GHS\_MX)

Revision Date: 04/17/2024

SDS Number: PR01300-00

Date of last issue: 11/16/2018  
Date of first issue: 11/16/2018

### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	$\geq 70$ - $< 90$

## SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause cancer by inhalation.

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version 1.1  
(GHS\_MX)

Revision Date: 04/17/2024

SDS Number: PR01300-00

Date of last issue: 11/16/2018  
Date of first issue: 11/16/2018

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for fire-fighters

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Environmental precautions : Try to prevent the material from entering drains or water courses.  
No special environmental precautions required.

Methods and materials for containment and cleaning up : Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.  
No special handling advice required.

Hygiene measures : General industrial hygiene practice.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	LMPE-PPT	10 mg/m <sup>3</sup>	MX OEL
		LMPE-CT	20 mg/m <sup>3</sup>	MX OEL

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

Filter type : Particulates type

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : fine powder

Color : white

Odor : odorless

pH : 8.5 - 9.5 (20 °C)  
Concentration: 100 g/l  
Method: DIN-ISO 787/9

Melting point/range : > 800 °C  
(1,013 hPa)  
Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : does not flash

Flammability (solid, gas) : The product is not flammable.  
Will not burn

Burning number : 1

Lower explosion limit / Lower flammability limit : Not applicable

Vapor pressure : Not applicable

Density : 2.6 - 2.9 g/cm<sup>3</sup> (20 °C, 1,013 hPa)  
Method: DIN-ISO 787/10

Bulk density : 0.2 g/cm<sup>3</sup>

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

---

Solubility(ies)	
Water solubility	: 0.014 g/l (20 °C, 1,013 hPa)
	0.018 g/l (75 °C, 1,013 hPa)
Partition coefficient: n-octanol/water	: Not applicable
Decomposition temperature	: > 600 °C
Explosive properties	: Not explosive
Particle Size Distribution	: D50 = 2.4 µm D98 = 9 µm
Specific surface area	: 27 m2/g Measurement method: ISO 9277

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO <sub>2</sub> ). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	: No data available

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg
---------------------	----------------------------------

#### Components:

##### Ground calcium carbonate (GCC):

Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg
---------------------	----------------------------------

#### Skin corrosion/irritation

Not classified based on available information.

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018
(GHS_MX)			

---

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Product:**

No data available

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

May cause cancer by inhalation.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic :  
plants Remarks: No data available

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

### Components:

#### **Ground calcium carbonate (GCC):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h

### **Persistence and degradability**

#### Product:

Biodegradability	:	Remarks: Not applicable
------------------	---	-------------------------

### **Bioaccumulative potential**

#### Components:

#### **Ground calcium carbonate (GCC):**

Partition coefficient: n-octanol/water	:	Remarks: Not applicable
--	---	-------------------------

### **Mobility in soil**

No data available

### **Other adverse effects**

#### Product:

Additional ecological information	:	In solid state these minerals are a major part of the rocks of the earth's surface. They are dissolved in a natural state and indispensable part of the natural waters. These minerals are not biodegradable. Negative effects on the environment should therefore be excluded. Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and - fauna in the sediment and subsequent detriment to the existence of higher water organisms).
-----------------------------------	---	--

### Components:

#### **Ground calcium carbonate (GCC):**

Results of PBT and vPvB assessment	:	Non-classified PBT substance Non-classified vPvB substance
------------------------------------	---	--

# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

### SECTION 16. OTHER INFORMATION

Revision Date : 04/17/2024

Date format : mm/dd/yyyy

#### Full text of other abbreviations

MX OEL : Mexico. Occupational Exposure Limits  
MX OEL / LMPE-PPT : Time weighted average  
MX OEL / LMPE-CT : Short term exposure limit



# SAFETY DATA SHEET

## 0130000 OMYABRITE 1300 X-OM



Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2018
1.1	04/17/2024	PR01300-00	Date of first issue: 11/16/2018

(GHS\_MX)

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety Data Sheet : Information taken from reference works and the literature.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8