

### 9351100 OMYACARB 15-SJ

Version Revision Date: 1.1 08/02/2024 (GHS_MX)	SDS Number: PR93511-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
--	---------------------------	---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OMYACARB 15-SJ

Product code : 9351100

### Manufacturer or supplier's details

Company name of supplier	: Omya International AG
Address	: 42 Baslerstrasse Oftringen AG 4665
Telephone	: +41627892929
Telefax	: +41627892077
Emergency telephone	: (52) 427 1210412

### Recommended use of the chemical and restrictions on use

Recommended use	:	Filler or Pigment
Restrictions on use	:	For industrial use

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Carcinogenicity (Inhalation)	:	Category 1A
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation.
Precautionary Statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read

only.





Version 1.1 (GHS MX)	Revision Date: 08/02/2024	SDS Number: PR93511-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

### and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Calciumcarbonat GCC f powder
CAS-No.	:	Not Assigned

#### Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 9.5 - <= 100
quartz (SiO2)	14808-60-7	0.3

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and	:	May cause cancer by inhalation.



### 9351100 OMYACARB 15-SJ

Version Revision Date: 1.1 08/02/2024 (GHS_MX)	SDS Number: PR93511-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
--	---------------------------	---

delayed

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Hygiene measures	:	General industrial hygiene practice.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.



### 9351100 OMYACARB 15-SJ

Version	Revision Date:	SDS Number:
1.1	08/02/2024	PR93511-00
(GHS_MX)		

Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	LMPE-PPT	10 mg/m3	MX OEL
		LMPE-CT	20 mg/m3	MX OEL
quartz (SiO2)	14808-60-7	VLE-PPT (Respirable fraction)	0.025 mg/m3	NOM-010- STPS-2014
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
Personal protective equipme	ent			
Respiratory protection			centrations above the e certified respirators	
Hand protection				
Remarks	: For prolonged	d or repeated co	ntact use protective g	loves.

Skin and body protection	:	Protective suit
Onin and body protoolion	•	1 TOLCOLIVE SUIL

Eye protection : Safety glasses

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	characteristic
Odor Threshold	:	Not relevant
рН	:	8.5 - 9.5 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9
Melting point/range	:	> 800 °C (1,013 hPa) Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
		4 / 11

### 9351100 OMYACARB 15-SJ



Version	Revision Date:	SDS Number:	Date of last issue: 10/05/2016
1.1	08/02/2024	PR93511-00	Date of first issue: 10/05/2016
(GHS_MX)			

Flash point	:	does not flash
Flammability (solid, gas)	:	The product is not flammable.
Burning number	:	1
Upper explosion limit / Upper flammability limit	:	Upper flammability limit Not applicable
Lower explosion limit / Lower flammability limit	:	Lower flammability limit Not applicable
Vapor pressure	:	Not applicable
Density	:	2.3 - 2.8 g/cm3 (20 °C, 1,013 hPa) Method: DIN-ISO 787/10
Solubility(ies) Water solubility	:	0.014 g/l (20 °C, 1,013 hPa)
Partition coefficient: n- octanol/water	:	Not applicable
Autoignition temperature	:	Not applicable
Decomposition temperature	:	> 600 °C
Explosive properties	:	Not explosive

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available
Hazardous decomposition	:	Carbon dioxide (CO2)
products		No hazardous decomposition products are known.



### 9351100 OMYACARB 15-SJ

Version	Revision Date:
1.1	08/02/2024
(GHS_MX)	

SDS Number: PR93511-00 Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Not classified due to lack of da	ata.	
Product: Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Components:		
Ground calcium carbonate (	GC	C):
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
quartz (SiO2):		
Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC0 (Rat, male and female): > 0.69 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg GLP: no
Skin corrosion/irritation Not classified due to lack of da		
Serious eye damage/eye irrit Not classified due to lack of da		
Respiratory or skin sensitiza	atio	n
Skin sensitization Not classified due to lack of da	ata.	
Respiratory sensitization Not classified due to lack of da	ata.	
Product:		
		No data available

### 9351100 OMYACARB 15-SJ



sion IS_MX)	Revision Date: 08/02/2024	SDS Number: PR93511-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
Compo	onents:		
quartz	(SiO2):		
Assess	ment	: not sensitizir	ng
	<b>cell mutagenicity</b> ssified due to lack o	f data.	
	<b>ogenicity</b> use cancer by inhal	ation.	
•	onents:		
	(SiO2):		
-	ogenicity -	: Positive evic tion)	lence from human epidemiological studies (inha
IARC	quartz (SiC	carcinogenic to huma 02) c, crystalline)	ans 14808-60-7
	quartz (SiC	arcinogenic to huma )2) a, crystalline)	ans 14808-60-7
Repro	luctive toxicity		
Not cla	ssified due to lack o	f data.	
	single exposure		
	ssified due to lack o		
	repeated exposure		
	ssified due to lack o	i uala.	
	onents:		
Routes	<b>(SiO2):</b> of exposure Organs ment	<ul> <li>Inhalation</li> <li>Lungs</li> <li>May cause c exposure.</li> </ul>	lamage to organs through prolonged or repeate
-	<b>tion toxicity</b> ssified due to lack o	f data.	
Furthe	r information		
Produc	<u>&gt;t:</u>		
	No data	available	



### 9351100 OMYACARB 15-SJ

Version	Revision Date:	SDS Number:
1.1	08/02/2024	PR93511-00
(GHS_MX)		

Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h

#### **Components:**

### Ground calcium carbonate (GCC):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
quartz (SiO2):		
Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.
Toxicity to microorganisms	:	Remarks: No toxicity at the limit of solubility.
Persistence and degradability		
Product:		

Biodegradability	: Remarks: Not applicable
------------------	---------------------------

### 9351100 OMYACARB 15-SJ



Version 1.1 (GHS_MX)	Revision Date: 08/02/2024		DS Number: R93511-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
<u>Comp</u>	onents:			
quartz	(SiO2):			
Biodeg	radability	:	Result: Not biode	gradable
Bioche mand (	mical Oxygen De- (BOD)	:	Remarks: Not ap	blicable
Chemi (COD)	cal Oxygen Demand	:	Remarks: Not applicable	
Bioaco	cumulative potential			
<u>Comp</u>	onents:			
Groun	d calcium carbonate	(GC	C):	
Partitic octano	on coefficient: n- I/water	:	Remarks: Not ap	blicable
quartz	(SiO2):			
-	umulation	:	Remarks: Substa toxic (PBT).	nce is not persistent, bioaccumulative, and
Partitio octano	n coefficient: n- I/water	:	Remarks: Not applicable	
Mobili	ty in soil			
No dat	a available			
Other	adverse effects			
Produ	<u>ct:</u>			
Additio mation	nal ecological infor-	:	the earth's surface They are dissolved the natural waters These minerals a Negative effects of excluded. Restrictions may these minerals in effect on water or fauna in the sedir	d in a natural state and indispensable part of

### Components:

### Ground calcium carbonate (GCC):

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment



### 9351100 OMYACARB 15-SJ

Version	Revision Date:	SDS Number:
1.1	08/02/2024	PR93511-00
(GHS_MX)		

Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

#### **SECTION 16. OTHER INFORMATION**

Revision Date

: 08/02/2024

Date format	:	mm/dd/yyyy
-------------	---	------------

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
MX OEL	:	Mexico. Occupational Exposure Limits
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting
		the Work Environment - Identification, Assessment and Con-
		trol - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
MX OEL / LMPE-PPT	:	Time weighted average
MX OEL / LMPE-CT	:	Short term exposure limit
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT		



### 9351100 OMYACARB 15-SJ

Version	Revision Date:	SDS Number:
1.1	08/02/2024	PR93511-00
(GHS_MX)		

Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8