



Version	Revision Date:	SDS Number:	Date of last issue: 05/25/2017
1.3	05/20/2020	PR98137-01	Date of first issue: 02/25/2016
(GHS_US)			

### **SECTION 1. IDENTIFICATION**

Product name	:	OMYACARB 2 T EXTRA - LU
Product code	:	9813701

#### Manufacturer or supplier's details

:	Omya International AG
:	42 Baslerstrasse
	Oftringen AG 4665
:	+41627892929
:	+41627892077
:	(800) 424-9300
	:

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Filler or Pigment
Restrictions on use	:	For industrial use only.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

1

Carcinogenicity (Inhalation) : Category 1A

#### **GHS** label elements

Hazard pictograms



Signal Word	:	Danger
-------------	---	--------

Hazard Statements

Precautionary Statements

Prevention:

H350 May cause cancer by inhalation.

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Version	Revision Date:
1.3	05/20/2020
(GHS_US)	

Date of last issue: 05/25/2017 Date of first issue: 02/25/2016

#### Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SDS Number:

PR98137-01

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
Stearic acid	57-11-4	>= 1 - < 1.1
quartz (SiO2)	14808-60-7	1

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Hazardous combustion products	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No hazardous combustion products are known
Further information Special protective equipment for fire-fighters	Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.





#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on storage stability	:	No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components CAS-No. Value type Control Basis (Form of parameters / exposure) Permissible concentration TWA (total OSHA Z-1 Ground calcium carbonate 1317-65-3 15 mg/m3 (GCC) dust) TWA 5 mg/m3 OSHA Z-1 (respirable fraction) TWA (Total 15 mg/m3 OSHA P0 dust) TWA 5 mg/m3 OSHA P0 (respirable dust fraction) NIOSH REL TWA 5 mg/m3 (Respirable) (Calcium carbonate) TWA (total) 10 mg/m3 NIOSH REL (Calcium carbonate) TWA Stearic acid 57-11-4 10 mg/m3 ACGIH (Inhalable particulate matter) TWA 3 mg/m3 ACGIH (Respirable particulate matter) quartz (SiO2) 14808-60-7 TWA 10 mg/m3 OSHA Z-3 (respirable) / %SiO2+2 250 mppcf OSHA Z-3 TWA (respirable) / %SiO2+5 TWA 0.1 mg/m3 OSHA P0

#### Ingredients with workplace control parameters



	Revision Date: 05/20/2020		S Number: 98137-01		t issue: 05/25/2017 t issue: 02/25/2016	
				(respirable dust fraction)		
				TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
				TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
				TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
				PEL (respirable)	0.05 mg/m3	OSHA CARC
Persona	al protective equipme	ent				
Respirat Hand pr	tory protection otection	:			centrations above the e certified respirators	
Hygiene		: : : : : :	Safety glasse Protective sui General indus	s t strial hygiene pra	ntact use protective g actice.	gloves.
Appeara	ance	:	fine powder			
Color		:	white			
Odor		:	odorless			
рН		:	8.5 - 9.5 (20 Concentratio Method: DIN	n: 100 g/l		
Melting	point/range	:	> 800 °C / > (1,013 hPa) Decompositio		s below the melting p	point.
Boiling p	point/boiling range	:	Decomposition	on: Decomposes	s below the boiling po	oint.
Flash po	pint	:	does not flas	h		
Flamma	bility (solid, gas)	:	The product	is not flammable	).	
			Will not burn			
Burning	number	:	1			
	xplosion limit / Lower pility limit	:	Not applicab	le		

# SAFETY DATA SHEET

# 9813701 OMYACARB 2 T EXTRA - LU



Version 1.3 (GHS_US)	Revision Date: 05/20/2020		98 Number: 198137-01	Date of last issue: 05/25/2017 Date of first issue: 02/25/2016
Vapor pressure		:	Not applicable	
Densi	ty	:	2.6 - 2.9 g/cm3 ( Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa) ) 787/10
	ility(ies) ater solubility	:	Ū (	/ 20 ℃, 1,013 hPa) / 75 ℃, 1,013 hPa)
octan	on coefficient: n- ol/water	:	Not applicable	
Deco	mposition temperature	:	> 600 °C / > 600	°C
Explo	sive properties	:	Not explosive Not explosive	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	:	Stable under recommended storage conditions. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product: Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg	
Components:		
Ground calcium carbonate (	GCC):	
Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg	
Stearic acid:		
Acute oral toxicity	: LD50 (Rat): 4,640 mg/kg Method: No information available.	
Acute inhalation toxicity	: Assessment: The substance or mixture has no acut inhalation toxicity not determined	te
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: No information available.	





Version	Revision Date:
1.3	05/20/2020
(GHS_US)	

Date of last issue: 05/25/2017 Date of first issue: 02/25/2016

Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

**Components:** 

#### Stearic acid:

Not classified due to data which are conclusive although insufficient for classification.

SDS Number:

PR98137-01

#### Serious eye damage/eye irritation

#### **Components:**

**Stearic acid:** Not classified due to data which are conclusive although insufficient for classification.

#### Respiratory or skin sensitization

Product: No data available

#### Components:

Stearic acid: No sensitization effects are known

#### Carcinogenicity

#### Components:

quartz (SiO2):

Assessment

Carcinogenicity Assessment	<b>y -</b> :	Positive evidence from human epic (inhalation)	lemiological studies		
IARC	Group 1: Carcino quartz (SiO2) (Silica dust, cryst	-	14808-60-7		
NTP	Known to be hum quartz (SiO2) (Silica, Crystalline	nan carcinogen e (Respirable Size))	14808-60-7		
STOT-repeate	STOT-repeated exposure				
Components:					
<b>quartz (SiO2):</b> Routes of expo Target Organs	sure :	Inhalation Lungs			





Version	Revision Date:
1.3	05/20/2020
(GHS_US)	

SDS Number: PR98137-01 Date of last issue: 05/25/2017 Date of first issue: 02/25/2016

exposure.

#### Further information

#### Product:

This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h

#### **Components:**

Ground calcium carbonate (GCC):					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h			
<b>A</b>					
Stearic acid:					
Toxicity to fish	:	not determined			
Toxicity to daphnia and other aquatic invertebrates	:	not determined			
Toxicity to algae/aquatic	:	not determined			
plants Toxicity to microorganisms	:	not determined			
Ecotoxicology Assessment					
Acute aquatic toxicity	:	This product has no known ecotoxicological effects.			



Ver: 1.3 (GF	sion IS_US)	Revision Date: 05/20/2020	-	98 Number: 198137-01	Date of last issue: 05/25/2017 Date of first issue: 02/25/2016
		(0:00)			
	<b>quartz</b> Toxicity		:	No toxicity at the I	limit of solubility.
		to daphnia and other	:	No toxicity at the I	limit of solubility.
		invertebrates to algae/aquatic	:	No toxicity at the I	limit of solubility.
		to microorganisms	:	No toxicity at the I	limit of solubility.
	Persist	ence and degradabili	ity		
	<u>Produc</u>	<u>:t:</u>			
	Biodegi	radability	:	Not applicable	
	Compo	onents:			
	Stearic	acid:			
	Biodegi	radability	:	No data available	
	quartz	(SiO2):			
	Biodeg	radability	:	Result: Not biode	gradable.
		mical Oxygen	:	Not applicable	
		d (BOD) al Oxygen Demand	:	Not applicable	
	. ,	umulative potential			
	Compo	onents:			
	Ground	d calcium carbonate (	GC	C):	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Stearic	acid:			
	Bioaccu	umulation	:	Bioaccumulation i	s unlikely.
	Partition octanol	n coefficient: n- /water	:	log Pow: 8.23 Method: No inforn	nation available.
	quartz	(SiO2):			
	-	umulation	:	This substance is bioaccumulating a	not considered to be persistent, and toxic (PBT).
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Mobilit	y in soil			
	No data	a available			



Version 1.3 (GHS_US)	Revision Date: 05/20/2020	SDS Number: PR98137-01	Date of last issue: 05/25/2017 Date of first issue: 02/25/2016
Other	adverse effects		
<u>Produ</u>	<u>ct:</u>		
Ozone	-Depletion Potential	Protection of Stra Substances This product neit Class I or Class	FR Protection of Environment; Part 82 atospheric Ozone - CAA Section 602 Class I her contains, nor was manufactured with a I ODS as defined by the U.S. Clean Air Act CFR 82, Subpt. A, App.A + B).
Additic inform	onal ecological ation	the earth's surface They are dissolve the natural water These minerals a Negative effects excluded. Restrictions may these minerals in effect on water o fauna in the sedi	ed in a natural state and indispensable part of

### Components:

Ground calcium carbonate (GCC):					
Results of PBT and vPvB	:	Non-classified PBT substance Non-classified vPvB substance			
assessment					

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

Not applicable for product as supplied.

# SAFETY DATA SHEET



# 9813701 OMYACARB 2 T EXTRA - LU

Version Revision Date: 1.3 05/20/2020 (GHS\_US) SDS Number: PR98137-01 Date of last issue: 05/25/2017 Date of first issue: 02/25/2016

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

Massachusetts Right To Know						
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7					
Pennsylvania Right To Know						
Ground calcium carbonate (GCC)	1317-65-3					
Maine Chemicals of High Concern						
quartz (SiO2) The following chemicals are listed as Maine Chemicals of High	14808-60-7 Concern:					






Version Revision Date: 1.3 05/20/2020 (GHS\_US) SDS Number: PR98137-01

Date of last issue: 05/25/2017 Date of first issue: 02/25/2016

### **SECTION 16. OTHER INFORMATION**

### **Further information**





Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC		OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0		USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
	•	1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3
		Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

# SAFETY DATA SHEET



# 9813701 OMYACARB 2 T EXTRA - LU

Version	Revision Date:	SDS Number:	Date of last issue: 05/25/2017
1.3	05/20/2020	PR98137-01	Date of first issue: 02/25/2016
(GHS_US)			

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Inform compile the Material Safety Data Sheet

: Information taken from reference works and the literature.

Revision Date : 05/20/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242