3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

SECTION 1. IDENTIFICATION

Product name : OMYACARB 3 T-FL

Product code 3994204

Manufacturer or supplier's details

Company name of supplier Omya International AG

Address 42 Baslerstrasse

Oftringen AG 4665

Telephone +41627892929

Telefax +41627892077

Emergency telephone 1 (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use Filler or Pigment

For industrial use only. Restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity (Inhalation) Category 1A

GHS label elements

Hazard pictograms



Signal Word Danger

Hazard Statements H350i May cause cancer by inhalation.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

3994204 OMYACARB 3 T-FL



Version 1.3

(GHS_US)

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - < 100
quartz (SiO2)	14808-60-7	0.2

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause cancer by inhalation.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

3994204 OMYACARB 3 T-FL



Version **Revision Date:** SDS Number: Date of last issue: 05/26/2017 PR39942-04 Date of first issue: 12/23/2014 1.3 03/15/2024

(GHS_US)

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information Standard procedure for chemical fires.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Avoid dust formation.

tive equipment and emer-

gency procedures

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

place.

Materials to avoid Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m3

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

5 mg/m3

Value type (Form of exposure): TWA (respirable fraction)

3994204 OMYACARB 3 T-FL



Version 1.3

(GHS_US)

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

Basis: OSHA Z-3

15 Million particles per cubic foot

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

Dust, nuisance dust and par-

ticulates

10 mg/m3

Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL

5 mg/m3

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA	0.05 mg/m3	OSHA Z-1

3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

(Respirable dust)		
PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled

release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : fine powder

Color : white

Odor : odorless

pH : 8.5 - 9.5 (20 °C / 20 °C)

Concentration: 100 g/l Method: DIN-ISO 787/9

Melting point/range : $> 800 \, ^{\circ}\text{C} \, / > 800 \, ^{\circ}\text{C}$

(1,013 hPa)

Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

3994204 OMYACARB 3 T-FL



Version **Revision Date:** SDS Number: 03/15/2024 1.3

PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

Flash point does not flash

Flammability (solid, gas) The product is not flammable.

Will not burn

Burning number 1

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure Not applicable

2.6 - 2.9 g/cm3 (20 °C / 20 °C, 1,013 hPa) Density

Method: DIN-ISO 787/10

Solubility(ies)

0.014 g/l (20 °C / 20 °C, 1,013 hPa) Water solubility

0.018 g/l (75 °C / 75 °C, 1,013 hPa)

Partition coefficient: n-

octanol/water

Not applicable

Decomposition temperature > 600 °C / > 600 °C

Explosive properties Not explosive

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Stable under recommended storage conditions. Reactivity

Chemical stability No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No decomposition if used as directed.

Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of

suffocation)

Conditions to avoid No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04 Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Components:

Ground calcium carbonate (GCC):

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

quartz (SiO2):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable

concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

GLP: no

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

No data available

Components:

quartz (SiO2):

Assessment : not sensitizing

Germ cell mutagenicity

Not classified based on available information.

3994204 OMYACARB 3 T-FL



Version Revision Date: SDS Number: Date of last issue: 05/26/2017 1.3 03/15/2024 PR39942-04 Date of first issue: 12/23/2014

(GHS_US)

Carcinogenicity

May cause cancer by inhalation.

Components:

quartz (SiO2):

Carcinogenicity - : Positive evidence from human epidemiological studies (inhala-

Assessment tion)

IARC Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

(Silica dust, crystalline)

NTP Known to be human carcinogen

quartz (SiO2) 14808-60-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

quartz (SiO2):

Routes of exposure : Inhalation Target Organs : Lungs

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l

Exposure time: 72 h

Components:

Ground calcium carbonate (GCC):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

quartz (SiO2):

Toxicity to fish : Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : Remarks: No toxicity at the limit of solubility.

Persistence and degradability

Product:

Biodegradability : Remarks: Not applicable

Components:

quartz (SiO2):

Biodegradability : Result: Not biodegradable

Biochemical Oxygen De-

mand (BOD)

Remarks: Not applicable

Chemical Oxygen Demand

(COD)

Remarks: Not applicable

3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

Bioaccumulative potential

Components:

Ground calcium carbonate (GCC):

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

quartz (SiO2):

Bioaccumulation : Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

In solid state these minerals are a major part of the rocks of

the earth's surface.

They are dissolved in a natural state and indispensable part of

the natural waters.

These minerals are not biodegradable.

Negative effects on the environment should therefore be ex-

cluded.

Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and fauna in the sediment and subsequent detriment to the exist-

ence of higher water organisms).

Components:

Ground calcium carbonate (GCC):

Results of PBT and vPvB

assessment

Non-classified PBT substance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

3994204 OMYACARB 3 T-FL



Version 1.3

(GHS_US)

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

3994204 OMYACARB 3 T-FL



Version Revision Date: SDS Number: Date of last issue: 05/26/2017 1.3 03/15/2024 PR39942-04 Date of first issue: 12/23/2014

(GHS_US)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Ground calcium carbonate (GCC) 1317-65-3 quartz (SiO2) 14808-60-7


Pennsylvania Right To Know

Ground calcium carbonate (GCC) 1317-65-3

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CAL PEL : California permissible exposure limits for chemical contami-

nants (Title 8, Article 107)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

3994204 OMYACARB 3 T-FL



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05/26/2017

 1.3
 03/15/2024
 PR39942-04
 Date of first issue: 12/23/2014

(GHS_US)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average CAL PEL / PEL : Permissible exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA CARC / PEL : Permissible exposure limit (PEL)
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety

: Information taken from reference works and the literature.

Data Sheet

Revision Date : 03/15/2024

3994204 OMYACARB 3 T-FL



Version 1.3

Revision Date: 03/15/2024

SDS Number: PR39942-04

Date of last issue: 05/26/2017 Date of first issue: 12/23/2014

(GHS_US)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8