

9352400 OMYACARB 4 T-SJ

Version 1.1 (GHS_MX)	03/22/2024	SDS Number: PR93524-00		Date of last issue: 10/05/2016 Date of first issue: 10/05/2016			
SECTION	1. PRODUCT AND CO	MP	ANY IDENTIFICAT	ΓΙΟΝ			
Produ	Product name		: OMYACARB 4 T-SJ				
Produ	Product code		9352400				
Manu	facturer or supplier's	det	ails				
Comp	any name of supplier	:	Omya Internation	nal AG			
Addre	Address		42 Baslerstrasse Oftringen AG 466				
Telep	hone	:	+41627892929				
Telefa	Telefax		+41627892077				
Emerç	gency telephone	:	1-800-681-9531				
Reco	mmended use of the o	cher	nical and restricti	ons on use			
Recor	mmended use	:	Filler or Pigment				
Restri	Restrictions on use		For industrial use	e only.			
SECTION	2. HAZARDS IDENTIF	ICA	TION				
GHS	Classification						
Carcir	Carcinogenicity (Inhalation)		Category 1A				
GHS	label elements						
	d pictograms	:					
Signa	I Word	:	Danger				

Hazard Statements : H350 May cause cancer by inhalation.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.P202 Do not handle until all safety precautions have been read and understood.P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:



Revision Date:

Version

1.1



SDS Number:



Date of last issue: 10/05/2016

03/22/2024 PR93524-00 Date of first issue: 10/05/2016 (GHS_MX) P308 + P313 IF exposed or concerned: Get medical advice/ attention. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture Substance / Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	0.3

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known



9352400 OMYACARB 4 T-SJ

Vers 1.1 (GH	sion IS_MX)	Revision Date: 03/22/2024	-	DS Number:Date of last issue: 10/05/2016R93524-00Date of first issue: 10/05/2016			
	Specific extinguishing meth- ods			Standard procedure for chemical fires.			
		l protective equipment fighters	:	In the event of fire, wear self-contained breathing apparatus.			
SEC	CTION 6	. ACCIDENTAL RELE	ASE	EMEASURES			
	tive equ	al precautions, protec- uipment and emer- procedures	:	Avoid dust format	ion.		
	Enviror	nmental precautions	:	No special environmental precautions required.			
	Methods and materials for containment and cleaning up		:	Sweep up and shovel. Keep in suitable, closed containers for disposal.			
SEC	TION 7	. HANDLING AND STO	OR/	AGE			
	Advice on protection against fire and explosion		:	Avoid dust formation. Provide appropriate exhaust ventilation at places where du is formed.			
	Advice	on safe handling	:	 For personal protection see section 8. No special handling advice required. 			
	Hygien	e measures	:	: General industrial hygiene practice.			
	Conditi	ons for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.			
	Materia	als to avoid	:	Do not store near	acids.		
	Further age sta	information on stor- bility	tion on stor- : No decomposition if stored and applied as directed.				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	LMPE-PPT	10 mg/m3	MX OEL
		LMPE-CT	20 mg/m3	MX OEL
quartz (SiO2)	14808-60-7	VLE-PPT (Respirable fraction)	0.025 mg/m3	NOM-010- STPS-2014





Version 1.1 (GHS_MX	Revision Date: 03/22/2024)		S Number: 93524-00		t issue: 10/05/2016 t issue: 10/05/2016	
				TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Perso	onal protective equipme	ent				
Respi	ratory protection	:			centrations above the e certified respirators	
Hand	protection					
Re	emarks	:	For prolonged	or repeated cor	ntact use protective g	loves.
Eye p	protection	:	Safety glasses	3		
Skin a	and body protection	:	Protective suit	:		
SECTION	9. PHYSICAL AND CHE	EMI		FIES		
Appea	arance	:	fine powder			
Color		:	white			
Odor		:	odorless			
рН		:	8.5 - 9.5 (20 ° Concentration Method: DIN-	n: 100 g/l		
Meltir	ng point/range	:	> 800 °C (1,013 hPa) Decompositic	on: Decomposes	s below the melting p	oint.
Boilin	g point/boiling range	:	Decompositic	on: Decomposes	s below the boiling po	int.
Flash	point	:	does not flasł	ſ		
Flamr	mability (solid, gas)	:	The product i	s not flammable		
			Will not burn			
Burnii	ng number	:	1			
	r explosion limit / Lower nability limit	:	Not applicable	e		
Vapor	r pressure	:	Not applicable	е		
Densi	ty	:	2.6 - 2.9 g/cm	n3 (20 °C, 1,013	hPa)	



9352400 OMYACARB 4 T-SJ

Version 1.1 (GHS_MX)	Revision Date: 03/22/2024		9S Number: 193524-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
			Method: DIN-ISC	D 787/10
Solubil Wa	ity(ies) ter solubility	:	0.014 g/l(20 °C	, 1,013 hPa)
			0.018 g/l(75 °C	, 1,013 hPa)
	on coefficient: n- I/water	:	Not applicable	
Decom	position temperature	:	> 600 °C	
Explos	ive properties	:	Not explosive	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product: Acute oral toxicity	: LD5	0 Oral (Rat): > 5,000 mg/kg
Components:		
Ground calcium carbonate	GCC):	
Acute oral toxicity	: LD5	0 Oral (Rat): > 5,000 mg/kg
quartz (SiO2):		
Acute oral toxicity	Meth	0 (Rat, male and female): > 5,000 mg/kg nod: OECD Test Guideline 401 : yes
Acute inhalation toxicity	Expo Test Meth	(Rat, male and female): > 0.69 mg/l osure time: 4 h atmosphere: dust/mist nod: OECD Test Guideline 403 : yes





Version 1.1 (GHS_MX)	Revisio 03/22/2	on Date: 2024	-	9S Number: 193524-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016
				inhalation toxicity An LC50/inhalatio	substance or mixture has no acute n/4h/rat could not be determined because s was observed at the maximum achievable
Acute o	Acute dermal toxicity			LD50 (Rabbit): >2 GLP: no	2,000 mg/kg
Respir	atory o	r skin sensitiz	atio	n	
<u>Produc</u> No data	<u>ct:</u> a availal	ble			
Compo	onents:				
quartz	(SiO2):				
Assess	sment		:	not sensitizing	
Carcin	ogenici	ty			
Compo	onents:				
quartz	(SiO2):				
Carcino Assess	ogenicity ment	/ -	:	Positive evidence tion)	from human epidemiological studies (inhala-
IARC		Group 1: Card quartz (SiO2) (Silica dust, c		genic to humans alline)	14808-60-7
STOT-	repeate	d exposure			
Compo	onents:				
quartz	(SiO2):				
	of expo Organs ment	osure	:	Inhalation Lungs May cause damag exposure.	ge to organs through prolonged or repeated
Furthe	r inforn	nation			
<u>Produc</u> No data	<u>ct:</u> a availal	ble			



Version 1.1 (GHS_MX)	Revision Date: 03/22/2024	SDS Number: PR93524-00		Date of last issue: 10/05/2016 Date of first issue: 10/05/2016			
SECTION	12. ECOLOGICAL INFO	ORN	IATION				
Ecoto	oxicity						
<u>Produ</u> Toxici	<u>ict:</u> ty to fish	:	Remarks: No data	a available			
	ty to daphnia and other ic invertebrates	:	Remarks: No data	a available			
Toxici plants	ty to algae/aquatic	:	Remarks: No data available				
Comp	oonents:						
Grou	nd calcium carbonate	(GC	C):				
Toxici	ty to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): > 10,000 mg/l ን h			
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 1,000 mg/l 3 h			
Toxici plants	ty to algae/aquatic	:	EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): > 200 mg/l ? h			
			NOEC (Desmode Exposure time: 72	smus subspicatus (green algae)): 75 mg/l ? h			
	(0:00)						
-	z (SiO2):		Dementer Ne teri				
IOXICI	ty to fish	:	Remarks: No toxic	city at the limit of solubility.			
	ty to daphnia and other ic invertebrates	:	Remarks: No toxic	city at the limit of solubility.			
Toxici plants	ty to algae/aquatic	:	Remarks: No toxic	city at the limit of solubility.			
Toxici	ty to microorganisms	:	Remarks: No toxic	city at the limit of solubility.			
Persis	stence and degradabil	ity					
<u>Produ</u>	<u>ict:</u>						
Biode	gradability	:	Remarks: Not app	licable			
<u>Comp</u>	oonents:						
quart	z (SiO2):						
Biode	gradability	:	Result: Not biode	gradable			
	emical Oxygen De- (BOD)	:	Remarks: Not app	licable			



ersion Revision Date: 1 03/22/2024 GHS_MX)	SDS Number:Date of last issue: 10/05/2016PR93524-00Date of first issue: 10/05/2016			
Chemical Oxygen Demand (COD)	: Remarks: Not applicable			
Bioaccumulative potential				
Components:				
Ground calcium carbonate	e (GCC):			
Partition coefficient: n- octanol/water	: Remarks: Not applicable			
quartz (SiO2):				
Bioaccumulation	: Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).			
Partition coefficient: n- octanol/water	: Remarks: Not applicable			
Mobility in soil No data available				
Other adverse effects				
Product:				
Additional ecological infor- mation	 In solid state these minerals are a major part of the rocks of the earth's surface. They are dissolved in a natural state and indispensable part of the natural waters. These minerals are not biodegradable. Negative effects on the environment should therefore be excluded. Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and fauna in the sediment and subsequent detriment to the existence of higher water organisms). 			
Components:				
Ground calcium carbonate	GCC):			
Results of PBT and vPvB assessment	: Non-classified PBT substance Non-classified vPvB substance			
ECTION 13. DISPOSAL CONS	IDERATIONS			

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.



9352400 OMYACARB 4 T-SJ

Version 1.1 (GHS_MX)	Revision Date: 03/22/2024	SDS Number: PR93524-00	Date of last issue: 10/05/2016 Date of first issue: 10/05/2016

Contaminated packaging : Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

SECTION 16. OTHER INFORMATION

Revision Date	:	03/22/2024
---------------	---	------------

Date format : mm/dd/yyyy

Full text of other abbreviations

ACGIH MX OEL NOM-010-STPS-2014	:	USA. ACGIH Threshold Limit Values (TLV) Mexico. Occupational Exposure Limits Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Con- trol - Appendix 1 Occupational Exposure Limits
ACGIH / TWA MX OEL / LMPE-PPT MX OEL / LMPE-CT NOM-010-STPS-2014 / VLE- PPT	:	8-hour, time-weighted average Time weighted average Short term exposure limit Time weighted average limit value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



9352400 OMYACARB 4 T-SJ

Version	Revision Date:	SDS Number:	Date of last issue: 10/05/2016
1.1	03/22/2024	PR93524-00	Date of first issue: 10/05/2016
(GHS_MX)			

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Informatic compile the Material Safety Data Sheet

: Information taken from reference works and the literature.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8