

Version 1.2 (GHS_US)	Revision Date: 05/25/2017		DS Number: 310300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014
SECTION	1. IDENTIFICATION			
Produ	Product name		OMYACARB 4-LU	J
Manu	facturer or supplier's	deta	ails	
Comp	any name of supplier	:	Omya Internation	al AG
Addre	SS	:	42 Baslerstrasse Oftringen AG 466	5
Telep	hone	:	+41627892929	
Telefa	ах	:	+41627892077	
Emerg	gency telephone	:	(800) 424-9300	
Reco	mmended use of the o	cher	nical and restriction	ons on use
Recor	mmended use	:	Filler or Pigment	
Restri	ctions on use	:	For industrial use	only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200						
Carcinogenicity (Inhalation)	:	Category 1A				
GHS label elements Hazard pictograms						
Signal Word	:	Danger				
Hazard Statements	:	H350i May cause cancer by inhalation.				
Precautionary Statements	:	Prevention:				
		P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.				
		P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.				
		Response:				
		P308 + P313 IF exposed or concerned: Get medical advice/ attention.				
		Storage:				



Version	Revision Date:	SI	OS Number:	Date of last issue: 05/04/2015
1.2	05/25/2017	98	310300	Date of first issue: 12/23/2014
(GHS_US)				
			P405 Store locke	d up.
			Disposal:	
				contents/ container to an approved waste
			disposal plant.	
Other	hazards			
•				
None I	known.			
SECTION 3	3. COMPOSITION/IN	FORM	MATION ON INGR	EDIENTS
Substa	ance / Mixture	:	Substance	
Substa	ance name	:	Calciumcarbonat	e GCC fine powder

Hazardous ingredients

CAS-No.

Chemical name	CAS-No.	Concentration (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - < 100
Silica, crystalline (quartz)	14808-60-7	0.5

: Not Assigned

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	:	No hazardous combustion products are known





Versi 1.2 (GHS	ion S_US)	Revision Date: 05/25/2017		DS Number: 10300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014
		information protective equipment	:		re for chemical fires.
	for fire-fighters SECTION 6. ACCIDENTAL RELE		AS	E MEASURES	
I	protect	al precautions, ve equipment and ency procedures	:	Avoid dust format	ion.
I	Enviror	mental precautions	:	No special enviro	nmental precautions required.
-	Methods and materials for containment and cleaning up		:	Sweep up and shovel. Keep in suitable, closed containers for disposal.	
SEC	TION 7	. HANDLING AND ST	OR	AGE	
		on protection against explosion	:	Avoid dust format at places where d	ion. Provide appropriate exhaust ventilation ust is formed.

Advice on safe handling		sonal protection see section 8. cial handling advice required.
Conditions for safe storag	: Keep co place.	ontainer tightly closed in a dry and well-ventilated
Materials to avoid	: Do not	store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Silica, crystalline (quartz)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA	250 mppcf	OSHA Z-3

Burning number



9810300 OMYACARB 4-LU

	05/25/2017		9S Number: 10300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014			
1		1		(respirable)	/ %SiO2+5		
				TWA	0.1 mg/m3	OSHA P0	
				(respirable	5		
				dust fraction)			
				TWA	0.025 mg/m3	ACGIH	
				(Respirable fraction)	(Silica)		
				TWA	0.05 mg/m3	NIOSH RI	
				(Respirable	(Silica)		
				dust)			
				TWA	0.05 mg/m3	OSHA Z-1	
				(Respirable dust)			
Daraana	I protoctivo oguin	mont		446()			
	I protective equip	ment	M/hon workor	o ara faaina aan	contrationa abova t		
Respirati	ory protection	•			centrations above the certified respirato		
			,				
Hand pro	otection						
Rema	arks	:	For prolonge	d or repeated co	ntact use protective	gloves.	
Eye prote	ection	:	: Safety glasses				
Skin and	body protection	:	Protective suit				
Hygiene	measures	:	: General industrial hygiene practice.				
CTION 9.	PHYSICAL AND C	HEMI	CAL PROPER	TIES			
Appeara	nce	:	powder				
Color		:	white				
Odor		:	characteristi	с			
Odor Th	reshold	:	Not relevant				
рН		:	8.5 - 9.5 (20 Concentratic Method: DIN	on: 100 g/l			
Melting p	point/range	:	> 800 °C (1,013 hPa) Decompositi		s below the melting	point.	
Boiling p	oint/boiling range	:	Decompositi	on: Decomposes	s below the boiling p	point.	
Flash po	int	:	does not flas	sh			
Flammat	pility (solid, gas)	:	The product	is not flammable).		
Durning	number						

: 1

SAFETY DATA SHEET

9810300 OMYACARB 4-LU



Version 1.2 (GHS_U	Revision Date: 05/25/2017 S)		S Number: 10300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014			
Upp	er explosion limit	:	upper flammabili	ty limit			
	·		Not applicable				
Low	Lower explosion limit		lower flammabilit Not applicable	y limit			
Vap	Vapor pressure		Not applicable				
Solubility(ies) Water solubility		:	0.014 g/l(20 °C	1,013 hPa)			
	Partition coefficient: n- octanol/water		Not applicable				
Auto	Autoignition temperature		Not applicable				
Dec	Decomposition temperature		> 600 °C				
Exp	losive properties	:	Not explosive Not explosive				
Min	Minimum ignition energy		> 1,000 mJ (20 °	C, 1,013 hPa)			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available
Hazardous decomposition products	:	Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Ingredients:

Ground calcium carbonate (GCC):

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg



Version	Rev
1.2	05/2
(GHS_US)	

vision Date: 25/2017

SDS Number: 9810300

Date of last issue: 05/04/2015 Date of first issue: 12/23/2014

Respiratory or skin sensitization

Product:

No data available

Carcinogenicity

Ingredients:

Silica, crystalline (quartz): Carcinogenicity - Assessment	: Positive evidence from hum (inhalation)	an epidemiological studies
IARC	Group 1: Carcinogenic to hum	ans
	Silica, crystalline (quartz)	14808-60-7
NTP	Known to be human carcinogen	
	Silica, crystalline (quartz)	14808-60-7

STOT-repeated exposure

Ingredients:

Silica, crystalline (quartz):

Routes of exposure: Inhalation Target Organs: Lungs Assessment: May cause damage to organs through prolonged or repeated exposure.

Further information

Product:

This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h



Version 1.2 (GHS_US)	Revision Date: 05/25/2017		DS Number: 10300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014
Toxici	ty to algae	:	NOEC (Desmode Exposure time: 72	smus subspicatus (green algae)): 75 mg/l 2 h
			EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 289 mg/l 2 h
Ingree	dients:			
Groui	nd calcium carbonate	(GC	C):	
	ty to fish	:	•	hus mykiss (rainbow trout)): > 10,000 mg/l ን h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 1,000 mg/l 3 h
Toxici	ty to algae	:	EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): > 200 mg/l 2 h
Silica	, crystalline (quartz):			
	ty to fish	:	No toxicity at the	limit of solubility.
	ty to daphnia and other ic invertebrates	:	No toxicity at the	limit of solubility.
Toxici	ty to algae	:	No toxicity at the	limit of solubility.
Toxici	ty to microorganisms	:	No toxicity at the	imit of solubility.
Persis	stence and degradabil	ity		
Produ	ıct:			
	gradability	:	Not applicable	
Ingree	dients:			
Silica	, crystalline (quartz):			
Biode	gradability	:	Result: Not biode	gradable.
	emical Oxygen nd (BOD)	:	Not applicable	
Chem (COD	ical Oxygen Demand)	:	Not applicable	
Bioac	cumulative potential			
Ingree	dients:			
Groui	nd calcium carbonate	(GC	C):	
	on coefficient: n- ol/water	:	Not applicable	

_

9810300 OMYACARB 4-LU



Versior 1.2 (GHS_I	-	Revision Date: 05/25/2017	-	S Number: 10300	Date of last issue: 05/04/2015 Date of first issue: 12/23/2014
		crystalline (quartz): Imulation	:	This substance is bioaccumulating a	not considered to be persistent, nd toxic (PBT).
		n coefficient: n- /water	:	Not applicable	
No	o data	y in soil available dverse effects			
	r <mark>oduc:</mark> zone-I	<u>t:</u> Depletion Potential	:	Protection of Strat Substances This product neith Class I or Class II	R Protection of Environment; Part 82 ospheric Ozone - CAA Section 602 Class I er contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act FR 82, Subpt. A, App.A + B).
	ddition	al ecological tion	:	the earth's surface They are dissolved the natural waters These minerals ar Negative effects of excluded. Restrictions may be these minerals in the effect on water orgonaution of fauna in the sedimentation of the sedimentation of the sedimentation of the sedime	d in a natural state and indispensable part of

Ingredients:

Ground calcium carbonate (GCC): Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance

assessment

Non-classified PBT substance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Version Revision Da 1.2 05/25/2017 (GHS_US)

Revision Date: 05/25/2017

SDS Number: 9810300

Date of last issue: 05/04/2015 Date of first issue: 12/23/2014

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know			
Ground calcium carbonate (GCC)	1317-65-3		
Silica, crystalline (quartz)	14808-60-7		

Pennsylvania Right To Know

SAFETY DATA SHEET





Version Revision Da 1.2 05/25/2017 (GHS_US)

 Revision Date:
 SDS

 05/25/2017
 981

SDS Number: 9810300

Date of last issue: 05/04/2015 Date of first issue: 12/23/2014

Ground calcium carbonate (GCC)

1317-65-3

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative





Version 1.2 (GHS_US)	Revision Date: 05/25/2017	SDS Number: 9810300	Date of last issue: 05/04/20 Date of first issue: 12/23/20	
Furthe	r information			
NFPA:	Flowmakility		HMIS® IV:	
	Flammability		HEALTH *	1
t He at the test of te	Inst	FLAMMABILITY	0	
H		Instability	PHYSICAL HAZARD	0
	Special hazard.		HMIS® ratings are based on a scale, with 0 representing mini hazards or risks, and 4 represe significant hazards or risks. Th represents a chronic hazard, w represents the absence of a ch	mal enting e "*" /hile the "/"

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

hazard.

Sources of key data used to	:	Information taken from reference works and the literature.
compile the Material Safety		
Data Sheet		

Revision Date : 05/25/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person : Omya Inc. **Regulatory Affairs Department** 9987 Carver Road, Suite 300 Cincinnati, OH 45242