

3996602 OMYACARB 5 T-FL

Versio 1.3 (GHS_		Revision Date: 06/11/2024	-	DS Number: R39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014
SECTI	ION 1.	IDENTIFICATION			
Р	roduct	name	:	OMYACARB 5 T-	FL
Р	roduct	code	:	3996602	
Μ	lanufa	cturer or supplier's	deta	ails	
С	compa	ny name of supplier	:	Omya Internationa	al AG
A	ddres	3	:	42 Baslerstrasse Oftringen AG 466	5
Т	elepho	one	:	+41627892929	
Т	elefax		:	+41627892077	
E	merge	ency telephone	:	1 (800) 424-9300	
R	lecom	mended use of the c	hen	nical and restriction	ons on use
R	lecomi	mended use	:	Filler or Pigment	
R	estrict	ions on use	:	For industrial use	only.
SECTI	ION 2.	HAZARDS IDENTIFI		ΓΙΟΝ	
22011					

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)

Carcinogenicity (Inhalation)	:	Category 1A
------------------------------	---	-------------

GHS label elements

Hazard pictograms



Signal Word: DangerHazard Statements: H350i May cause cancer by inhalation.

1

Precautionary Statements : P

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.





3996602 OMYACARB 5 T-FL

Version	Revision Date:	SDS Number:
1.3	06/11/2024	PR39966-02
(GHS_US)		

Date of last issue: 05/26/2017 Date of first issue: 11/17/2014

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

: Mixture

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - < 100
quartz (SiO2)	14808-60-7	0.2

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local
		circumstances and the surrounding environment.



3996602 OMYACARB 5 T-FL

Versi 1.3 (GHS	on S_US)	Revision Date: 06/11/2024		DS Number: R39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014	
	Hazard ucts	ous combustion prod-	:	No hazardous co	nbustion products are known	
I	Further	information	:	Standard procedu	ire for chemical fires.	
		protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus.	
SEC	TION 6	ACCIDENTAL RELE	AS	E MEASURES		
1	Personal precautions, protec- tive equipment and emer- gency procedures		:	Avoid dust format	ion.	
I	Enviror	mental precautions	:	No special environmental precautions required.		
-	Methods and materials for containment and cleaning up		:	Sweep up and sh Keep in suitable,	ovel. closed containers for disposal.	
SEC	TION 7	HANDLING AND ST	OR/	AGE		
	Advice on protection against fire and explosion		:	Avoid dust format Provide appropria is formed.	ion. te exhaust ventilation at places where dust	
,	Advice on safe handling		:		ection see section 8. ng advice required.	

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid	:	Do not store near acids.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0





3996602 OMYACARB 5 T-FL

Version Revision Date: 1.3 06/11/2024 (GHS_US)		SDS Number: PR39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014			
			TWA (respirable dust fraction)	5 mg/m3	OSHA P0	
			TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL	
			TWA (total)	10 mg/m3	NIOSH REL	

		(Respirable)	(Calcium carbonate)	
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipr Respiratory protection	ment :	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection		
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: 1	fine powder
------------	-----	-------------

hite

Odor : c	odorless
----------	----------



3996602 OMYACARB 5 T-FL

Version 1.3 (GHS_US)	Revision Date: 06/11/2024	-	S Number: 39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014		
рН		:	8.5 - 9.5 (20 °C / Concentration: 1 Method: DIN-ISC	00 g/l		
Meltin	g point/range	:	(1,013 hPa)	°C Decomposes below the melting point.		
Boiling	g point/boiling range	:	Decomposition:	Decomposes below the boiling point.		
Flash	point	:	does not flash			
Flamm	nability (solid, gas)	:	The product is not flammable.			
			Will not burn			
Burnin	ng number	:	1			
	explosion limit / Lower ability limit	:	Not applicable			
Vapor	pressure	:	Not applicable			
Densit	Density		2.6 - 2.9 g/cm3 (Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa)) 787/10		
	lity(ies) ater solubility	:	0.014 g/l (20 °C	/ 20 °C, 1,013 hPa)		
			0.018 g/l (75 °C	/ 75 °C, 1,013 hPa)		
	on coefficient: n- bl/water	:	Not applicable			
Decon	nposition temperature	:	> 600 °C / > 600	°C		
Explos	Explosive properties		Not explosive			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)

3996602 OMYACARB 5 T-FL



Version 1.3 (GHS_US)	Revision Date: 06/11/2024		S Number: 39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014
Conditi	ons to avoid	:	No data availabl	e
SECTION 1	1. TOXICOLOGICAL	INFC	ORMATION	
Acute	toxicity			
Produc	<u>st:</u>			
Acute o	oral toxicity	:	LD50 Oral (Rat):	> 5,000 mg/kg
Compo	onents:			
Ground	d calcium carbonate	(GC	C):	
Acute of	oral toxicity	:	LD50 Oral (Rat):	> 5,000 mg/kg
quartz	(SiO2):			
Acute o	oral toxicity	:	LD50 (Rat, male Method: OECD T GLP: yes	and female): > 5,000 mg/kg est Guideline 401
Acute i	nhalation toxicity	:	Exposure time: 4 Test atmosphere: Method: OECD T GLP: yes Assessment: The inhalation toxicity An LC50/inhalatio	
Acute of	dermal toxicity	:	LD50 (Rabbit): > GLP: no	2,000 mg/kg
Respir	atory or skin sensiti	zatio	n	
Produc No data	<u>et:</u> a available			
<u>Compo</u>	onents:			
quartz	(SiO2):			
Assess		:	not sensitizing	
Carcin	ogenicity			
Compo	onents:			
quartz	(SiO2):			
-	ogenicity -	:	Positive evidence tion)	from human epidemiological studies (inhala-



3996602 OMYACARB 5 T-FL

Version 1.3 (GHS_US)	Revision Date: 06/11/2024	SDS Number: PR39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014
IARC	quartz (SiC	Carcinogenic to humans D2) t, crystalline)	14808-60-7
NTP	quartz (SiC	be human carcinogen D2) stalline (Respirable Siz	14808-60-7 ze))
STOT-	repeated exposure		
Compo	onents:		
quartz	(SiO2):		
	of exposure Organs sment	 Inhalation Lungs May cause dar exposure. 	nage to organs through prolonged or repeated
Furthe	r information		
Produc	<u>ct:</u>		
No data	a available		
SECTION 1	2. ECOLOGICAL IN	FORMATION	

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h
Components:		

Components:

Ground calcium carbonate (GCC):					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l			

3996602 OMYACARB 5 T-FL



Versio 1.3 (GHS_		Revision Date: 06/11/2024		S Number: 39966-02	Date of last issue: 05/26/2017 Date of first issue: 11/17/2014
р	lants			Exposure time: 72	h .
				NOEC (Desmodes Exposure time: 72	smus subspicatus (green algae)): 75 mg/l h
q	uartz ((SiO2):			
Т	oxicity	to fish	:	Remarks: No toxic	sity at the limit of solubility.
		to daphnia and other invertebrates	:	Remarks: No toxic	sity at the limit of solubility.
	oxicity lants	to algae/aquatic	:	Remarks: No toxic	sity at the limit of solubility.
т	oxicity	to microorganisms	:	Remarks: No toxic	city at the limit of solubility.
Р	Persist	ence and degradabili	ity		
<u>P</u>	roduc	<u>t:</u>			
В	Biodegr	adability	:	Remarks: Not app	licable
<u>C</u>	ompo	nents:			
-	-	(SiO2):			
	-	adability	•	Result: Not biodec	
	Biochen nand (E	nical Oxygen De- 3OD)	:	Remarks: Not app	licable
	Chemic COD)	al Oxygen Demand	:	Remarks: Not app	licable
В	Bioacc	umulative potential			
<u>C</u>	<u>ompo</u>	nents:			
		l calcium carbonate (GC	C):	
	Partitior ctanol/	n coefficient: n- /water	:	Remarks: Not app	licable
q	uartz ((SiO2):			
В	Bioaccu	mulation	:	Remarks: This sub bioaccumulating a	ostance is not considered to be persistent, and toxic (PBT).
	Partitior	n coefficient: n- /water	:	Remarks: Not app	licable
N	lobility	y in soil			
N	lo data	available			

3996602 OMYACARB 5 T-FL



Version 1.3 (GHS_US)	Revision Date: 06/11/2024	SDS Number: PR39966-02		Date of last issue: 05/26/2017 Date of first issue: 11/17/2014
Other	adverse effects			
Produc	<u>ct:</u>			
Ozone	-Depletion Potential	Pr Su Re tu	otection of Stra ubstances emarks: This pro red with a Class	FR Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I oduct neither contains, nor was manufac- s I or Class II ODS as defined by the U.S. ction 602 (40 CFR 82, Subpt. A, App.A + B).
Additio mation	nal ecological infor-	: In solid state the earth's sur They are disso the natural war These mineral Negative effect cluded. Restrictions m these minerals effect on water fauna in the se		d in a natural state and indispensable part of

Components:

Ground calcium carbonate (GCC):			
Results of PBT and vPvB	: Non-classified PBT substance Non-classified vPvB substance		
assessment			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



3996602 OMYACARB 5 T-FL

Version Revision Date: 1.3 06/11/2024 (GHS_US) SDS Number: PR39966-02

Date of last issue: 05/26/2017 Date of first issue: 11/17/2014

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

D¹ I / **T** I/

- -

Massachusetts Right To Know					
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7				
Pennsylvania Right To Know					
Ground calcium carbonate (GCC)	1317-65-3				




3996602 OMYACARB 5 T-FL

Version Revision Date: 1.3 06/11/2024 (GHS_US) SDS Number: PR39966-02 Date of last issue: 05/26/2017 Date of first issue: 11/17/2014

SECTION 16. OTHER INFORMATION

Further information





Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA CARC OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. Table Z-1-A Limits for Air Contaminants (1989 vacated
OSHA Z-1	:	values) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC



3996602 OMYACARB 5 T-FL

Version	Revision Date:	SDS Number:
1.3	06/11/2024	PR39966-02
(GHS_US)		

Date of last issue: 05/26/2017 Date of first issue: 11/17/2014

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date : 06/11/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8