

9810700 OMYACARB BP-LU

Version 1.4 (GHS_US)	Revision Date: 03/26/2024	-	DS Number: R98107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014
SECTION '	1. IDENTIFICATION			
Produ	ct name	:	OMYACARB BP	-LU
Produ	ct code	:	9810700	
Manut	facturer or supplier's	deta	ails	
Comp	any name of supplier	:	Omya Internatior	nal AG
Addres	SS	:	42 Baslerstrasse Oftringen AG 466	
Teleph	none	:	+41627892929	
Telefa	x	:	+41627892077	
Emerg	gency telephone	:	1 (800) 424-9300)
Recor	mmended use of the o	cher	nical and restricti	ons on use
Recon	nmended use	:	Filler or Pigment	
Restrie	ctions on use	:	For industrial use	e only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor 1910.1200)	dan	nce with the OSHA Hazard Communication Standard (29 CFR
Carcinogenicity (Inhalation)	:	Category 1A
GHS label elements		

GHS label elements

Hazard pictograms



Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation.
Precautionary Statements	:	Prevention:

÷

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.







VersionRevision Date:SDS Number:Date of last issue: 05/21/20201.403/26/2024PR98107-00Date of first issue: 12/23/2014(GHS_US)

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Calciumcarbonate GCC coarse granulates
CAS-No.	:	1317-65-3

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	0.9

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES



9810700 OMYACARB BP-LU

Version 1.4 (GHS_US)	Revision Date: 03/26/2024		DS Number: 898107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014
Suitab	le extinguishing media	:	0 0	measures that are appropriate to local d the surrounding environment.
Hazar ucts	dous combustion prod-	:	No hazardous cor	mbustion products are known
Furthe	er information	:	Standard procedu	ire for chemical fires.
•	al protective equipment -fighters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1



9810700 OMYACARB BP-LU

		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWÁ (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

i olooliai piotooarto oquipi		
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection		
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.
	•	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: sand, gravel
------------	----------------

Odor : characteristic

9810700 OMYACARB BP-LU



Version 1.4 (GHS_US)	Revision Date: 03/26/2024		S Number: 98107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014
рН		:	8.5 - 9.5 (20 °C / Concentration: 1 Method: DIN-ISC	00 g/l
Meltir	ng point/range	:	> 800 °C / > 800 (1,013 hPa) Decomposition:	°C Decomposes below the melting point.
Boilin	g point/boiling range	:	Decomposition:	Decomposes below the boiling point.
Flash	point	:	does not flash	
Flamr	mability (solid, gas)	:	The product is n	ot flammable., Will not burn
Burnii	ng number	:	1	
	r explosion limit / Lower nability limit	:	Not applicable	
Vapor	r pressure	:	Not applicable	
Densi	ty	:	2.6 - 2.8 g/cm3 (Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa)) 787/10
	ility(ies) ater solubility	:	0.014 g/l(20 °C	/ 20 °C, 1,013 hPa)
			0.018 g/l (75 °C	/ 75 °C, 1,013 hPa)
	on coefficient: n- ol/water	:	Pow: < 1estimat	ed
Deco	mposition temperature	:	> 600 °C / > 600	°C
Explo	sive properties	:	Not explosive	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available



9810700 OMYACARB BP-LU

Version 1.4 (GHS_US)	Revision Date: 03/26/2024		DS Number: 898107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014
SECTION	11. TOXICOLOGICA	AL INF	ORMATION	
Acute	e toxicity			
<u>Produ</u>	<u>ict:</u>			
Acute	oral toxicity	:	LD50 Oral (R	at): > 5,000 mg/kg
Comp	oonents:			
Grou	nd calcium carbona	te (GC	C):	
Acute	oral toxicity	:	LD50 Oral (R	at): > 5,000 mg/kg
quart	z (SiO2):			
Acute	oral toxicity	:		ale and female): > 5,000 mg/kg :D Test Guideline 401
Acute	inhalation toxicity	:	Exposure tim Test atmosph Method: OEC GLP: yes Assessment: inhalation tox An LC50/inha	ere: dust/mist D Test Guideline 403 The substance or mixture has no acute icity lation/4h/rat could not be determined because f rats was observed at the maximum achievable
Acute	dermal toxicity	:	LD50 (Rabbit GLP: no): > 2,000 mg/kg
Respi	iratory or skin sens	itizatio	'n	
<u>Produ</u> No da	<u>ıct:</u> ta available			
<u>Comp</u>	oonents:			
quart	z (SiO2):			
-	sment	:	not sensitizin	g
Carci	nogenicity			
<u>Comp</u>	oonents:			
quart	z (SiO2):			
Carcir	nogenicity - ssment	:	Positive evide tion)	ence from human epidemiological studies (inhal
IARC	Group 1: C	Carcino	genic to humai	าร



9810700 OMYACARB BP-LU

Version 1.4 (GHS_US)	Revision Date: 03/26/2024	SDS Number: PR98107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014		
	quartz (SiO2 (Silica dust,		14808-60-7		
NTP	quartz (SiO2	human carcinogen 2) talline (Respirable Size))		
STOT-	repeated exposure				
Components:					
-	(SiO2): of exposure	: Inhalation			

: May cause damage to organs through prolonged or repeated

Further information

Target Organs Assessment

Product:

This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

: Lungs

exposure.

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h
Components:		

Ground calcium carbonate (GCC):			
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l	

9810700 OMYACARB BP-LU



Vers 1.4 (GH	sion S_US)	Revision Date: 03/26/2024		98 Number: 198107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014
	aquatic	invertebrates		Exposure time: 48	3 h
	Toxicity plants	r to algae/aquatic	:	EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): > 200 mg/l 2 h
				NOEC (Desmode: Exposure time: 72	smus subspicatus (green algae)): 75 mg/l 2 h
	quartz	(SiO2):			
	Toxicity	r to fish	:	Remarks: No toxic	city at the limit of solubility.
		to daphnia and other invertebrates	:	Remarks: No toxic	city at the limit of solubility.
	Toxicity plants	to algae/aquatic	:	Remarks: No toxic	city at the limit of solubility.
	Toxicity	to microorganisms	:	Remarks: No toxic	city at the limit of solubility.
	Persist	ence and degradabili	ity		
	Produc	: <u>t:</u>			
	Biodeg	radability	:	Remarks: Not app	blicable
	Compo	onents:			
	quartz	(SiO2):			
	Biodeg	radability	:	Result: Not biodeg	gradable
	Biocher mand (mical Oxygen De- BOD)	:	Remarks: Not app	blicable
	Chemic (COD)	al Oxygen Demand	:	Remarks: Not app	blicable
	Bioacc	umulative potential			
	<u>Compc</u>	onents:			
	Ground	d calcium carbonate (GC	C):	
	Partition octanol	n coefficient: n- /water	:	Remarks: Not app	blicable
	quartz	(SiO2):			
	-	umulation	:	Remarks: This sul bioaccumulating a	bstance is not considered to be persistent, and toxic (PBT).
	Partition octanol	n coefficient: n- /water	:	Remarks: Not app	blicable

9810700 OMYACARB BP-LU



Version 1.4 (GHS_US)	Revision Date: 03/26/2024	SDS Number: PR98107-00	Date of last issue: 05/21/2020 Date of first issue: 12/23/2014	
No dat	ty in soil a available adverse effects ct:			
	-Depletion Potential	Protection of Substances Remarks: Th tured with a 0	0 CFR Protection of Environment; Part 82 Stratospheric Ozone - CAA Section 602 Class I is product neither contains, nor was manufac- Class I or Class II ODS as defined by the U.S. Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Addition mation	onal ecological infor-	the earth's su They are diss the natural w These minera Negative effe cluded. Restrictions r these minera effect on wat fauna in the s	solved in a natural state and indispensable part of	
<u>Comp</u>	onents:			
	id calcium carbonate s of PBT and vPvB sment	. ,	d PBT substance Non-classified vPvB substance	;

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good



9810700 OMYACARB BP-LU

Version	Revision Date:	SDS Number:
1.4	03/26/2024	PR98107-00
(GHS_US)		

Date of last issue: 05/21/2020 Date of first issue: 12/23/2014

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know	
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7
Pennsylvania Right To Know	
Ground calcium carbonate (GCC)	1317-65-3






Version	Revision Date:	SDS Number:
1.4	03/26/2024	PR98107-00
(GHS_US)		

Date of last issue: 05/21/2020 Date of first issue: 12/23/2014

SECTION 16. OTHER INFORMATION



AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -



9810700 OMYACARB BP-LU

Version	Revision Date:	SDS Number:	Date of last issue: 05/21/2020
1.4	03/26/2024	PR98107-00	Date of first issue: 12/23/2014
(GHS_US)			

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety Data Sheet

: Information taken from reference works and the literature.

Revision Date : 03/26/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8