# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018
1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : OMYACARB UF-FL

Manufacturer or supplier's details

Company : Omya International AG

Address : Baslerstrasse

Oftringen AG 4665

Telephone : +41627892929

Emergency telephone : 1-800-892-0479 Telefax : +41627892077

Recommended use of the chemical and restrictions on use

Recommended use : Filler or Pigment

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification in accordance with ABNT NBR 14725 Standard

Carcinogenicity (Inhalation) : Category 1A

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :

A A

Signal Word : Danger

Hazard Statements : H350 May cause cancer by inhalation.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

# 3992400 OMYACARB UF-FL



Version 1.1

(GHS\_BR)

Revision Date: 09.12.2023

SDS Number: PR39924-00

Date of last issue: 09.05.2018 Date of first issue: 09.05.2018

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS** 

Substance / Mixture : Substance

Substance name : Calciumcarbonate GCC fine powder coated

CAS-No. : 1317-65-3

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
quartz (SiO2)	14808-60-7	Carcinogenicity (Inhalation), Category 1A Specific target organ toxicity - repeated exposure (Inhalation) (Lungs), Category 2	>= 0.1 -< 1

## **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: May cause cancer by inhalation.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

# 3992400 OMYACARB UF-FL



Version **Revision Date:** SDS Number: Date of last issue: 09.05.2018 PR39924-00 Date of first issue: 09.05.2018 1.1 09.12.2023

(GHS\_BR)

circumstances and the surrounding environment.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : Avoid dust formation.

tive equipment and emer-

gency procedures

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

For personal protection see section 8. Advice on safe handling

No special handling advice required.

Hygiene measures General industrial hygiene practice.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid Do not store near acids.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
quartz (SiO2)	14808-60-7	LT	8.5 mppcd / (% quartz+10) (Silica)	BR OEL

# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018
1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

LT (Respirable dust)	8 mg/m3 / (% quartz+2) (Silica)	BR OEL
LT (Total dust)	24 mg/m3 / (% quartz+3) (Silica)	BR OEL
TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH

Personal protective equipment

Respiratory protection : Respirator must be worn if exposed to dust.

Handle in accordance with good industrial hygiene and safety

practice.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : characteristic

Odor Threshold : Not relevant

pH : 8.5 - 9.5 (20 °C)

Concentration: 100 g/l Method: DIN-ISO 787/9

Melting point/range : > 800 °C

(1,013 hPa)

Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : does not flash

Flammability (solid, gas) : The product is not flammable.

Burning number : 1

# 3992400 OMYACARB UF-FL



Version R 1.1 09

(GHS\_BR)

Revision Date: 09.12.2023

SDS Number: PR39924-00

Date of last issue: 09.05.2018 Date of first issue: 09.05.2018

Upper explosion limit / Upper

flammability limit

: Upper flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Lower flammability limit

Not applicable

Vapor pressure : Not applicable

Density : 2.3 - 2.8 g/cm3 (20 °C, 1,013 hPa)

Method: DIN-ISO 787/10

Solubility(ies)

Water solubility : 0.014 g/l (20 °C, 1,013 hPa)

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : Not applicable

Decomposition temperature : > 600 °C

Explosive properties : Not explosive

Minimum ignition energy : Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No decomposition if used as directed.

Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of

suffocation)

Conditions to avoid : No data available

Hazardous decomposition

products

Carbon dioxide (CO2)

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018
1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

**Components:** 

quartz (SiO2):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable

concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

GLP: no

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

No data available

**Components:** 

quartz (SiO2):

Assessment : not sensitizing

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

IARC Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018
1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

**Components:** 

quartz (SiO2):

Carcinogenicity - : Positive evidence from human epidemiological studies

Assessment (inhalation)

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

**Components:** 

quartz (SiO2):

Routes of exposure : Inhalation Target Organs : Lungs

Assessment : May cause damage to organs through prolonged or repeated

exposure.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l

Exposure time: 72 h

Components:

quartz (SiO2):

Toxicity to fish : Remarks: No toxicity at the limit of solubility.

# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018 1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : Remarks: No toxicity at the limit of solubility.

Persistence and degradability

**Product:** 

Biodegradability : Remarks: Not applicable

**Components:** 

quartz (SiO2):

Biodegradability : Result: Not biodegradable

Biochemical Oxygen De-

mand (BOD)

Remarks: Not applicable

Chemical Oxygen Demand

(COD)

Remarks: Not applicable

Bioaccumulative potential

**Components:** 

quartz (SiO2):

Bioaccumulation : Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: In solid state these minerals are a major part of the rocks of

the earth's surface.

They are dissolved in a natural state and indispensable part of

the natural waters.

These minerals are not biodegradable.

Negative effects on the environment should therefore be ex-

cluded.

Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and -

# 3992400 OMYACARB UF-FL



Version 1.1

Revision Date: 09.12.2023

SDS Number: PR39924-00

Date of last issue: 09.05.2018 Date of first issue: 09.05.2018

(GHS\_BR)

fauna in the sediment and subsequent detriment to the existence of higher water organisms).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

#### International Regulations

The receiver should verify the possible existence of legal regulations applicable to chemical.

## **SECTION 16. OTHER INFORMATION**

Revision Date : 09.12.2023

Date format : yyyy/mm/dd

**Further information** 

Other information : This material safety datasheet only contains information relat-

ing to safety and does not replace any product information or

product specification.

Sources of key data used to : Information taken from reference works and the literature.

# 3992400 OMYACARB UF-FL



Version Revision Date: SDS Number: Date of last issue: 09.05.2018
1.1 09.12.2023 PR39924-00 Date of first issue: 09.05.2018

(GHS\_BR)

compile the Material Safety Data Sheet

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average

BR OEL / LT : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

BR / Z8