



Version 1.0 (GHS_I	11/23/2021	-	DS Number: R39990-00	Date of last issue: - Date of first issue: 11/23/2021		
SECTIO	ON 1. IDENTIFICATION					
Pro	oduct name	:	OMYAFILM BOPP 400 - FL			
Pro	oduct code	:	3999000			
Ма	anufacturer or supplier's	deta	ails			
Co	ompany name of supplier	:	Omya Internation	al AG		
Ad	ldress	:	42 Baslerstrasse Oftringen AG 466	5		
Те	lephone	:	+41627892929			
Te	lefax	:	+41627892077			
Emergency telephone		:	(800) 424-9300			
SECTIO	ON 2. HAZARDS IDENTIF	ICA [.]	TION			
	IS classification in accor 10.1200)	dan	ce with the OSHA	Hazard Communication Standard (29 CFR		
Ca	arcinogenicity (Inhalation)	:	Category 1A			
Gł	IS label elements					
Ha	azard pictograms	:				
Siz	anal Word		Danger			
	Signal Word :		Danger			
	azard Statements	:	H350 May cause	cancer by inhalation.		
Pro	Precautionary Statements		Prevention: P201 Obtain special instructions before use.			
			P202 Do not hand	dle until all safety precautions have been read		

and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P308 + P313 IF exposed or concerned: Get medical advice/

attention.
Storage:

P405 Store locked up.





	SDS Number: PR39990-00	Date of last issue: - Date of first issue: 11/23/2021
--	---------------------------	----------------------------------------------------------

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	0.2

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.



Version Revision Date: SDS Number: 1.0 11/23/2021 PR39990-00 (GHS_US)	Date of last issue: - Date of first issue: 11/23/2021
-----------------------------------------------------------------------------	----------------------------------------------------------

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL



3999000 OMYAFILM BOPP 400 - FL

VersionRevision Date:SDS Number:Date of last issue: -1.011/23/2021PR39990-00Date of first issue: 11/23/202(GHS_US)(GHS_US)Control of the second	1.0
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

			(Calcium carbonate)	
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Personal protective equipment					
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Hand protection					
Remarks	:	For prolonged or repeated contact use protective gloves.			
Eye protection	:	Safety glasses			
Skin and body protection	:	Protective suit			
Hygiene measures	:	General industrial hygiene practice.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	fine powder
Color	:	white
Odor	:	odorless
рН	:	8.5 - 9.5 (20 °C / 20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9
Melting point/range	:	> 800 °C / > 800 °C (1,013 hPa)



3999000 OMYAFILM BOPP 400 - FL

Version 1.0 (GHS_U	Revision Date: 11/23/2021 S)		S Number: 39990-00	Date of last issue: - Date of first issue: 11/23/2021
			Decomposition:	Decomposes below the melting point.
Boi	ling point/boiling range	:	Decomposition:	Decomposes below the boiling point.
Fla	sh point	:	does not flash	
Fla	mmability (solid, gas)	:	The product is n	ot flammable.
			Will not burn	
Bur	ning number	:	1	
	ver explosion limit / Lower nmability limit	:	Not applicable	
Vap	oor pressure	:	Not applicable	
Der	nsity	:	2.6 - 2.9 g/cm3 (Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa)) 787/10
	ubility(ies) Water solubility	:	0.014 g/l(20 °C	/ 20 °C, 1,013 hPa)
			0.018 g/l(75 °C	/ 75 °C, 1,013 hPa)
	tition coefficient: n- anol/water	:	Not applicable	
Dec	composition temperature	:	> 600 °C / > 600	°C
Exp	losive properties	:	Not explosive Not explosive	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	: No data available



3999000 OMYAFILM BOPP 400 - FL

Version 1.0 (GHS_US)	Revision Date: 11/23/2021	SDS Number: PR39990-00	Date of last issue: - Date of first issue: 11/23/2021	
SECTION 1	1. TOXICOLOGICAL	INFORMATION		
Acute	toxicity			
Produ Acute	<u>ct:</u> oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg	
Comp	onents:			
	d calcium carbonate oral toxicity	(GCC): : LD50 Oral (Rat): > 5,000 mg/kg	
Respir	ratory or skin sensitiz	ation		
<u>Produ</u> No dat	<u>ct:</u> a available			
Carcin	ogenicity			
Comp	onents:			
-	: (SiO2): ogenicity - sment	: Positive eviden (inhalation)	ce from human epidemiological studies	
IARC	Group 1: Car quartz (SiO2) (Silica dust, c		14808-60-7	
NTP	quartz (SiO2)	human carcinogen alline (Respirable Siz	14808-60-7 e))	
Furthe	er information			
<u>Produ</u>	<u>ct:</u>			
No dat	a available			
SECTION 1	2. ECOLOGICAL INF	ORMATION		
Ecoto	xicity			
Produ	<u>ct:</u>			
Toxicit	y to fish	: LC50 (Oncorhy Exposure time:	nchus mykiss (rainbow trout)): > 10,000 mg/l 96 h	
	Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l aquatic invertebrates Exposure time: 48 h			

3999000 OMYAFILM BOPP 400 - FL



ersion) HS_US)	Revision Date: 11/23/2021	-	9S Number: 339990-00	Date of last issue: - Date of first issue: 11/23/2021
Toxicity plants	to algae/aquatic	:	NOEC (Desmode Exposure time: 72	smus subspicatus (green algae)): 75 mg/l 2 h
			EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 289 mg/l 2 h
<u>Compo</u>	nents:			
Ground	calcium carbonate	(GC	C):	
Toxicity	to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): > 10,000 mg/l ን h
	to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 1,000 mg/l 3 h
Toxicity plants	to algae/aquatic	:	EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): > 200 mg/l 2 h
quartz (SiO2):			
Toxicity	-	:	No toxicity at the l	imit of solubility.
	to daphnia and other invertebrates	:	No toxicity at the l	imit of solubility.
Toxicity plants	to algae/aquatic	:	No toxicity at the l	imit of solubility.
Toxicity	to microorganisms	:	No toxicity at the limit of solubility.	
Persiste	ence and degradabili	ity		
Produc	<u>t:</u>			
Biodegr	adability	:	Not applicable	
<u>Compo</u>	nents:			
quartz (SiO2):			
Biodegr	adability	:	Result: Not biode	gradable.
Biochen Demano	nical Oxygen I (BOD)	:	Not applicable	
Chemic (COD)	al Oxygen Demand	:	Not applicable	
Bioaccu	umulative potential			
<u>Compo</u>	nents:			
Ground	calcium carbonate	(GC	C):	
Partitior	coefficient: n-	:	Not applicable	

3999000 OMYAFILM BOPP 400 - FL



Version 1.0 (GHS_US)	Revision Date: 11/23/2021	SDS Number: PR39990-00	Date of last issue: - Date of first issue: 11/23/2021
octano	ol/water		
-	z (SiO2): cumulation		e is not considered to be persistent, ng and toxic (PBT).
	on coefficient: n- pl/water	: Not applicable	
No da	ity in soil ta available adverse effects		
Produ			
	e-Depletion Potential	Protection of S Substances This product n Class I or Clas	CFR Protection of Environment; Part 82 tratospheric Ozone - CAA Section 602 Class I either contains, nor was manufactured with a s II ODS as defined by the U.S. Clean Air Act 0 CFR 82, Subpt. A, App.A + B).
Additio	onal ecological nation	the earth's surf They are disso the natural wat These mineral Negative effec excluded. Restrictions ma these minerals effect on water fauna in the se	lved in a natural state and indispensable part of
<u>Comp</u>	oonents:		
Result	nd calcium carbonate ts of PBT and vPvB sment	. ,	PBT substance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Version Revision Date: 1.0 11/23/2021 (GHS_US)

n Date: 021

SDS Number: PR39990-00 Date of last issue: -Date of first issue: 11/23/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know	
Ground calcium carbonate (GCC)	1317-65-3
quartz (SiO2)	14808-60-7

Pennsylvania Right To Know




Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/23/2021	PR39990-00	Date of first issue: 11/23/2021
(GHS_US)			

Ground calcium carbonate (GCC)

1317-65-3

SECTION 16. OTHER INFORMATION



NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally



3999000 OMYAFILM BOPP 400 - FL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/23/2021	PR39990-00	Date of first issue: 11/23/2021
(GHS_US)			

Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date : 11/23/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242