



Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2017
1.1	06/11/2020	PR98850-03	Date of first issue: 08/15/2017
(GHS_US)			

SECTION 1. IDENTIFICATION

Product name	:	OMYAFLOW F-PT 74%
Product code	:	9885003

Manufacturer or supplier's details

Company name of supplier		Omya International AG
Address	:	42 Baslerstrasse
		Oftringen AG 4665
Telephone	:	+41627892929
Telefax	:	+41627892077
Emergency telephone	:	(800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use	:	Filler or Pigment
Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity (Inhalation) : Category 1A

GHS label elements Hazard pictograms

▲
—

Danger

2

÷

Hazard Statements :

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

H350 May cause cancer by inhalation.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste



Version Revision Date: 1.1 06/11/2020 (GHS_US)	SDS Number: PR98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017	
--	---------------------------	---	--

disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 26.7048 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 70 - < 90
quartz (SiO2)	14808-60-7	0.6

SECTION 4. FIRST AID MEASURES

If inhaled	 Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Hazardous combustion products	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No hazardous combustion products are known
Further information Special protective equipment for fire-fighters	Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.



Version	Revision Date:	SDS Number:
1.1	06/11/2020	PR98850-03
(GHS_US)		

Date of last issue: 08/15/2017 Date of first issue: 08/15/2017

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: For personal protection see section 8. No special handling advice required.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	: Do not store near acids.
Further information on storage stability	: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWÁ (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL



Version 1.1 (GHS_US)	Revision Date: 06/11/2020		S Number: 98850-03		t issue: 08/15/2017 t issue: 08/15/2017	
				TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
				PEL (respirable)	0.05 mg/m3	OSHA CARC
	nal protective equipme protection	ent				
Eye pro Skin ar	narks otection nd body protection e measures	:	Safety glasses Protective suit	S	ntact use protective	gloves.
SECTION 9	. PHYSICAL AND CHE	EMIC	CAL PROPER	TIES		
Appear	ance	:	suspension			
Color		:	white			
Odor		:	characteristic	;		
рН		:	8.5 - 11 (20 ° Concentration Method: DIN-	n: 100 g/l		
Melting	point/freezing point	:	0 °C / 0 °C			
Boiling	point	:	ca. 100 °C / 1 Water	100 °C		
Flash p	point	:	Not applicabl	е		
Flamm	ability (liquids)	:	Will not burn			
Burning	g number	:	1			
	explosion limit / Upper ability limit	:	Not applicabl	е		
	explosion limit / Lower ability limit	:	Not applicabl	е		
Vapor _I	pressure	:	23.4 hPa (20 aqueous pha			
Density	/	:	Method: DIN-		C) Is content of the disp	persion.
Solubil Wat	ity(ies) ter solubility	:	0.014 g/l (20	°C / 20 °C)		
			0.018 g/l(75	°C / 75 °C)		





Version 1.1 (GHS_US)	Revision Date: 06/11/2020	SDS Number: PR98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
octanol		: Not applicable	
Decom	position temperature	: > 400 °C / > 4	00 °C
SECTION 1	0. STABILITY AND F	REACTIVITY	
	cal stability lity of hazardous	 No decompos Stable under No decompos Reacts with a 	recommended storage conditions. Sition if stored and applied as directed. recommended storage conditions. Sition if used as directed. Cids. It forms carbon dioxide (CO2). This oxygen in the air in closed spaces. (danger of
Conditi	ons to avoid	: No data availa	able
SECTION 1	1. TOXICOLOGICAL	INFORMATION	
Acute	toxicity		
Produc Acute c	<u>ot:</u> oral toxicity	: LD50 Oral (Ra	t): > 5,000 mg/kg
Compo	onents:		
	d calcium carbonate		
Acute o	oral toxicity	: LD50 Oral (Ra	t): > 5,000 mg/kg
Respir	atory or skin sensiti	zation	
<u>Produc</u> No data	<u>et:</u> a available		
Carcin	ogenicity		
Compo	onents:		
-	(SiO2): ogenicity - ment	: Positive evider (inhalation)	nce from human epidemiological studies
IARC	Group 1: Ca quartz (SiO2 (Silica dust,		s 14808-60-7
NTP	quartz (SiO2	human carcinogen) alline (Respirable Si	14808-60-7 ze))





1.1 06/11/2020 PR98850-03 Date of first issue: 08/15/2017 (GHS_US)	1.1 00		SDS Number: PR98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
--	--------	--	---------------------------	---

STOT-repeated exposure

Components:

quartz (SiO2):

Routes of exposure	:	Inhalation
Target Organs	:	Lungs
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Further information

Product:

This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
<u>Product:</u> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h
Components:		
Ground calcium carbonate (G	ЭC	C):
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	Exposure time: 96 h EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
aquatic invertebrates		EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
aquatic invertebrates Toxicity to algae/aquatic		EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l

SAFETY DATA SHEET





Version 1.1 (GHS_US	Revision Date: 06/11/2020		DS Number: R98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
	city to daphnia and other	:	No toxicity at the	limit of solubility.
Toxic	tic invertebrates bity to algae/aquatic	:	No toxicity at the	limit of solubility.
plant: Toxic	s city to microorganisms	:	No toxicity at the	limit of solubility.
Pers	istence and degradabil	ity		
<u>Prod</u> Biode	l <mark>uct:</mark> egradability	:	Not applicable	
<u>Com</u>	ponents:			
quar	tz (SiO2):			
Biode	egradability	:	Result: Not biode	gradable.
	nemical Oxygen and (BOD)	:	Not applicable	
	nical Oxygen Demand	:	Not applicable	
Bioa	ccumulative potential			
Com	ponents:			
Grou	Ind calcium carbonate	(GC	C):	
	tion coefficient: n- nol/water	:	Not applicable	
quar	tz (SiO2):			
Bioad	ccumulation	:	This substance is bioaccumulating a	not considered to be persistent, and toxic (PBT).
	tion coefficient: n- nol/water	:	Not applicable	
	ility in soil ata available			
Othe	er adverse effects			
Prod	luct:			
Ozon	ne-Depletion Potential	:	Protection of Stra Substances This product neith Class I or Class II	FR Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I ner contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act CFR 82, Subpt. A, App.A + B).
	tional ecological mation	:	In solid state thes the earth's surfact	e minerals are a major part of the rocks of e.



Version 1.1 (GHS US)	Revision Date: 06/11/2020	SDS Number: PR98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
(685_03)			

Components:

Ground calcium carbonate (GCC):

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2017
1.1	06/11/2020	PR98850-03	Date of first issue: 08/15/2017
(GHS_US)			

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act


US State Regulations

Massachusetts Right To Know		
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7	
Pennsylvania Right To Know		
Ground calcium carbonate (GCC)	1317-65-3	
Maine Chemicals of High Concern		
quartz (SiO2)	14808-60-7	
The following chemicals are listed as Maine Chemicals of High Concern:		

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

2

1

ACGIH	
NIOSH REL	

USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits

SAFETY DATA SHEET



9885003 OMYAFLOW F-PT 74%

Version 1.1 (GHS_US)	Revision Date: 06/11/2020		98 Number: 198850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
OSHA OSHA	•••••			Regulated Chemicals/Carcinogens BLE Z-1 Limits for Air Contaminants -
OSHA Z-1		:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
OSHA Z-3		:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts	
ACGIH / TWA		:	8-hour, time-weighted average	
NIOSH REL / TWA			Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek	
OSHA CARC / PEL		:	Permissible expos	sure limit (PEL)
OSHA P0 / TWA		:	8-hour time weigh	ted average
OSHA Z-1 / TWA		:	8-hour time weigh	
OSHA Z-3 / TWA		:	8-hour time weigh	ted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. -Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety





Version 1.1 (GHS_US)	Revision Date: 06/11/2020	SDS Number: PR98850-03	Date of last issue: 08/15/2017 Date of first issue: 08/15/2017
----------------------------	------------------------------	---------------------------	---

Data Sheet

Revision Date

: 06/11/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242