



Version 1.2 (GHS_US)	Revision Date: 05/26/2017		DS Number: 340003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014	
SECTION 1	1. IDENTIFICATION				
Produc	Product name		OMYAFLOW F-S	SY 74%	
Manuf	facturer or supplier's	deta	ails		
Compa	any name of supplier	:	Omya Internation	al AG	
Addres	Address		42 Baslerstrasse Oftringen AG 4665		
Teleph	none	:	+41627892929		
Telefa	Telefax		+41627892077		
Emerg	Emergency telephone		(800) 424-9300		
Recon	nmended use of the c	cher	nical and restriction	ons on use	
Recon	nmended use	:	Filler or Pigment		
Restric	ctions on use	:	For industrial use	only.	
	2. HAZARDS IDENTIF	-	-		
	classification in accor ogenicity (Inhalation)			910.1200	
Carolin		•			
	abel elements		•		
Hazaro	d pictograms	:			

Signal Word	:	Danger
Hazard Statements	:	H350i May cause cancer by inhalation.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention.
		Storage:

\_



## 9840003 OMYAFLOW F-SY 74%

Version 1.2 (GHS_US	Revision Date: 05/26/2017	•••	DS Number: 340003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014	
			P405 Store locke	d up.	
			Disposal:		
	P501 Dispose of contents/ container to an approved waste disposal plant.				
• • • • •	e <b>r hazards</b> e known.				
SECTION	I 3. COMPOSITION/IN	OR	MATION ON INGRE	EDIENTS	
Subs	stance / Mixture	:	Mixture		
Subs	stance name	:	Calciumcarbonate	e GCC HS slurry	
Haza	ardous ingredients				

# Chemical nameCAS-No.Concentration (% w/w)Ground calcium carbonate (GCC)1317-65-3>= 70 - < 90</td>Silica, crystalline (quartz)14808-60-70.2

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.



Version 1.2 (GHS_US)	Revision Date: 05/26/2017	SDS Number: 9840003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for fire-fighters

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Silica, crystalline (quartz)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable	0.025 mg/m3 (Silica)	ACGIH



1.2	sion IS_US)	Revision Date: 05/26/2017	SDS Number: 9840003		ist issue: 05/04/2015 rst issue: 11/14/2014	
				fraction)		
				T\A/A	0.05	

fraction)		
TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1

#### Personal protective equipment

Hand protection

Remarks

Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white
Odor	:	characteristic
рН	:	8.5 - 11 (20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9
Melting point/freezing point	:	0°0
Boiling point	:	ca. 100 °C Water
Flash point	:	Not applicable
Flammability (solid, gas)	:	does not ignite
Burning number	:	1
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapor pressure	:	23.4 hPa (20 °C) aqueous phase
Density	:	1.8 - 2.1 g/cm3 (20 °C) Method: DIN-ISO 787/10 Density depends on the solids content of the dispersion.
Solubility(ies)		

## SAFETY DATA SHEET

# 9840003 OMYAFLOW F-SY 74%



Version Revision Date: 1.2 05/26/2017 (GHS_US)	SDS Number: 9840003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014		
Water solubility	: 0.014 g/l (20	°C)		
	0.018 g/l(75	°C)		
Partition coefficient: n- octanol/water	: Not applicable	3		
Decomposition temperature	: > 400 °C	> 400 °C		
SECTION 10. STABILITY AND R	EACTIVITY			
Reactivity	: Stable under	recommended storage conditions.		
Chemical stability	: No decompos	ition if stored and applied as directed.		
Possibility of hazardous reactions	No decompos Reacts with a	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)		
Conditions to avoid	Conditions to avoid : No data available			
SECTION 11. TOXICOLOGICAL	INFORMATION			
Acute toxicity				
Product:				
Acute oral toxicity	: LD50 Oral (Ra	t): > 5,000 mg/kg		
	: LD50 Oral (Ra	t): > 5,000 mg/kg		
Acute oral toxicity		t): > 5,000 mg/kg		
Acute oral toxicity Ingredients:				
Acute oral toxicity <u>Ingredients:</u> Ground calcium carbonate	<b>(GCC):</b> : LD50 Oral (Ra			
Acute oral toxicity Ingredients: Ground calcium carbonate Acute oral toxicity	<b>(GCC):</b> : LD50 Oral (Ra			
Acute oral toxicity Ingredients: Ground calcium carbonate Acute oral toxicity Respiratory or skin sensitiz Product:	<b>(GCC):</b> : LD50 Oral (Ra			
Acute oral toxicity Ingredients: Ground calcium carbonate Acute oral toxicity Respiratory or skin sensitiz <u>Product:</u> No data available	<b>(GCC):</b> : LD50 Oral (Ra			
Acute oral toxicity <u>Ingredients:</u> Ground calcium carbonate Acute oral toxicity Respiratory or skin sensitiz <u>Product:</u> No data available Carcinogenicity	(GCC): : LD50 Oral (Ra			

Silica, crystalline (quartz)

14808-60-7



NTP       Known to be human carcinogen         Silica, crystalline (quartz)       14808-60-7         STOT-repeated exposure       Ingredients:         Silica, crystalline (quartz):       Routes of exposure: Inhalation         Target Organs: Lungs       Assessment: May cause damage to organs through prolonged or repeated exposure.         Further information       Forduct:         No data available       Sectron 12. ECOLOGICAL INFORMATION         Ecotoxicity       Ecotoxicity         Product:       Ecotoxicity         Toxicity to fish       E. CSO (Docorhynchus mykiss (rainbow trout)): > 10.000 mg/l         aquati invertebrates       ECG (Desmodesmus subspicatus (Green algae)): 289 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 280 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 280 mg/l         Exposure time: 72 h       ECG (Dependesmus subspicatus (green algae)): 200 mg/l         Exposure time: 72 h       ECSO (Dependesmus subspicatus (	Version 1.2 (GHS_US)	Revision Date: 05/26/2017		DS Number: 40003		ast issue: 05/04/2015 rst issue: 11/14/2014
STOT-repeated exposure       Ingredients:         Silica, crystalline (quartz):       Routes of exposure: inhalation         Target Organs: Lungs       Assessment: May cause damage to organs through prolonged or repeated exposure.         Further information       Product:         No data available       SECTION 12. ECOLOGICAL INFORMATION         Ecotoxicity       Product:         Toxicity to fish       :         LC50 (Oncorrhynchus mykiss (rainbow trout)): > 10,000 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): > 1,000 mg/l         Exposure time: 48 h         Toxicity to algae       :         NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l         Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       :         Toxicity to disha and other       :         EC50 (Daphnia magna (Water flea)): > 10,000 mg/l         Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to dish       :         EC50 (Daphnia magna (Water flea)): > 1,0000 m	NTP	NTP Known to be human carcinogen				
Ingredients:         Silica, crystalline (quartz):         Routes of exposure: Inhalation         Target Organs: Lungs         Assessment: May cause damage to organs through prolonged or repeated exposure.         Further information         Product:         No data available         SECTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Product:         Toxicity to fish       :         LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l         Exposure time: 96 h         Toxicity to dish       :         Coticity to aquatic invertebrates       :         EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus (Scenedesmus subspicatus (Scenedesmus subspicatus (Green algae)): 289 mg/l         Exposure time: 72 h       :         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h       :         Ingredients:       :         Ground calcium carbonate (GCC):       :         Toxicity to fish       :       :         Toxicity to fish       :       :         Toxicity to daphnia and other       :       :         Scio(Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l       :         Exposure time: 72 h       :       :			S	ilica, crystalline (qu	iartz)	14808-60-7
Silica, crystalline (quartz):         Routes of exposure: Inhalation         Target Organs: Lungs         Assessment: May cause damage to organs through prolonged or repeated exposure.         Further information         Product:         No data available         SECTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Product:         Toxicity to fish       :         LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): > 1,000 mg/l         aquatic invertebrates       :         Toxicity to algae       :         NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus (Scenedesmus subspicatus (Scenedesmus subspicatus (Green algae)): 289 mg/l         Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l         Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       :         C50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l         Exposure time: 96 h         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): > 1,000 mg/l         Exposure time: 48 h      <		• •				
Product: No data available         SECTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Product: Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 h         Ingredients:       C50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:       C50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : LC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 72 h         Silica, crystalline (quartz):       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h	<b>Silica,</b> Routes Target	<b>crystalline (quartz):</b> of exposure: Inhalatio Organs: Lungs		to organs through	prolonged	or repeated exposure.
Ecotoxicity         Product:         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 96 h         Toxicity to algae       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 96 h         Toxicity to algae       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 72 h         Silica, crystalline (quartz):       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h	Produc	<u>::</u>				
Product:       Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 h         Torredients:       EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:       Ingredients:         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 72 h         Toxicity to fish       : LC50 (Dosmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Direction carbonate (GCC):       Toxicity to fish         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 48 h         Toxicity to algae       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h	SECTION 1	2. ECOLOGICAL INFO	ORI	MATION		
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 hToxicity to algae:NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 hIngredients:EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 hIngredients:Ground calcium carbonate (GCC): Toxicity to fishToxicity to daphnia and other aquatic invertebrates:LC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 96 hToxicity to algae:EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 hToxicity to algae:EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 hSilica, crystalline (quartz):	Ecotox	kicity				
Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):       EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h	Produc	<u>ot:</u>				
aquatic invertebrates       Exposure time: 48 h         Toxicity to algae       :       NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): 75 mg/l Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       :         LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       :         EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       :         EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):	Toxicity	/ to fish	:			s (rainbow trout)): > 10,000 mg/l
subspicatus)): 75 mg/l Exposure time: 72 h         EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):			:			ter flea)): > 1,000 mg/l
Exposure time: 72 h         Ingredients:         Ground calcium carbonate (GCC):         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):	Toxicity	∕ to algae	:	subspicatus)): 75	mg/l	spicatus (Scenedesmus
Ground calcium carbonate (GCC):         Toxicity to fish       : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):						picatus (green algae)): 289 mg/l
<ul> <li>Toxicity to fish</li> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): &gt; 10,000 mg/l Exposure time: 96 h</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): &gt; 1,000 mg/l Exposure time: 48 h</li> <li>Toxicity to algae</li> <li>EC50 (Desmodesmus subspicatus (green algae)): &gt; 200 mg/l Exposure time: 72 h</li> </ul>	Ingred	ients:				
Exposure time: 96 h         Toxicity to daphnia and other aquatic invertebrates       EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h         Toxicity to algae       EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h         Silica, crystalline (quartz):			(GC	•		
aquatic invertebrates       Exposure time: 48 h         Toxicity to algae       : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l         Exposure time: 72 h         Silica, crystalline (quartz):	Toxicity	y to fish	:			s (rainbow trout)): > 10,000 mg/l
Exposure time: 72 h Silica, crystalline (quartz):			:			ter flea)): > 1,000 mg/l
	Toxicity	∕ to algae	:			picatus (green algae)): > 200 mg/l
Toxicity to fish : No toxicity at the limit of solubility.	Silica,	crystalline (quartz):				
	Toxicity	/ to fish	:	No toxicity at the	limit of solu	ubility.

# SAFETY DATA SHEET

# 9840003 OMYAFLOW F-SY 74%



Version 1.2 (GHS_US)	Revision Date: 05/26/2017		0S Number: 40003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014
	y to daphnia and other c invertebrates	:	No toxicity at the	imit of solubility.
Toxicit	y to algae	:	No toxicity at the	imit of solubility.
Toxicit	y to microorganisms	:	No toxicity at the	imit of solubility.
Persis	tence and degradabil	ity		
<u>Produ</u> Biodeg	<u>ct:</u> ıradability	:	Not applicable	
Ingred	lients:			
	<b>crystalline (quartz):</b> gradability	:	Result: Not biode	gradable.
	emical Oxygen nd (BOD)	:	Not applicable	
Chemi (COD)	cal Oxygen Demand	:	Not applicable	
Bioaco	cumulative potential			
Ingred	lients:			
	<b>d calcium carbonate</b> ( on coefficient: n- l/water	(GC :		
Silica,	crystalline (quartz):			
Bioacc	umulation	:	This substance is bioaccumulating a	not considered to be persistent, and toxic (PBT).
Partitic octano	on coefficient: n- I/water	:	Not applicable	
	<b>ty in soil</b> a available			
Other	adverse effects			
<u>Produ</u> Ozone	<u>ct:</u> -Depletion Potential	:	Protection of Stra Substances This product neith Class I or Class II	R Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I er contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act FR 82, Subpt. A, App.A + B).



Version 1.2 (GHS_US)	Revision Date: 05/26/2017		DS Number: 340003	Date of last issue: 05/04/2015 Date of first issue: 11/14/2014
Additio inform	onal ecological ation	:	: In solid state these minerals are a major part of the root the earth's surface.	
Ingred	dients:			
Grour	nd calcium carbonate	(GC	CC):	
Result asses	s of PBT and vPvB sment	:	Non-classified PE	3T substance Non-classified vPvB substance
SECTION 13. DISPOSAL CONSIDERATIONS				
Dispo	sal methods			
Waste	from residues	:	Offer surplus and disposal company	non-recyclable solutions to a licensed y.
Conta	minated packaging	:	Empty remaining	contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### **Domestic regulation**

Not applicable for product as supplied.

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313	:	This material does not contain any chemical components with
		known CAS numbers that exceed the threshold (De Minimis)
		reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



Version	Revision Date:	SDS Number:	Date of last issue: 05/04/2015
1.2	05/26/2017	9840003	Date of first issue: 11/14/2014
(GHS_US)			

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Right To Know	
Ground calcium carbonate (GCC)	1317-65-3
Silica, crystalline (quartz)	14808-60-7
Pennsylvania Right To Know	
Ground calcium carbonate (GCC)	1317-65-3

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

\_. . . \_ ..

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation



Version	Revision Date:	SDS Number:	Date of last issue: 05/04/2015
1.2	05/26/2017	9840003	Date of first issue: 11/14/2014
(GHS_US)			

and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date : 05/26/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242