22003900 OMYASPHERE 220 TM - FQ



Version 1.1

Revision Date: 01/15/2021

SDS Number: PR220039-00 Date of last issue: 12/01/2020 Date of first issue: 12/01/2020

(GHS_US)

SECTION 1. IDENTIFICATION

Product name : OMYASPHERE 220 TM - FQ

Product code : 22003900

Manufacturer or supplier's details

Company name of supplier Omya International AG

Address 42 Baslerstrasse

Oftringen AG 4665

Telephone +41627892929

Telefax +41627892077

Emergency telephone (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use Building and construction work

Manufacture of cement

Mixing Filling

Building and construction mixtures not covered elsewhere

Additive

Filler or Pigment

Restrictions on use Reserved for industrial and professional use., Other industries

not mentioned are excluded.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity (Inhalation) Category 1A

Specific target organ toxicity : Category 2 (Lungs)

- repeated exposure

(Inhalation)

GHS label elements

Hazard pictograms



22003900 OMYASPHERE 220 TM - FQ



Version Revision Date: SDS Number: Date of last issue: 12/01/2020 1.1 01/15/2021 PR220039-00 Date of first issue: 12/01/2020

(GHS_US)

Signal Word : Danger

Hazard Statements : H350 May cause cancer by inhalation.

H373 May cause damage to organs (Lungs) through prolonged

or repeated exposure if inhaled.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 100 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Perlite	93763-70-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	2

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

22003900 OMYASPHERE 220 TM - FQ



Version Revision Date: SDS Number: Date of last issue: 12/01/2020 1.1 PR220039-00 Date of first issue: 12/01/2020

(GHS_US)

Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

May cause cancer by inhalation.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Hazardous combustion

products

No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Environmental precautions : No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : No special restrictions on storage with other products.

Further information on

storage stability

Keep in a dry place.

No decomposition if stored and applied as directed.

22003900 OMYASPHERE 220 TM - FQ



Version Revision Date: SDS Number: Date of last issue: 12/01/2020 1.1 O1/15/2021 PR220039-00 Date of first issue: 12/01/2020

(GHS_US)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Perlite	93763-70-3	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

22003900 OMYASPHERE 220 TM - FQ



Version 1.1 Revision Date: 01/15/2021

SDS Number: PR220039-00

Date of last issue: 12/01/2020 Date of first issue: 12/01/2020

(GHS_US)

Color : off-white, gray

Odor : odorless

Odor Threshold : not determined

pH : 6 - 8.5

Melting point/range : 950 - 1,050 °C / 950 - 1,050 °C

Flash point : not determined

Flammability (solid, gas) : Will not burn

Burning number : not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapor pressure : Not applicable

Bulk density : 0.09 - 0.2 kg/m3

Solubility(ies)

Water solubility : insoluble

Decomposition temperature : not determined

Explosive properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: No hazards to be specially mentioned.

Conditions to avoid : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 Oral (Rat): 12,960 mg/kg

22003900 OMYASPHERE 220 TM - FQ



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/01/2020

 1.1
 01/15/2021
 PR220039-00
 Date of first issue: 12/01/2020

(GHS_US)

Components:

Perlite:

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Components:

quartz (SiO2):

Carcinogenicity - : Positive evidence from human epidemiological studies

Assessment (inhalation)

IARC Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

(Silica dust, crystalline)

Group 2A: Probably carcinogenic to humans

Perlite 93763-70-3

(glass)

NTP Known to be human carcinogen

quartz (SiO2) 14808-60-7

(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Not classified based on available information.

22003900 OMYASPHERE 220 TM - FQ



Version **Revision Date:** SDS Number: Date of last issue: 12/01/2020 01/15/2021 PR220039-00 Date of first issue: 12/01/2020 1.1

(GHS_US)

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Components:

quartz (SiO2):

Routes of exposure Inhalation **Target Organs** Lungs

Assessment May cause damage to organs through prolonged or repeated

exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

No data available

Toxicity to daphnia and other :

aquatic invertebrates

No data available

Toxicity to algae/aquatic

plants No data available

Components:

Perlite:

Toxicity to fish No data available

Toxicity to daphnia and other :

aquatic invertebrates

No data available

Toxicity to algae/aquatic

No data available

plants

quartz (SiO2):

Toxicity to fish No toxicity at the limit of solubility.

Toxicity to daphnia and other : No toxicity at the limit of solubility.

22003900 OMYASPHERE 220 TM - FQ



Version 1.1 (GHS_US) Revision Date: 01/15/2021

SDS Number: PR220039-00

Date of last issue: 12/01/2020 Date of first issue: 12/01/2020

aquatic invertebrates

Toxicity to algae/aquatic

plants

No toxicity at the limit of solubility.

Toxicity to microorganisms : No toxicity at the limit of solubility.

Persistence and degradability

Product:

Biodegradability : Not applicable

Components:

quartz (SiO2):

Biodegradability : Result: Not biodegradable.

Biochemical Oxygen

Demand (BOD)

Not applicable

Chemical Oxygen Demand

(COD)

Not applicable

Bioaccumulative potential

Components:

quartz (SiO2):

Bioaccumulation : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

Not applicable

Mobility in soilNo data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

There is no data available for this product.

22003900 OMYASPHERE 220 TM - FQ



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/01/2020

 1.1
 01/15/2021
 PR220039-00
 Date of first issue: 12/01/2020

(GHS_US)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

22003900 OMYASPHERE 220 TM - FQ



Version Revision Date: SDS Number: Date of last issue: 12/01/2020 1.1 PR220039-00 Date of first issue: 12/01/2020

(GHS_US)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Perlite 93763-70-3 quartz (SiO2) 14808-60-7


Pennsylvania Right To Know

Perlite 93763-70-3 quartz (SiO2) 14808-60-7

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

22003900 OMYASPHERE 220 TM - FQ



Version Revision Date: SDS Number: Date of last issue: 12/01/2020 1.1 01/15/2021 PR220039-00 Date of first issue: 12/01/2020

(GHS_US)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA CARC / PEL : Permissible exposure limit (PEL)
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/15/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

22003900 OMYASPHERE 220 TM - FQ



Version 1.1 (GHS_US) Revision Date: 01/15/2021

SDS Number: PR220039-00

other materials or in any process, unless specified in the text.

Date of last issue: 12/01/2020 Date of first issue: 12/01/2020

specific material designated and may not be valid for such material used in combination with any