



| Version 1.0 (GHS_US) | Revision Date: 07/14/2020 | - | DS Number: R220002-00 | Date of last issue: - Date of first issue: 07/14/2020 |
|----------------------------|------------------------------|------|--|--|
| SECTION ² | I. IDENTIFICATION | | | |
| | ct name ct code | : | OMYASPHERE 2 22000200 | 27-FQ |
| Other | means of identification | : | closed cell expan | ded perlite |
| Manuf | acturer or supplier's | deta | ails | |
| Compa Addrea | any name of supplier ss | : | Omya Internation 42 Baslerstrasse Oftringen AG 466 | |
| Teleph | | : | +41627892929 | 5 |
| Telefa Emerg | x Jency telephone | : | +41627892077 (800) 424-9300 | |
| Recor | nmended use of the c | hen | nical and restriction | ons on use |
| | nmended use | : | Manufacture of ce Mixing Filling Building and cons Additive Filler or Pigment | ement truction mixtures not covered elsewhere |
| Restrie | ctions on use | : | Reserved for induned are | strial and professional use., Other industries excluded. |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accord 1910.1200) | dan | ce with the OSHA Hazard Communication Standard (29 CFR |
|---|-----|---|
| Carcinogenicity (Inhalation) | : | Category 1A |
| Specific target organ toxicity - repeated exposure (Inhalation) | : | Category 2 (Lungs) |
| GHS label elements | | |
| Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | H350 May cause cancer by inhalation. H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled. |





| Version 1.0 (GHS_US) | Revision Date: 07/14/2020 | SDS Number: PR220002-00 | Date of last issue: - Date of first issue: 07/14/2020 |
|----------------------------|------------------------------|--|--|
| Preca | utionary Statements | P202 Do not h and understoc P260 Do not b | oreathe dust/ fume/ gas/ mist/ vapors/ spray. otective gloves/ protective clothing/ eye protection/ |
| | | Response: P308 + P313 attention. | F exposed or concerned: Get medical advice/ |
| | | Storage: P405 Store loo | cked up. |
| | | Disposal: P501 Dispose disposal plant | of contents/ container to an approved waste |
| | | the mixture consists | of ingredient(s) with unknown acute toxicity: |
| | hazards known. | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Typical composition (% w/w) |
|---------------|------------|-----------------------------|
| Perlite | 93763-70-3 | >= 90 - <= 100 |
| quartz (SiO2) | 14808-60-7 | 2 |

SECTION 4. FIRST AID MEASURES

| If inhaled | : | Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. |
|---|---|--|
| In case of skin contact | : | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. |
| In case of eye contact | : | Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure if inhaled. |



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|----------|----------------|-------------|---------------------------------|
| 1.0 | 07/14/2020 | PR220002-00 | Date of first issue: 07/14/2020 |
| (GHS_US) | | | |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media Hazardous combustion products | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No hazardous combustion products are known |
|--|---|--|
| Further information Special protective equipment for fire-fighters | : | Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Avoid dust formation. |
|---|---|---|
| Environmental precautions | : | No special environmental precautions required. |
| Methods and materials for containment and cleaning up | : | Sweep up and shovel. Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. |
|---|---|--|
| Advice on safe handling | : | For personal protection see section 8. No special handling advice required. |
| Conditions for safe storage | : | Keep container tightly closed in a dry and well-ventilated place. |
| Materials to avoid | : | No special restrictions on storage with other products. |
| Further information on storage stability | : | Keep in a dry place. No decomposition if stored and applied as directed. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|------------|--------------------------------------|---|-----------|
| Perlite | 93763-70-3 | TWA (Respirable) | 5 mg/m3 | NIOSH REL |
| | | TWA (total) | 10 mg/m3 | NIOSH REL |
| | | TWA (Total dust) | 15 mg/m3 | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m3 | OSHA P0 |



22000200 OMYASPHERE 227-FQ

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|----------|----------------|-------------|---------------------------------|
| 1.0 | 07/14/2020 | PR220002-00 | Date of first issue: 07/14/2020 |
| (GHS_US) | | | |

| quartz (SiO2) | 14808-60-7 | TWA (respirable) | 10 mg/m3 / %SiO2+2 | OSHA Z-3 |
|---------------|------------|--|-------------------------|-----------|
| | | TWA (respirable) | 250 mppcf / %SiO2+5 | OSHA Z-3 |
| | | TWA (respirable dust fraction) | 0.1 mg/m3 | OSHA P0 |
| | | TWA (Respirable particulate matter) | 0.025 mg/m3 (Silica) | ACGIH |
| | | TWA (Respirable dust) | 0.05 mg/m3 (Silica) | NIOSH REL |
| | | TWÁ (Respirable dust) | 0.05 mg/m3 | OSHA Z-1 |
| | | PEL (respirable) | 0.05 mg/m3 | OSHA CARC |

| Personal protective equip | oment |
|---------------------------|--|
| Respiratory protection | : No personal respiratory protective equipment normally required. |
| Hand protection | |
| Remarks | : For prolonged or repeated contact use protective gloves. |
| Eye protection | : Safety glasses |
| Skin and body protection | : Protective suit |
| Hygiene measures | : General industrial hygiene practice. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | powder |
|---|---|---------------------------------|
| Color | : | off-white, gray |
| Odor | : | odorless |
| Odor Threshold | : | not determined |
| рН | : | 6 - 8.5 |
| Melting point/range | : | 950 - 1,050 °C / 950 - 1,050 °C |
| Flash point | : | not determined |
| Flammability (solid, gas) | : | Will not burn |
| Burning number | : | not determined |
| Lower explosion limit / Lower flammability limit | : | not determined |
| Vapor pressure | : | Not applicable |

22000200 OMYASPHERE 227-FQ



| Version 1.0 (GHS_US) | Revision Date: 07/14/2020 | SDS Number: PR220002-00 | Date of last issue: - Date of first issue: 07/14/2020 |
|----------------------------|------------------------------|----------------------------|--|
| Bulk d | ensity | : 0.09 - 0.2 kg/n | 13 |
| | lity(ies) ter solubility | : insoluble | |
| Decom | position temperature | : not determined | 1 |
| Explos | ive properties | : Not applicable | |
| SECTION 1 | IO. STABILITY AND R | EACTIVITY | |
| Reacti | vity | : Stable under r | ecommended storage conditions. |
| Chemi | cal stability | : No decomposi | tion if stored and applied as directed. |
| Possib reactio | ility of hazardous | : No hazards to | be specially mentioned. |
| Condit | ions to avoid | : No data availa | ble |

Acute toxicity

| Acute oral toxicity | : | LD50 Oral (Rat): 12,960 mg/kg |
|---------------------|---|-------------------------------|
|---------------------|---|-------------------------------|

Components:

| Perlite: | | |
|---------------------------|---|-------------------|
| Acute oral toxicity | : | No data available |
| Acute inhalation toxicity | : | No data available |
| Acute dermal toxicity | : | No data available |

Respiratory or skin sensitization

Product:

No data available

Carcinogenicity

Components:

quartz (SiO2):

| Carcinogenicit Assessment | y - : | Positive evidence from human epidemiological studies (inhalation) |
|------------------------------|-------|---|
| | O | |

| IARC | Group 1: Carcinogenic to humans quartz (SiO2) (Silica dust, crystalline) | 14808-60-7 |
|------|--|------------|
| | Group 2A: Probably carcinogenic to humans Perlite | 93763-70-3 |

22000200 OMYASPHERE 227-FQ



| Version 1.0 (GHS_US) | Revision Date: 07/14/2020 | SDS Number: PR220002-00 | Date of last issue: - Date of first issue: 07/14/2020 |
|----------------------------|--|--|--|
| NTP | quartz (SiC | e human carcinogen 2) stalline (Respirable Siz | 14808-60-7 ze)) |
| <u>Comp</u> quartz | repeated exposure <u>onents:</u> (SiO2): | | |
| | of exposure Organs sment | Inhalation Lungs May cause dan exposure. | nage to organs through prolonged or repeated |
| Furthe | r information | | |

Product:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

| <u>Product:</u> Toxicity to fish | : | No data available |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | No data available |
| Toxicity to algae/aquatic plants | : | No data available |
| Components: | | |
| Perlite: | | |
| Toxicity to fish | : | No data available |
| Toxicity to daphnia and other | : | No data available |
| aquatic invertebrates Toxicity to algae/aquatic plants | : | No data available |
| quartz (SiO2): | | |
| Toxicity to fish | : | No toxicity at the limit of solubility. |
| Toxicity to daphnia and other aquatic invertebrates | : | No toxicity at the limit of solubility. |
| Toxicity to algae/aquatic | : | No toxicity at the limit of solubility. |

22000200 OMYASPHERE 227-FQ



| | Revision Date:)7/14/2020 | - | 0S Number: 8220002-00 | Date of last issue: - Date of first issue: 07/14/2020 |
|------------------------------|------------------------------|-----|--|---|
| plants Toxicity to | o microorganisms | : | No toxicity at the | limit of solubility. |
| Persister | nce and degradabil | ity | | |
| <u>Product:</u> Biodegra | | : | Not applicable | |
| <u>Compon</u> | ents: | | | |
| quartz (S | 6iO2): | | | |
| Biodegra | dability | : | Result: Not biode | gradable. |
| | cal Oxygen | : | Not applicable | |
| Demand Chemical (COD) | (BOD) Oxygen Demand | : | Not applicable | |
| Bioaccu | mulative potential | | | |
| <u>Compon</u> | ents: | | | |
| quartz (S Bioaccun | | : | This substance is bioaccumulating a | not considered to be persistent, and toxic (PBT). |
| Partition octanol/w | coefficient: n- vater | : | Not applicable | |
| Mobility No data a | | | | |
| Other ad | verse effects | | | |
| Product: Ozone-D | epletion Potential | : | Protection of Stra Substances This product neith Class I or Class I | R Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class her contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act CFR 82, Subpt. A, App.A + B). |
| Additiona informatio | l ecological on | : | There is no data a | available for this product. |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | | |
|------------------------|---|-------|
| Waste from residues | Offer surplus and non-recyclable solutions to a lic disposal company. | ensed |
| Contaminated packaging | Empty remaining contents. Empty containers should be taken to an approved handling site for recycling or disposal. | waste |





Version Revision Date: 1.0 07/14/2020 (GHS_US) SDS Number: PR220002-00

Date of last issue: -Date of first issue: 07/14/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : | Acute/Chronic Health Hazard Specific target organ toxicity (single or repeated exposure) |
|----------------------|---|---|
| SARA 313 | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act



| Version 1.0 (GHS_US) | Revision Date: 07/14/2020 | SDS Number: PR220002-00 | Date of last issue: - Date of first issue: 07/14/2020 | | |
|-----------------------------|------------------------------|----------------------------|--|--|--|
| US State Regulations | | | | | |
| Massachusetts Right To Know | | | | | |
| | Perlite | | 93763-70-3 | | |
| | quartz (SiO2) | | 14808-60-7 | | |
| Pennsylvania Right To Know | | | | | |
| | Perlite | | 93763-70-3 | | |
| | quartz (SiO2) | | 14808-60-7 | | |

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

| ACGIH NIOSH REL OSHA CARC OSHA P0 | : | USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
|--|---|--|
| OSHA Z-1 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| OSHA Z-3 | : | USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA CARC / PEL | : | Permissible exposure limit (PEL) |
| OSHA P0 / TWA | : | 8-hour time weighted average |
| OSHA Z-1 / TWA | : | 8-hour time weighted average |
| OSHA Z-3 / TWA | : | 8-hour time weighted average |



22000200 OMYASPHERE 227-FQ

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|----------|----------------|-------------|---------------------------------|
| 1.0 | 07/14/2020 | PR220002-00 | Date of first issue: 07/14/2020 |
| (GHS_US) | | | |

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. -Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date : 07/14/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department



| Version | Revision Date: | SDS Number: | Date of last issue: - |
|----------|----------------|-------------|---------------------------------|
| 1.0 | 07/14/2020 | PR220002-00 | Date of first issue: 07/14/2020 |
| (GHS_US) | | | |

9987 Carver Road, Suite 300 Cincinnati, OH 45242