

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020

(GHS_US)

SECTION 1. IDENTIFICATION

Product name : OMYASPHERE 235 T-FQ
Product code : 22001600

Manufacturer or supplier's details

Company name of supplier : Omya Inc.
Address : 4605 Duke Drive
Mason OH 45040
Telephone : (513) 387-4600
Telefax : (513) 387-4695
Emergency telephone : (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Building and construction work
Manufacture of cement
Mixing
Filling
Building and construction mixtures not covered elsewhere
Additive
Filler or Pigment
Restrictions on use : Reserved for industrial and professional use., Other industries not mentioned are excluded.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Additional Labeling

None known.

Other hazards

None known. :

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version 2.0 (GHS_US) Revision Date: 06/07/2024 SDS Number: PR220016-00 Date of last issue: 07/13/2020
Date of first issue: 07/13/2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Perlite	93763-70-3	>= 90 - <= 100
quartz (SiO ₂)	14808-60-7	2

Hazardous Components

Per our investigation and XRC(M) analysis, which combines the analytical capabilities of X-Ray Diffraction (X), Raman Spectroscopy (R) Computer Controlled Scanning Electron Microscopy/Energy Dispersive Spectroscopy (C) and Inductively Coupled Plasma/Atomic Emission Spectrophotometry (M) – any naturally occurring Respirable Crystalline Silica (RCS) that may exist in this product is inextricably bound, environmentally unavailable and/or at de minimis concentration levels. Thus, in its current and anticipated future physical state, this product is incapable of causing toxicologically relevant RCS exposures under either normal conditions of use or extreme up-set.

Additional Information

Per the scientific results of material characterization testing conducted on this earthen mixture, there are no additional ingredients present at a significant level within this product and based on the best available information, any naturally occurring trace level impurities that might exist are not at concentration levels capable of triggering detection or classification and hence, are not report-able within this section. Therefore, any and all trace level components have been excluded from reporting and classification as either a health or environmental hazard.

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version 2.0 (GHS_US) Revision Date: 06/07/2024 SDS Number: PR220016-00 Date of last issue: 07/13/2020
Date of first issue: 07/13/2020

Hazardous combustion products : circumstances and the surrounding environment.
No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for fire-fighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Sweep up and shovel.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.
No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Perlite	93763-70-3	TWA (Respirable dust)	10 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	15 mg/m3	OSHA P0

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version 2.0 (GHS_US) Revision Date: 06/07/2024 SDS Number: PR220016-00 Date of last issue: 07/13/2020
Date of first issue: 07/13/2020

		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
quartz (SiO ₂)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.
Eye protection : Safety glasses
Skin and body protection : Protective suit
Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder
Color : off-white, gray
Odor : odorless
Odor Threshold : not determined
pH : 6 - 8.5
Melting point/range : 950 - 1,050 °C / 950 - 1,050 °C
Flash point : not determined
Flammability (solid, gas) : Will not burn
Burning number : not determined
Lower explosion limit / Lower : not determined

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

flammability limit

Vapor pressure : Not applicable

Bulk density : 0.09 - 0.2 kg/m3

Solubility(ies)
Water solubility : insoluble

Decomposition temperature : not determined

Explosive properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 Oral (Rat): 12,960 mg/kg

Components:

Perlite:

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Respiratory or skin sensitization

Product:

No data available

Carcinogenicity

Components:

quartz (SiO2):

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

IARC Group 1: Carcinogenic to humans
quartz (SiO2)

14808-60-7

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

(Silica dust, crystalline)
Group 2A: Probably carcinogenic to humans
Perlite
(glass) 93763-70-3

NTP Known to be human carcinogen
quartz (SiO₂) 14808-60-7
(Silica, Crystalline (Respirable Size))

STOT-repeated exposure

Components:

quartz (SiO₂):

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : May cause damage to organs through prolonged or repeated exposure.

Further information

Product:

Per our investigation and XRC(M) analysis, any naturally occurring Respirable Crystalline Silica (RCS) that may exist in this product is inextricably bound, environmentally unavailable and/or at de minimis concentration levels. Thus, in its current and anticipated future physical state, this product is incapable of causing toxicologically relevant RCS exposures under either normal conditions of use or extreme up-set.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
No data available

Toxicity to daphnia and other :
aquatic invertebrates No data available

Toxicity to algae/aquatic :
plants No data available

Components:

Perlite:

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available
aquatic invertebrates

Toxicity to algae/aquatic : No data available
plants

quartz (SiO₂):

Toxicity to fish : No toxicity at the limit of solubility.

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

Toxicity to daphnia and other aquatic invertebrates : No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants : No toxicity at the limit of solubility.
Toxicity to microorganisms : No toxicity at the limit of solubility.

Persistence and degradability

Product:

Biodegradability : Not applicable

Components:

quartz (SiO₂):

Biodegradability : Result: Not biodegradable.

Biochemical Oxygen Demand (BOD) : Not applicable

Chemical Oxygen Demand (COD) : Not applicable

Bioaccumulative potential

Components:

quartz (SiO₂):

Bioaccumulation : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Not Assigned >= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Not Assigned >= 0.1 - < 1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

US State Regulations

Massachusetts Right To Know

Perlite	93763-70-3
quartz (SiO ₂)	14808-60-7


Pennsylvania Right To Know

Perlite	93763-70-3
quartz (SiO ₂)	14808-60-7

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
GB EH40 / TWA	: 8 hour exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020

(GHS_US)

OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety Data Sheet : Information taken from reference works and the literature.

Revision Date : 06/07/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

22001600 OMYASPHERE 235 T-FQ



Version	Revision Date:	SDS Number:	Date of last issue: 07/13/2020
2.0	06/07/2024	PR220016-00	Date of first issue: 07/13/2020
(GHS_US)			

Responsible/issuing person : Omya Inc.
Regulatory Affairs Department
4625 Duke Dr., Suite 700
Mason, OH 45140