

# SAFETY DATA SHEET

## PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PERKADOX BTW-55

Product Use Description : Curing agent

Company : Akzo Nobel Functional Chemicals LLC  
525 West Van Buren  
Chicago IL 60607-3823  
USA

Telephone : +18008287929

Fax : +13125447188

E-mail address : RegulatoryAffairs@akzonobel.com

Emergency telephone : AkzoNobel: +31 57 06 79211 CHEMTREC - USA: 1-800-424-9300  
CANUTEC - CANADA: 1-613-996-6666

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	paste
Color	white
Odor	sweet

#### GHS Classification

Organic peroxides, Type E  
Eye irritation, Category 2B  
Skin sensitization, Category 1  
Acute aquatic toxicity, Category 1

#### GHS Label element

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H320 Causes eye irritation.  
H400 Very toxic to aquatic life.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. -

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

No smoking.

P220 Keep away from dirt, rust, chemicals in particular.

P234 Keep only in original container.

P261 Avoid breathing dust or fume.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

## **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

## **Storage:**

P403 Store in a well-ventilated place.

P410 Protect from sunlight.

P420 Store away from other materials.

## **Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

## **Potential Health Effects**

Inhalation	: Thermal decomposition can lead to release of irritating gases and vapors.
Skin	: May cause an allergic skin reaction. May cause skin irritation.
Eyes	: Causes serious eye irritation.
Ingestion	: May cause irritation of the mucous membranes.
Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

## **Carcinogenicity:**

IARC	: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	: No ingredient of this product present at levels greater than or

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous ingredients

Chemical Name	CAS-No.	Classification	Concentration [%]
Dibenzoyl peroxide	94-36-0	Org. Perox. B; H241 Eye Irrit. 2B; H320 Skin Sens. 1; H317 Aquatic Acute 1; H400 M-Factor (Acute): 10	50 - 70
Isodecyl benzoate	131298-44-7	Acute Tox. 4; H332	10 - 20

Dibenzoyl peroxide paste, 55%

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.
Inhalation	: Consult a physician after significant exposure.
Skin contact	: Take off contaminated clothing and shoes immediately. Rinse immediately with plenty of water. If skin irritation persists, call a physician.
Eye contact	: Rinse with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. Obtain medical attention.
Ingestion	: Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
<b>Notes to physician</b>	
Symptoms	: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.
Treatment	: Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing	: High volume water jet

media

- Specific hazards during fire fighting / Specific hazards arising from the chemical : CAUTION: reignition may occur.  
Supports combustion.  
Do not use a solid water stream as it may scatter and spread fire.  
Water spray may be ineffective unless used by experienced firefighters.  
Heating may cause decomposition with release of toxic fumes.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Combustion products : Fire will produce smoke containing hazardous combustion products (see section 10).  
Carbon oxides
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

See also Section 9. Physical and chemical properties: Safety data

---

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.
- Environmental precautions : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up /  
Methods for containment : Keep wetted with water.  
Soak up with inert absorbent material and dispose of as hazardous waste.  
Confinement must be avoided.  
Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.  
Never return spills in original containers for re-use.
- Additional advice : For personal protection see section 8.

---

## 7. HANDLING AND STORAGE

### Handling

- Advice on safe handling : For personal protection see section 8.  
Avoid formation of respirable particles.  
Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.  
Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion : Use explosion protected equipment.  
Provide appropriate exhaust ventilation at places where dust is formed.  
Keep away from sources of ignition - No smoking.  
No sparking tools should be used.  
Keep away from reducing agents (e.g. amines), acids, alkalies and heavy metal compounds (e.g. accelerators, driers, metal soaps).  
Do not cut or weld on or near this container even when empty.  
Keep away from combustible material.

Temperature class : It is recommended to use electrical equipment of temperature group T3. However, autoignition can never be excluded.

## Storage

Requirements for storage areas and containers : No smoking.  
Keep in a well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.  
Keep only in original container.  
Store away from other materials.

Maximum storage temperature: : 25 °C (77 °F)

Other data : No decomposition if stored and applied as directed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value	Control parameters	Update	Basis	Form of exposure
Dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	2013-03-01	ACGIH	
	Further information	:	Upper Respiratory Tract irritation Skin irritation A4: Not classifiable as a human carcinogen			
		TWA	5 mg/m3	2013-10-08	NIOSH REL	
		TWA	5 mg/m3	1997-08-04	OSHA Z-1	
		TWA	5 mg/m3	1989-01-19	OSHA P0	

STEL: Short term exposure limit

TWA: Time Weighted Average

### Engineering measures

Explosion proof ventilation recommended.

Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal protective equipment**

Eye/face protection	: Tightly fitting safety goggles
Hand protection	: Glove material: butyl-rubber
	: Glove material: Neoprene
Skin and body protection	: Protective suit
Respiratory protection	: Handle in accordance with good industrial hygiene and safety practice.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Wash contaminated clothing before re-use.

**Environmental exposure controls**

General advice	: Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
----------------	--

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form	: paste
Color	: white
Odor	: sweet
Odor Threshold	: No data available

**Safety data**

pH	: not determined
Melting point	: No data available
Boiling point/boiling range	: Decomposes below the boiling point.
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Decomposition products may be flammable.
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapor pressure	: not determined
Relative vapor density	: expected to be: approx. 10.8 Solvent, (Air = 1.0)

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

Relative density	: 1.2 at 20 °C
Bulk density	: No data available
Water solubility	: at 20 °C slightly soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: Test method not applicable
Decomposition temperature	: SADT - (Self accelerating decomposition temperature) is the lowest temperature at which self accelerating decomposition may occur with a substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by thermal decomposition at and above the SADT. Contact with incompatible substances can cause decomposition below the SADT.
Self-Accelerating decomposition temperature (SADT)	: 50 °C
Viscosity, dynamic	: at 20 °C thixotropic
Viscosity, kinematic	: thixotropic
Explosive properties	: Not explosive
Oxidizing properties	: Not classified as oxidizing.
Active Oxygen Content	: 3.57 - 3.70 %
Organic peroxides	: 54 - 56 %

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

---

## 10. STABILITY AND REACTIVITY

Conditions to avoid	: A high degree of confinement must be avoided. Heat, flames and sparks.  For safety, store below: 25 °C (77 °F)
Materials to avoid	: Contact with incompatible materials will result in hazardous decomposition. For queries regarding the suitability of other materials please contact the supplier. Do not mix with peroxide accelerators, unless under controlled processing. Use only stainless steel 316, PP, polyethylene or glass-lined

---



# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

	equipment. Acids and bases Iron Copper Reducing agents Heavy metals Rust
Hazardous decomposition products	: Benzoic acid Carbon oxides
Thermal decomposition	: SADT - (Self accelerating decomposition temperature) is the lowest temperature at which self accelerating decomposition may occur with a substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by thermal decomposition at and above the SADT. Contact with incompatible substances can cause decomposition below the SADT.
Reactivity	: Stable under normal conditions.
Chemical stability	: Stable under recommended storage conditions.
Hazardous reactions	: No dangerous reaction known under conditions of normal use.
Self-Accelerating decomposition temperature (SADT)	: 50 °C (122 °F)

---

## 11. TOXICOLOGICAL INFORMATION

### PRODUCT INFORMATION:

#### Toxicology Assessment

Further information : No further data available.

#### Test result

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Carcinogenicity:

**IARC** : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**ACGIH** : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

## TOXICOLOGY DATA FOR THE INGREDIENTS:

### Toxicology Assessment

#### Component: Dibenzoyl peroxide

CMR effects : Carcinogenicity: Not carcinogenic.  
Mutagenicity: Not mutagenic.  
Teratogenicity: No toxicity to reproduction

### Test result

#### Component: Dibenzoyl peroxide

Acute oral toxicity : LD50: > 5,000 mg/kg  
Species: Rat

Acute inhalation toxicity : LC50 (Rat): > 24.3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Skin irritation : slight irritation

Eye irritation : Result: Irritation to eyes, reversing within 7 days

Germ cell mutagenicity  
Genotoxicity in vitro : Result: No evidence of genotoxic effects in vitro.

Genotoxicity in vivo : Result: No evidence of genotoxic effects in vivo.

Reproductive toxicity/Fertility : Species: Rat, male  
Application Route: Oral  
General Toxicity Parent: NOAEL (No observed adverse effect level): 1,000 mg/kg body weight/day  
Method: OECD Test Guideline 422

Species: Rat, females  
Application Route: Oral  
General Toxicity Parent: NOAEL (No observed adverse effect level): 500 mg/kg body weight/day  
Method: OECD Test Guideline 422

Target Organ Systemic  
Toxicant - Single exposure : Routes of exposure: Ingestion  
The substance or mixture is not classified as specific target organ toxicant, single exposure.

Target Organ Systemic  
Toxicant - Repeated exposure : Routes of exposure: Ingestion  
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

Aspiration toxicity : No aspiration toxicity classification

## **Component: Isodecyl benzoate**

Acute oral toxicity : LD50: > 5,000 mg/kg  
Species: Rat

Acute inhalation toxicity : LC50 (Rat): 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Skin irritation : Species: Rabbit  
Result: No skin irritation

Eye irritation : Species: Rabbit  
Result: No eye irritation

Aspiration toxicity : No aspiration toxicity classification

---

## 12. ECOLOGICAL INFORMATION

### PRODUCT INFORMATION:

#### **Ecotoxicology Assessment**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.

#### **Further information on ecology**

#### **Hazardous to the ozone layer**

Regulation : 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

### INGREDIENTS:

#### **Ecotoxicology Assessment**

#### **Component: Dibenzoyl peroxide**

Acute aquatic toxicity : Very toxic to aquatic organisms.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### **Test result**

#### **Component: Dibenzoyl peroxide**

#### **Ecotoxicity effects**

Toxicity to fish : LC50: 0.06 mg/l

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 0.11 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)

Toxicity to algae : EC50: 0.06 mg/l  
Exposure time: 72 h  
Species: algae

M-Factor : 10

Toxicity to bacteria : EC50: 35 mg/l  
Species: Bacteria

## Elimination information (persistence and degradability)

Bioaccumulation : Bioconcentration factor (BCF): 66.6

Biodegradability : Result: Inherently biodegradable.

---

## 13. DISPOSAL CONSIDERATIONS

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Hazardous waste  
Dispose of contents/container in accordance with local regulation.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not burn, or use a cutting torch on, the empty drum.  
Due to the high risk of contamination recycling/recovery is not recommended.  
Follow all warnings even after the container is emptied.

---

## 14. TRANSPORT INFORMATION

### International Regulation

#### IATA-DGR

UN/ID No. : UN 3108  
Proper shipping name : Organic peroxide type E, solid (Dibenzoyl peroxide)  
Class : 5.2  
Subsidiary risk : HEAT  
Packing group : Not Assigned  
Labels : 5.2 (HEAT)  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570  
Environmentally hazardous : yes

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

## IMDG-Code

UN number : UN 3108  
Proper shipping name : ORGANIC PEROXIDE TYPE E, SOLID  
(Dibenzoyl peroxide)  
Class : 5.2  
Packing group : Not Assigned  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : yes  
(Dibenzoyl peroxide)

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation

### 49 CFR

UN/ID/NA number : UN 3108  
Proper shipping name : Organic peroxide type E, solid  
(Dibenzoyl peroxide, 55%)  
Class : 5.2  
Packing group : II  
Labels : 5.2  
ERG Code : 145  
Marine pollutant : no  
Reportable Quantity : This product does not contain an environmentally hazardous substance per 49 CFR 172.101, Appendix A.

## 15. REGULATORY INFORMATION

### Notification status

CH INV : NO. Not in compliance with the inventory  
TSCA : YES. All chemical substances in this product are either listed on the TSCA Inventory or in compliance with a TSCA Inventory exemption.  
DSL : YES. All components of this product are on the Canadian DSL.  
AICS : YES. On the inventory, or in compliance with the inventory  
NZIoC : NO. On the inventory, or in compliance with the inventory  
ENCS : NO. Not in compliance with the inventory  
ISHL : NO. Not in compliance with the inventory  
KECI : YES. On the inventory, or in compliance with the inventory  
PICCS : NO. Not in compliance with the inventory  
IECSC : YES. On the inventory, or in compliance with the inventory

For explanation of abbreviations, see section 16.

**TSCA list** : Not relevant

**OSHA Hazards** : Organic Peroxide, Toxic by inhalation., Skin sensitizer

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Reactivity Hazard  
Acute Health Hazard

# PERKADOX BTW-55

Version 1

Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
Dibenzoyl peroxide 94-36-0

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## US State Regulations

### Massachusetts Right To Know

Dibenzoyl peroxide 94-36-0 50 - 70 %

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

---

## 16. OTHER INFORMATION

### Full text of H-Statements

H241 : Heating may cause a fire or explosion.  
H317 : May cause an allergic skin reaction.  
H320 : Causes eye irritation.  
H332 : Harmful if inhaled.  
H400 : Very toxic to aquatic life.

### Further information

**HMIS Classification** : Health Hazard: 2  
Flammability: 2  
Physical hazards: 2

# PERKADOX BTW-55

Version 1


Revision Date 04/29/2015

Print Date 07/02/2015

US / Z8

## NFPA Classification

: Health Hazard: 2  
Fire Hazard: 2  
Reactivity Hazard: 2



## Notification status explanation

REACH	1907/2006 (EU)
CH INV	Switzerland. New notified substances and declared preparations
TSCA	United States TSCA Inventory
DSL	Canadian Domestic Substances List (DSL)
AICS	Australia Inventory of Chemical Substances (AICS)
NZIoC	New Zealand. Inventory of Chemical Substances
ENCS	Japan. ENCS - Existing and New Chemical Substances Inventory
ISHL	Japan. ISHL - Inventory of Chemical Substances
KECI	Korea. Korean Existing Chemicals Inventory (KECI)
PICCS	Philippines Inventory of Chemicals and Chemical Substances (PICCS)
IECSC	China. Inventory of Existing Chemical Substances in China (IECSC)

## Further information

Revision Date 04/29/2015

The information in this material safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the context of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.