9900801 PULPRO WHITE 30 - SA



	ion S_US)	Revision Date: 04/22/2024		DS Number: R99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014
SEC	TION 1.	IDENTIFICATION			
	Product	t name	:	PULPRO WHITE	30 - SA
	Product	t code	:	9900801	
	Manufa	acturer or supplier's	deta	ails	
	Compa	ny name of supplier	:	Omya Internation	al AG
	Addres	S	:	42 Baslerstrasse Oftringen AG 466	5
	Telepho	one	:	+41627892929	
	Telefax		:	+41627892077	
	Emerge	ency telephone	:	(800) 424-9300	
	_		_		
	Recom	mended use of the c	her	nical and restriction	ons on use
	Recom	mended use	:	Filler or Pigment	

Restrictions on use : For industrial use on	Restrictions on use	: For industrial use only.
---	---------------------	----------------------------

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Lungs)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation. H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

9900801 PULPRO WHITE 30 - SA



	vision Date: 22/2024	SDS Number: PR99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014
Precautiona	ry Statements	P202 Do not hand and understood. P260 Do not brea	tial instructions before use. Ile until all safety precautions have been read the dust. ctive gloves/ protective clothing/ eye protection
		Response: P308 + P313 IF e attention.	xposed or concerned: Get medical advice/
		Storage: P405 Store locked	d up.
		Disposal: P501 Dispose of o posal plant.	contents/ container to an approved waste dis-
Other haza None knowi	nazards	Disposal: P501 Dispose of a	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Calciumcarbonate GCC coarse powder
CAS-No.	:	Not Assigned

Components

Chemical name	CAS-No.	Typical composition (% w/w)						
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100						
quartz (SiO2)	14808-60-7	2						
Actual concentration is withheld as a trade secret								

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water.



9900801 PULPRO WHITE 30 - SA



Version 1.4 (GHS_US)	Revision Date: 04/22/2024		DS Number: R99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014			
				or alcoholic beverages. Ing by mouth to an unconscious person.			
Most important symptoms and effects, both acute and delayed			None known.				
SECTION	SECTION 5. FIRE-FIGHTING MEASURES						
Suitat	le extinguishing media	:		g measures that are appropriate to local In the surrounding environment.			
Hazar ucts	dous combustion prod-	:	No hazardous co	mbustion products are known			
Furthe	er information	:	Standard procedu	ure for chemical fires.			
	al protective equipment	:	In the event of fire	e, wear self-contained breathing apparatus.			

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.



9900801 PULPRO WHITE 30 - SA

Version	Revision Date:	SDS Number:
1.4	04/22/2024	PR99008-01
(GHS_US)		

Date of last issue: 05/21/2020 Date of first issue: 11/18/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWÁ (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks

: For prolonged or repeated contact use protective gloves.

Eye protection

Safety glasses

:

:

9900801 PULPRO WHITE 30 - SA



1.4	sion IS_US)	Revision Date: 04/22/2024		S Number: 99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014		
	Skin ar	nd body protection	:	Protective suit			
	Hygien	e measures	:	General industrial hygiene practice.			
SEC	SECTION 9. PHYSICAL AND CHI				3		
	Appear	rance	:	powder			
	Color		:	white			
	Odor		:	characteristic			
	Odor T	hreshold	:	Not relevant			
	рН		:	8.5 - 9.5 (20 °C / Concentration: 1 Method: DIN-ISC	00 g/l		
	Melting	g point/range	:	> 800 °C / > 800 (1,013 hPa) Decomposition: I	°C Decomposes below the melting point.		
	Boiling	point/boiling range	:	Decomposition: I	Decomposes below the boiling point.		
	Flash p	point	:	does not flash			
	Flamm	ability (solid, gas)	:	The product is no	ot flammable.		
	Burning	g number	:	1			
		explosion limit / Upper ability limit	:	Upper flammabili Not applicable	ty limit		
		explosion limit / Lower ability limit	:	Lower flammabili Not applicable	ty limit		
	Vapor	pressure	:	Not applicable			
	Density	/	:	2.3 - 2.8 g/cm3 (/ Method: DIN-ISC	20 °C / 20 °C, 1,013 hPa)) 787/10		
	Solubil Wat	ity(ies) ter solubility	:	0.014 g/l (20 °C	/ 20 °C, 1,013 hPa)		
	Partitio octano	n coefficient: n- I/water	:	Not applicable			
	Autoigr	nition temperature	:	Not applicable			

9900801 PULPRO WHITE 30 - SA



/ersion Revision Date: I.4 04/22/2024 GHS_US)		S Number: 99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014	
Decomposition temperature	:	> 600 °C / > 600	°C	
Explosive properties	:	Not explosive		
Minimum ignition energy	:	Not applicable		
SECTION 10. STABILITY AND RE	EAC	ΓΙνιτγ		
Reactivity	:	Stable under rec	ommended storage conditions.	
Chemical stability	:	No decompositio	n if stored and applied as directed.	
Possibility of hazardous reac- tions		Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)		
Conditions to avoid		No data available		
Hazardous decomposition products		Carbon dioxide (CO2)		
SECTION 11. TOXICOLOGICAL INFORMATION				
Acute toxicity				
Product:				
Acute oral toxicity	:	LD50 Oral (Rat): :	> 5,000 mg/kg	
Acute dermal toxicity		Acute toxicity esti Method: Calculati	mate: > 5,000 mg/kg on method	
Components:				
Ground calcium carbonate ((GCC	C):		
Acute oral toxicity	:	LD50 Oral (Rat): :	> 5,000 mg/kg	
quartz (SiO2):				
Acute oral toxicity		LD50 (Rat, male a Method: OECD Te GLP: yes	and female): > 5,000 mg/kg est Guideline 401	
Acute inhalation toxicity		Exposure time: 4 Test atmosphere: Method: OECD To GLP: yes	dust/mist	



9900801 PULPRO WHITE 30 - SA



′ersion .4 GHS_US)	Revision Date: 04/22/2024	SDS Number: PR99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014
			lation/4h/rat could not be determined because f rats was observed at the maximum achievable
Acute	dermal toxicity	: LD50 (Rabbit) GLP: no): > 2,000 mg/kg
Respir	atory or skin sensit	ization	
Produc No data	<u>et:</u> a available		
Compo	onents:		
-	(SiO2):		
Assess	ment	: not sensitizing]
Carcin	ogenicity		
Compo	onents:		
-	(SiO2): ogenicity - ment	: Positive evide tion)	nce from human epidemiological studies (inhala-
IARC	Group 1: Ca quartz (SiO (Silica dust,		ns 14808-60-7
NTP	quartz (SiO	e human carcinogen 2) talline (Respirable S	14808-60-7 ize))
STOT-	repeated exposure		
Compo	onents:		
Routes	(SiO2): of exposure Organs ment	: Inhalation : Lungs : May cause da exposure.	mage to organs through prolonged or repeated
Furthe	r information		
Produ	<u>ct:</u>		
-	a available		



9900801 PULPRO WHITE 30 - SA

Version	Revision Date:
1.4	04/22/2024
(GHS_US)	

SDS Number: PR99008-01 Date of last issue: 05/21/2020 Date of first issue: 11/18/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h

Components:

Ground calcium carbonate (GCC):					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h			
		NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h			
quartz (SiO2):					
Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.			
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.			
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.			
Toxicity to microorganisms	:	Remarks: No toxicity at the limit of solubility.			
Persistence and degradability					
Product:					
Biodegradability	:	Remarks: Not applicable			
Components:					

quartz (SiO2):

9900801 PULPRO WHITE 30 - SA



Versio 1.4 (GHS_		Revision Date: 04/22/2024		95 Number: 899008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014
В	Biodegradability		:	Result: Not biode	gradable
	Biocher nand (B	nical Oxygen De- 3OD)	:	Remarks: Not app	blicable
	Chemic COD)	al Oxygen Demand	:	Remarks: Not app	blicable
В	Bioacc	umulative potential			
<u>C</u>	Compo	onents:			
G	Ground	d calcium carbonate	(GC	C):	
	Partition octanol	n coefficient: n- /water	:	Remarks: Not app	blicable
q	uartz	(SiO2):			
В	Bioaccu	umulation	:	Remarks: This su bioaccumulating a	bstance is not considered to be persistent, and toxic (PBT).
	Partition octanol	n coefficient: n- /water	:	Remarks: Not app	blicable
N	/lobilit [,]	y in soil			
		a available			
C	Other a	dverse effects			
<u>P</u>	Produc	<u>:t:</u>			
C)zone-	Depletion Potential	:	Protection of Stra Substances Remarks: This pro tured with a Class	FR Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I oduct neither contains, nor was manufac- s I or Class II ODS as defined by the U.S. tion 602 (40 CFR 82, Subpt. A, App.A + B).
	Addition	nal ecological infor-	:	the earth's surface They are dissolved the natural waters These minerals a Negative effects of cluded. Restrictions may these minerals in effect on water or	d in a natural state and indispensable part of a. re not biodegradable. on the environment should therefore be ex- be indicated that concentrated suspensions natural waters may have an unfavorable ganisms (disturbance of the micro flora and - nent and subsequent detriment to the exist-

Components:

Ground calcium carbonate (GCC):

9900801 PULPRO WHITE 30 - SA



Version 1.4 (GHS_US)	Revision Date: 04/22/2024		DS Number: R99008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014
Result	s of PBT and vPvB sment	:	Non-classified PE	3T substance Non-classified vPvB substance
SECTION 13. DISPOSAL CONSIDERATIONS				
Dispo	sal methods			
Waste	from residues	:	Offer surplus and disposal company	non-recyclable solutions to a licensed /.
Contar	ninated packaging	:	Empty containers	contents. should be taken to an approved waste ecycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



9900801 PULPRO WHITE 30 - SA

Version	Revision Date:	SDS Number:	Date of last issue: 05/21/2020
1.4	04/22/2024	PR99008-01	Date of first issue: 11/18/2014
(GHS_US)			

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act


US State Regulations

Massachusetts Right To Know			
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7		
Pennsylvania Right To Know			
Ground calcium carbonate (GCC) quartz (SiO2)	1317-65-3 14808-60-7		

SECTION 16. OTHER INFORMATION

Further information





Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated
	values)





	Revision Date: 04/22/2024		0S Number: 899008-01	Date of last issue: 05/21/2020 Date of first issue: 11/18/2014		
OSHA Z-1		:	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants			
OSHA Z-3		:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts			
ACGIH / TWA		:	8-hour, time-weighted average			
NIOSH REL / TWA		:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek			
OSHA CARC / PEL		:	Permissible exposure limit (PEL)			
OSHA P	0 / TWA	:	8-hour time weigh	ited average		
OSHA Z-1 / TWA		:	8-hour time weigh	ited average		
OSHA Z-3 / TWA		:	8-hour time weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety	:	Information taken from reference works and the literature.
Data Sheet		

Revision Date

: 04/22/2024



9900801 PULPRO WHITE 30 - SA

Version	Revision Date:	SDS Number:	Date of last issue: 05/21/2020
1.4	04/22/2024	PR99008-01	Date of first issue: 11/18/2014
(GHS_US)			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

Responsible/issuing person : Omya Inc. Regulatory Affairs Department 4605 Duke Dr., Suite 700 Mason, OH 45040