9886100 SNOWHITE 3-PT



Version 1.4 (GHS_US	Revision Date: 01/21/2022 S)		DS Number: R98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014				
SECTION	N 1. IDENTIFICATION							
Proc	Product name		SNOWHITE 3-PT	SNOWHITE 3-PT				
Proc	luct code	:	9886100					
Man	ufacturer or supplier's	det	ails					
Com	pany name of supplier	:	Omya Internation	al AG				
Addı	ress	:	42 Baslerstrasse Oftringen AG 466	5				
Tele	phone	:	+41627892929					
Tele	fax	:	+41627892077					
Eme	ergency telephone	:	(800) 424-9300					
Rec	Recommended use of the chemical and restrictions on use							
Reco	ommended use	:	Filler or Pigment					
Rest	trictions on use	:	For industrial use	only.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)			
Carcinogenicity (Inhalation)	:	Category 1A	
Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 2 (Lungs)	
GHS label elements Hazard pictograms	:		
Signal Word	:	Danger	
Hazard Statements	:	H350 May cause cancer by inhalation. H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.	

9886100 SNOWHITE 3-PT



Version 1.4 (GHS_US)	Revision Date: 01/21/2022	SDS Number: PR98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014
Precautionary Statements		P202 Do not ha and understood P260 Do not br	reathe dust/ fume/ gas/ mist/ vapors/ spray. tective gloves/ protective clothing/ eye protection/
		Response: P308 + P313 If attention.	exposed or concerned: Get medical advice/
		Storage: P405 Store loc	ked up.
		Disposal:	of contents/ container to an approved waste
Other None I	hazards known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Calciumcarbonate GCC fine powder
CAS-No.	:	Not Assigned

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 90 - <= 100
quartz (SiO2)	14808-60-7	1.4

SECTION 4. FIRST AID MEASURES

If inhaled :	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed :	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.

9886100 SNOWHITE 3-PT



Version 1.4 (GHS_US)	Revision Date: 01/21/2022	SDS Number: PR98861-00		Date of last issue: 10/26/2021 Date of first issue: 12/31/2014
	mportant symptoms fects, both acute and d	:	May cause cance	ge to organs through prolonged or repeated
SECTION 5. FIRE-FIGHTING MEASURES				
Suitab	le extinguishing media	:		measures that are appropriate to local d the surrounding environment.
Hazaro	dous combustion cts	:	No hazardous co	mbustion products are known
Furthe	r information	:	Standard procedu	ire for chemical fires.
	al protective equipment -fighters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	Do not store near acids.
Further information on storage stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters



9886100 SNOWHITE 3-PT

Version Revision Date: 1.4 01/21/2022 (GHS_US)	SDS Number: PR98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014
--	---------------------------	---

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWÁ (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Respiratory protection :		When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection		
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.



9886100 SNOWHITE 3-PT

Version	Revision Date:	SDS Number:	Date of last issue: 10/26/2021
1.4	01/21/2022	PR98861-00	Date of first issue: 12/31/2014
(GHS_US)			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance powder 1 Color white 2 Odor characteristic 2 Odor Threshold 5 Not relevant pН ÷ 8.5 - 9.5 (20 °C / 20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9 Melting point/range > 800 °C / > 800 °C : (1,013 hPa) Decomposition: Decomposes below the melting point. Boiling point/boiling range Decomposition: Decomposes below the boiling point. 5 Flash point does not flash ÷ Flammability (solid, gas) 2 The product is not flammable. **Burning number** 1 1 Upper explosion limit / Upper : Upper flammability limit flammability limit Not applicable Lower explosion limit / Lower : Lower flammability limit flammability limit Not applicable Vapor pressure Not applicable 2 2.3 - 2.8 g/cm3 (20 °C / 20 °C, 1,013 hPa) Density ÷ Method: DIN-ISO 787/10 Solubility(ies) 0.014 g/l (20 °C / 20 °C, 1,013 hPa) Water solubility ÷ Partition coefficient: n-2 Not applicable octanol/water Autoignition temperature Not applicable 2 > 600 °C / > 600 °C Decomposition temperature : Explosive properties Not explosive 2

9886100 SNOWHITE 3-PT



Version Revision Date: 1.4 01/21/2022 (GHS_US)	SDS Number:Date of last issue: 10/26/2021PR98861-00Date of first issue: 12/31/2014
	Not explosive
Minimum ignition energy	: Not applicable
SECTION 10. STABILITY AND	REACTIVITY
Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	: No data available
Hazardous decomposition products	: Carbon dioxide (CO2)
Product: Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg
<u>Components:</u> Ground calcium carbona	
Acute oral toxicity	
Respiratory or skin sens	itization
<u>Product:</u> No data available	
Carcinogenicity	
Components:	
quartz (SiO2): Carcinogenicity - Assessment	: Positive evidence from human epidemiological studies (inhalation)
quartz (Si	Carcinogenic to humans D2) 14808-60-7 t, crystalline)



Version 1.4 (GHS_US)	Revision Date: 01/21/2022	SDS Number: PR98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014
NTP	Known to b	be human carcinogen	

Known to be human carcinogen quartz (SiO2) (Silica, Crystalline (Respirable Size))

14808-60-7

Further information

Product:

This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l Exposure time: 72 h

Components:

Ground calcium carbonate (GCC):					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l Exposure time: 72 h			
guartz (SiO2):					
quartz (SiO2): Toxicity to fish	:	No toxicity at the limit of solubility.			
Toxicity to fish		No toxicity at the limit of solubility. No toxicity at the limit of solubility.			

9886100 SNOWHITE 3-PT



Version 1.4 (GHS_US)	Revision Date: 01/21/2022		DS Number: R98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014		
Toxicit	Toxicity to microorganisms		: No toxicity at the limit of solubility.			
Persis	tence and degradabi	lity				
<u>Produ</u>	<u>ct:</u>					
Biodeg	Biodegradability		Not applicable			
Comp	onents:					
quartz	: (SiO2):					
Biodeg	gradability	:	Result: Not biode	gradable.		
	emical Oxygen nd (BOD)	:	Not applicable			
Chemi (COD)	cal Oxygen Demand	:	Not applicable			
Bioaco	cumulative potential					
Comp	onents:					
Partitic	d calcium carbonate on coefficient: n- l/water	(GC :	:C): Not applicable			
quartz	2 (SiO2):					
-	cumulation	:	This substance is bioaccumulating	not considered to be persistent, and toxic (PBT).		
	on coefficient: n- I/water	:	Not applicable			
	ty in soil a available					
Other	adverse effects					
Produ	ct:					
	-Depletion Potential	:	Protection of Stra Substances This product neith Class I or Class II	FR Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I ner contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act CFR 82, Subpt. A, App.A + B).		
Additic informa	onal ecological ation	:	the earth's surfac They are dissolve the natural waters These minerals a	d in a natural state and indispensable part of		





Version 1.4 (GHS_US)	Revision Date: 01/21/2022		S Number: 98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014		
			excluded. Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and - fauna in the sediment and subsequent detriment to the existence of higher water organisms).			
Comp	onents:					
Groun	Ground calcium carbonate (GCC):					
Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB su assessment				T substance Non-classified vPvB substance		
SECTION 13. DISPOSAL CONSIDERATIONS						
Dispos	sal methods					
•	from residues		Offer surplus and disposal company	non-recyclable solutions to a licensed		
Contar	ninated packaging			contents. should be taken to an approved waste ecycling or disposal.		

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute/Chronic Health Hazard	
		Specific target organ toxicity (single or repeated exposure)	



Version 1.4 (GHS_US)	Revision Date: 01/21/2022	SDS Number: PR98861-00	Date of last issue: 10/26/2021 Date of first issue: 12/31/2014

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know	
Ground calcium carbonate (GCC)	1317-65-3
quartz (SiO2)	14808-60-7
Pennsylvania Right To Know	
Ground calcium carbonate (GCC)	1317-65-3
quartz (SiO2)	14808-60-7


SECTION 16. OTHER INFORMATION

Further information



Version Revision Date: SDS Number: Date of last issue: 10/26/2021 1.4 01/21/2022 PR98861-00 Date of first issue: 12/31/2014 (GHS_US)

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -



9886100 SNOWHITE 3-PT

Version	Revision Date:	SDS Number:	Date of last issue: 10/26/2021
1.4	01/21/2022	PR98861-00	Date of first issue: 12/31/2014
(GHS_US)			

Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date

: 01/21/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Responsible/issuing person	:	Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242
----------------------------	---	---