9846400 TOP FLOW Ca



Versi 1.0 (GHS	on S_US)	Revision Date: 09/14/2021		0S Number: 898464-00	Date of last issue: - Date of first issue: 09/14/2021		
SEC	TION 1.	DENTIFICATION					
Product name		:	TOP FLOW Ca				
I	Product	t code	:	9846400			
I	Manufa	acturer or supplier's	deta	iils			
		ny name of supplier			al AG		
,	Addres	S	:	42 Baslerstrasse Oftringen AG 466	5		
-	Telephone		:	: +41627892929			
-	Telefax		:	+41627892077			
i	Emergency telephone		:	(800) 424-9300			
I	Recom	mended use of the c	hen	nical and restriction	ons on use		
I	Recom	mended use	:	Out-door use Inorganic fertilizer			
I	Restrict	tions on use	:	Reserved for indu	strial and professional use.		
(SECTION 2. HAZARDS IDENTIFICATION GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
	Carcinogenicity (Inhalation)			Category 1A			

GHS label elements

Hazard pictograms



1

2

Signal Word Danger 2

Hazard Statements H350 May cause cancer by inhalation. 2

Precautionary Statements

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/



9846400 TOP FLOW Ca



(GHS_US)	Version 1.0 (GHS_US)	Revision Date: 09/14/2021	SDS Number: PR98464-00	Date of last issue: - Date of first issue: 09/14/2021
----------	----------------------------	------------------------------	---------------------------	--

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Typical composition (% w/w)
Ground calcium carbonate (GCC)	1317-65-3	>= 70 - < 90
quartz (SiO2)	14808-60-7	0.2

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

9846400 TOP FLOW Ca



1.0	rsion HS_US)	Revision Date: 09/14/2021		98 Number: 198464-00	Date of last issue: - Date of first issue: 09/14/2021	
Hazardous combustion products		:	No hazardous combustion products are known			
	Further	information	:	Standard procedu	re for chemical fires.	
	Special protective equipment for fire-fighters		:	In the event of fire, wear self-contained breathing apparatus.		
SE	SECTION 6. ACCIDENTAL RELE			EMEASURES		
	Enviror	mental precautions	:	No special enviror	nmental precautions required.	
	Methods and materials for containment and cleaning up		:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.		
SE	SECTION 7. HANDLING AND STOR			AGE		
		on protection against explosion	:	Normal measures	for preventive fire protection.	
	Advice	on safe handling	:	• •	ection see section 8. ng advice required.	
	Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place.		

	place.	
Materials to avoid	: Do not store near acids.	
Further information on storage stability	: No decomposition if stored and applied as direc	xted.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ground calcium carbonate (GCC)	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA	5 mg/m3	NIOSH REL



9846400 TOP FLOW Ca

Version 1.0 (GHS_US)	Revision Date: 09/14/2021	SDS Number: PR98464-00	Date of last issue: - Date of first issue: 09/14/2021		
			(Respirable)	(Calcium carbonate)	
			TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL
quartz	z (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
			TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
			TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
			PEL (respirable)	0.05 mg/m3	OSHA CARC

Personal protective equipment

Hand protection

Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white
Odor	:	characteristic
рН	:	8.5 - 11 (20 °C / 20 °C) Concentration: 100 g/l Method: DIN-ISO 787/9
Melting point/freezing point	:	O° O / O° O

9846400 TOP FLOW Ca



Vers 1.0 (GH	sion S_US)	Revision Date: 09/14/2021		S Number: 98464-00	Date of last issue: - Date of first issue: 09/14/2021
	Boiling	point	:	ca. 100 °C / 100 Water	°C
	Flash p	oint	:	Not applicable	
	Flamma	ability (liquids)	:	Will not burn	
	Burning	g number	:	1	
		explosion limit / Upper bility limit	:	Not applicable	
		explosion limit / Lower bility limit	:	Not applicable	
	Vapor p	pressure	:	23.4 hPa (20 °C aqueous phase	/ 20 °C)
	Density	,	:	1.8 - 2.1 g/cm3 (Method: DIN-ISC Density depends	
	Solubili Wat	ty(ies) er solubility	:	0.014 g/l (20 °C	/ 20 °C)
				0.018 g/l (75 °C	/ 75 °C)
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Decom	position temperature	:	> 400 °C / > 400	°C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No decomposition if used as directed. Reacts with acids. It forms carbon dioxide (CO2). This displaces the oxygen in the air in closed spaces. (danger of suffocation)
Conditions to avoid	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity

9846400 TOP FLOW Ca



Version 1.0 (GHS_US)	Revision Date: 09/14/2021	SDS Number: PR98464-00	Date of last issue: - Date of first issue: 09/14/2021
Grour	onents: Id calcium carbonate oral toxicity	e (GCC): : LD50 Oral (Rat	1 > 5.000 mg/kg
	ratory or skin sensit		. > 5,000 mg/kg
	a available nogenicity		
	<u>onents:</u> 2 (SiO2):		
Carcir Asses	ogenicity - sment	: Positive eviden (inhalation)	ce from human epidemiological studies
IARC	Group 1: Ca quartz (SiO (Silica dust,		14808-60-7
NTP	quartz (SiO	e human carcinogen 2) stalline (Respirable Siz	14808-60-7 e))
STOT	repeated exposure		
<u>Comp</u>	<u>onents:</u>		
Route	z (SiO2): s of exposure c Organs sment	: Inhalation : Lungs : May cause dan exposure.	nage to organs through prolonged or repeated
Furthe	er information		
<u>Produ</u> No da	<u>ct:</u> a available		
SECTION	12. ECOLOGICAL IN	FORMATION	
Ecoto	xicity		
Produ	<u>ct:</u>		

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l Exposure time: 96 h

9846400 TOP FLOW Ca



Version 1.0 (GHS_U	Revision Date: 09/14/2021 S)		0S Number: 898464-00	Date of last issue: - Date of first issue: 09/14/2021
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h	
	Toxicity to algae/aquatic plants		NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l Exposure time: 72 h	
			EC50 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 289 mg/l h
Co	mponents:			
Gro	ound calcium carbonate	(GC	C):	
	cicity to fish	:	•	hus mykiss (rainbow trout)): > 10,000 mg/l i h
	cicity to daphnia and other attic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 1,000 mg/l h
Tox plai	ricity to algae/aquatic nts	:	EC50 (Desmodesmus subspicatus (green algae)): > 200 m Exposure time: 72 h	
au	artz (SiO2):			
-	cicity to fish	:	No toxicity at the I	imit of solubility.
	cicity to daphnia and other attic invertebrates	:	No toxicity at the I	imit of solubility.
Tox plai	icity to algae/aquatic nts	:	No toxicity at the I	imit of solubility.
Тох	cicity to microorganisms	:	No toxicity at the I	imit of solubility.
Per	sistence and degradabil	ity		
Pro	duct:			
Bio	degradability	:	Not applicable	
<u>Co</u>	mponents:			
qua	artz (SiO2):			
Bio	degradability	:	Result: Not biodeo	gradable.
	chemical Oxygen mand (BOD)	:	Not applicable	
Che (CC	emical Oxygen Demand DD)	:	Not applicable	

9846400 TOP FLOW Ca



Version 1.0 (GHS_US)	Revision Date: 09/14/2021		98 Number: 198464-00	Date of last issue: - Date of first issue: 09/14/2021
Bioaco	cumulative potential			
Comp	onents:			
Groun	d calcium carbonate	(GC	C):	
Partitio octano	n coefficient: n- I/water	:	Not applicable	
quartz	(SiO2):			
Bioacc	umulation	:	This substance is bioaccumulating	not considered to be persistent, and toxic (PBT).
Partitio octano	on coefficient: n- I/water	:	Not applicable	
	ty in soil a available			
Other	adverse effects			
<u>Produ</u> Ozone	<u>ct:</u> -Depletion Potential	:	Protection of Stra Substances This product neith Class I or Class I	FR Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I ner contains, nor was manufactured with a ODS as defined by the U.S. Clean Air Act CFR 82, Subpt. A, App.A + B).
Additio informa	nal ecological ation	:	In solid state thes the earth's surfac	e minerals are a major part of the rocks of e.
Comp	onents:			
Groun	d calcium carbonate	(GC	C):	
Results	s of PBT and vPvB sment	:	Non-classified PE	T substance Non-classified vPvB substance
SECTION 1	3. DISPOSAL CONSI	DER	ATIONS	
-	sal methods from residues	:	Offer surplus and disposal company	non-recyclable solutions to a licensed



9846400 TOP FLOW Ca

Version Revision Date: 1.0 09/14/2021 (GHS_US)

Date: 21

SDS Number: PR98464-00

Date of last issue: -Date of first issue: 09/14/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
formaldehyde	50-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
formaldehyde	50-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetaldehyde	75-07-0	>= 0 - < 0.1 %
formaldehyde	50-00-0	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

9846400 TOP FLOW Ca




Version 1.0 (GHS_US)	Revision Date: 09/14/2021	SDS Number: PR98464-00	Date of last issue: - Date of first issue: 09/14/2021					
	acetaldehyde formaldehyde	75-07-0 50-00-0	>= 0 - < 0.1 % >= 0 - < 0.1 %					
US Sta	US State Regulations							
Massachusetts Right To Know								
	Ground calcium ca quartz (SiO2)	arbonate (GCC)	1317-65-3 14808-60-7					
Pennsylvania Right To Know								
	Ground calcium ca	arbonate (GCC)	1317-65-3					


SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA CARC OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL OSHA P0 / TWA OSHA Z-1 / TWA	:	Permissible exposure limit (PEL) 8-hour time weighted average 8-hour time weighted average



9846400 TOP FLOW Ca

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/14/2021	PR98464-00	Date of first issue: 09/14/2021
(GHS_US)			

OSHA Z-3 / TWA

: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory, LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to : Information taken from reference works and the literature. compile the Material Safety Data Sheet

Revision Date

: 09/14/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

9846400 TOP FLOW Ca



Version 1.0 (GHS_US)	Revision Date: 09/14/2021	SDS Number: PR98464-00	Date of last issue: - Date of first issue: 09/14/2021

Responsible/issuing person

: Omya Inc. Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242