

# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

#### **SECTION 1. IDENTIFICATION**

Product name : AQUAMAT 8730

#### Manufacturer or supplier's details

Company : BYK USA Inc.

524 South Cherry Street Wallingford CT 06492

Telephone : (203) 265-2086 Visit our web site : www.byk.com

E-mail address : BRIEF.BYK.NAFTA@altana.com

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1

number 703-527-3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Wax Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Anionic dispersion of an ethylene-bis-stearamide wax

**Hazardous components** 

Component	CAS-No.	Concentration (%)	
Wax	-	>= 32 - < 33	

The specific chemical identity/weight percent of proprietary ingredient(s) is a trade secret

#### **SECTION 4. FIRST AID MEASURES**



**AQUAMAT 8730** 

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

Wash contaminated clothing before reuse.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Handle as an industrial chemical.

Will not explode on mechanical impact.

Cool closed containers exposed to fire with water spray.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

Personal precautions, protective equipment and emergency procedures

: Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined

area.

**Environmental precautions** : Prevent spilled material from entering the ground, water

and/or air by using appropriate containment methods.

Methods and materials for containment and cleaning up Neutralise with acid.

Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Keep away from oxidizing agents.

Keep away from strong acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Wax	-	TWA (Inhalable fraction)	10 mg/m3	ACGIH
Wax		TWA (Respirable fraction)	3 mg/m3	ACGIH

**Engineering measures** : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Material : Impervious gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : tan

Odour : mild

Odour Threshold : No data available

pH : 10

Melting point/freezing point : 32 °F (0 °C)

(1,013 hPa)

Initial boiling point and boiling

range

: 212 °F (100 °C) (1,013 hPa)

Vapour pressure : not determined

Flash point : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Evaporation rate : No data available

Relative vapour density : No data available

Relative Density/Specific

Gravity

: No data available

Density : ca. 1.0 g/cm3 (68 °F (20 °C))

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available



**AQUAMAT 8730** 

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

Partition coefficient: n-

octanol/water

: No data available

Ignition temperature : No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : < 250 mPa.s (77 °F (25 °C))

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

: No data available

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

**Acute toxicity** 

**Product:** 

Acute oral toxicity : Remarks: No data available

**Components:** 

- Wax:

Acute oral toxicity : LD50 (Rat): > 15,380 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 58 mg/l

Acute dermal toxicity : LD50 (Rabbit): > 20,000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks: No data available



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

# **Components:**

- Wax:

Species: Rabbit

Result: No skin irritation

### Serious eye damage/eye irritation

**Product:** 

Remarks: No data available

### **Components:**

- Wax:

Species: Rabbit Result: Eye irritation

## Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

### **Components:**

- Wax:

Test Type: Mouse Local Lymph Node assay (LLNA)

Species: Mouse

Method: OECD Test Guideline 429 Result: Does not cause skin sensitisation.

GLP: yes

# Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### Repeated dose toxicity

# **Product:**

Remarks: No known chronic health effects.



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

**Experience with human exposure** 

**Product:** 

Inhalation:

Symptoms: High concentrations of heated vapors may

irritate the respiratory tract and mucous

membranes.

Skin contact:

Symptoms: Contact may cause irritation.

Eye contact:

Symptoms: Contact may cause irritation.

Ingestion:

Symptoms: Ingestion will probably cause irritation of the

digestive tract.

**Further information** 

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

### Persistence and degradability

No data available

### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

EPA Hazardous Waste

Code(s)

: Not applicable.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.



**AQUAMAT 8730** 

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

SARA 311/312 Hazards : Per the June 13, 2016 Federal Register notice, EPA

harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for

reporting purposes.

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : 33 %

Non-volatile information is not a specification.

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

Water 7732-18-5

Wax -

**New Jersey Right To Know** 

Water 7732-18-5

Wax -

**New Jersey Trade Secret** 

Registry Number for the product (NJ TSRN)

: 800963-5659

# California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.



# **AQUAMAT 8730**

Version 2 Revision Date 01/02/2020 Print Date 09/29/2022

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

### The components of this product are reported in the following inventories:

TSCA : We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

TSCA Inventory Active List : All components of this product are listed active and/or are

exempt

Section 4 / 12(b) Not applicable

DSL : We certify that all of the components of this product are listed

on the DSL.

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 01/02/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.