

# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

## **SECTION 1. IDENTIFICATION**

Product name : BYK-094

Manufacturer or supplier's details

Company : BYK USA Inc.

524 South Cherry Street Wallingford CT 06492

Telephone : (203) 265-2086 Visit our web site : www.byk.com

E-mail address : BRIEF.BYK.NAFTA@altana.com

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1

number 703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Defoamer

Restrictions on use : Refer to Section 15 for any restrictions that may apply

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 4

**GHS** label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

Precautionary statements : **Prevention:** 

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

: Compound of foam destroying polysiloxanes and hydrophobic Chemical nature

## **Hazardous components**

Component	CAS-No.	Concentration (%)	
Polypropylene glycol	25322-69-4	>= 43 - < 44	
Silica, amorphous	7631-86-9	>= 1 -< 2	

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. Wash thoroughly with soap

and water.

In case of eye contact : Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No information available.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam



D1	✓	V	ſ	10	A
В	T	N	-0	Ж	4

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Carbon dioxide (CO2)

Dry chemical

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Cool closed containers exposed to fire with water spray.

Will not explode on mechanical impact.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx) silicone compounds formaldehyde

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined

area.

: Use personal protective equipment.

Environmental precautions

: Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.



**BYK-094** 

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Keep away from oxidizing agents.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polypropylene glycol	25322-69-4	TWA (aerosol)	10 mg/m3	US WEEL
Silica, amorphous	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
Silica, amorphous		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3

**Engineering measures** : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : Not necessary.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety Glasses

Goggles

Eye wash bottle with pure water Tightly fitting safety goggles

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : Clean long legged, long sleeved work clothes.

Handle in accordance with good industrial hygiene and safety



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : dispersion

Colour : gray - light yellow

cloudy

Odour : characteristic

Odour Threshold : No data available

pH : 7, Concentration: 1 % (68 °F (20 °C)) Method: Universal pH-

value indicator

Melting point/range : < 32 °F (< 0 °C)

Method: derived

Initial boiling point :  $> 392 \,^{\circ}\text{F} \, (> 200 \,^{\circ}\text{C})$ 

Method: derived

Vapour pressure : < 1.0000000 hPa (68.00 °F (20.00 °C))

Method: derived

Flash point :  $> 302.00 \, ^{\circ}\text{F} \, (> 150.00 \, ^{\circ}\text{C})$ 

Method: 49 (Pensky-Martens)

Upper explosion limit : No data available

Lower explosion limit : No data available

Evaporation rate : No data available

Relative vapour density : No data available

Relative Density/Specific

Gravity

: No data available

Density : 1.0300 g/cm3 (68.00 °F (20.00 °C))

Method: 4 (20°C oscillating U-tube)

Bulk density : Not applicable

5/13



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Ignition temperature : > 392 °F (> 200 °C)

Method: DIN 51794

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: None expected

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Skin contact Skin Absorption Inhalation Eyes Ingestion

## **Acute toxicity**

**Product:** 



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Acute oral toxicity : Acute toxicity estimate : 1,140 mg/kg

Method: Calculation method

**Components:** 

7631-86-9 Silica, amorphous:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 58.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Skin corrosion/irritation

**Product:** 

Remarks: No data available

**Components:** 

25322-69-4 Polypropylene glycol:

Species: Rabbit

Result: No skin irritation

7631-86-9 Silica, amorphous:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks: No data available

**Components:** 

25322-69-4 Polypropylene glycol:

Species: Rabbit

Result: No eye irritation

7631-86-9 Silica, amorphous:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks: No data available



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

**Product:** 

Remarks: No data available

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal

development

: Remarks: No data available

STOT - single exposure

**Product:** 

Remarks: No data available

STOT - repeated exposure

**Product:** 

Remarks: No data available

Repeated dose toxicity

**Product:** 

Remarks: No known chronic health effects.

**Aspiration toxicity** 

**Product:** 



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

No data available

**Experience with human exposure** 

**Product:** 

Inhalation:

Symptoms: None expected.

Skin contact:

Symptoms: Contact may cause irritation.

Eye contact:

Symptoms: Contact may cause irritation.

Ingestion:

Symptoms: Ingestion may irritate the digestive tract.

**Further information** 

**Product:** 

Remarks: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish

Remarks: No data available

Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

**Mobility in soil**No data available



## **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

#### Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: There is no data available for this product.

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

EPA Hazardous Waste

Code(s)

: Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal,

state/provincial and federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good



## **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

#### **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

## US. EPA CERCLA Hazardous Substances (40 CFR 302)

Calculated RQ exceeds reasonably attainable upper limit.

# SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Per the June 13, 2016 Federal Register notice, EPA

harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for

reporting purposes.

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Polypropylene glycol 25322-69-4 43.8 %



**BYK-094** 

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

Non-volatile (Wt) : 96 - 100 %

Method: 51 (60min/105°C/1g)

**DIN EN ISO 3251** 

Non-volatile information is not a specification.

**Massachusetts Right To Know** 

Silica, amorphous 7631-86-9 Propylene oxide 75-56-9

Pennsylvania Right To Know

Polypropylene glycol 25322-69-4

Polysiloxanes

Silica, amorphous 7631-86-9

**New Jersey Right To Know** 

Polypropylene glycol 25322-69-4

Polysiloxanes -

New Jersey Trade Secret : 800963-5261

Registry Number for the product (NJ TSRN)

California Prop. 65

WARNING: This product can expose you to chemicals including Propylene oxide, 1,4-Dioxane, Ethylene oxide, Ethyl benzene, Cumene, which is/are known to the State of California to cause cancer, and Ethylene oxide, Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

TSCA: We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the

notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

TSCA Inventory Active List All components of this product are listed active and/or are

exempt

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

DSL : The following component(s) is/are not listed on the DSL:

:



# **BYK-094**

Version 9 Revision Date 05/12/2022 Print Date 09/29/2022

## **SECTION 16. OTHER INFORMATION**

Revision Date : 05/12/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.