

#### **DriCAT 2508**

# **SECTION 1: IDENTIFICATION**

1.1 GHS Product identifier: DriCAT 2508

Other means of identification:

Non-applicable

# 1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Catalyst for coatings. For industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

# 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

DURA CHEMICALS, INC. 1901 Harrison Street, Suite 1100

94612 Oakland - California - U.S.A. Phone: 1-510-658-1987 - Fax: 1-510-658-8025

www.durachem.com

1.4 Emergency phone number: 1-800-424-9300 CHEMTREC

# SECTION 2: HAZARD(S) IDENTIFICATION

# 2.1 Classification of the substance or mixture:

#### NFPA:

Health Hazards: 1 Flammability Hazards: 1 Instability Hazards: 0

Special Hazards: Non-applicable

#### 29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Eye Irrit. 2A: Eye irritation, Category 2A, H319 Repr. 2: Reproductive toxicity, Category 2, H361

STOT RE 2: Specific target organ toxicity, repeated exposure, Category 2, H373

#### 2.2 Label elements:

#### NFPA:



# 29 CFR 1910.1200:

#### Warning





#### **Hazard statements:**

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements:**

P201: Obtain special instructions before use.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after use.

P280: Wear protective gloves/face protection/protective clothing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification



#### **DriCAT 2508**

# SECTION 2: HAZARD(S) IDENTIFICATION (continued)

2-ethylhexanoic acid, manganese salt (CAS: 15956-58-8)

# 2.3 Hazards not otherwise classified (HNOC):

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Non-applicable

# 3.2 Mixtures:

Chemical description: Additive/s

#### Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name	Concentration
CAS:	15956-58-8	2-ethylhexanoic acid, manganese salt	40 - <50 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# SECTION 4: FIRST-AID MEASURES

#### 4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

# By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

#### 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

# **SECTION 5: FIRE-FIGHTING MEASURES**

# 5.1 Suitable (and unsuitable) extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Date of compilation: 1/19/2017 Revised: 9/8/2021 Version: 4 (Replaced 3) Page 2/10

# DURA

# Safety data sheet according to 29 CFR 1910.1200

#### **DriCAT 2508**

# SECTION 5: FIRE-FIGHTING MEASURES (continued)

Non-applicable

#### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

# **Additional provisions:**

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

# For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °F

Date of compilation: 1/19/2017 Revised: 9/8/2021 Version: 4 (Replaced 3) Page 3/10



#### **DriCAT 2508**

# SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 104 °F
Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupational exposure limits		
2-ethylhexanoic acid, manganese salt	PEL		0.2 mg/m <sup>3</sup>
CAS: 15956-58-8	STEL		

# 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

Always provide effective general and, when necessary, local exhaust ventilation to maintain the ambient workplace atmosphere below the exposure limits.. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

# B.- Respiratory protection

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

# C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Ocular and facial protection

Pictogram	PPE	Remarks
Mandatory face protection	Face shield	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

E.- Bodily protection



# **DriCAT 2508**

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	Replace boots at any sign of deterioration. Use foot protection in accordance with manufacturer's use limitations and OSHA standard 1910.136 (29CFR)

# F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
•	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>*</b> T	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

# **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# National volatile organic compound emission standards (40 CFR Part 59):

V.O.C. (Subpart C - Consumer): 5.4 % weight

V.O.C. (Coatings) at 77 °F: 50.57 kg/m<sup>3</sup> (50.57 g/L)

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

# Appearance:

Physical state at 68 °F: Liquid

Appearance:

Color:

Odor:

Odor:

Odour threshold:

Not available

Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 349 °F

Vapour pressure at 77 °F: 0E+0 - 267 Pa Vapour pressure at 122 °F: 75.37 Pa (0.08 kPa)

Evaporation rate at 77 °F: Non-applicable \*

**Product description:** 

Density at 77 °F: 950 - 1050 kg/m<sup>3</sup>

Relative density at 77 °F:

Dynamic viscosity at 77 °F:

Kinematic viscosity at 77 °F:

1300 cP

Kinematic viscosity at 77 °F:

Non-applicable \*

Concentration:

PH:

Non-applicable \*

Vapour density at 77 °F:

Non-applicable \*

Partition coefficient n-octanol/water 77 °F:

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 1/19/2017 Revised: 9/8/2021 Version: 4 (Replaced 3) Page 5/10



#### **DriCAT 2508**

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Solubility in water at 77 °F:

Solubility properties:

Non-applicable \*

Non-applicable \*

Melting point/freezing point:

Non-applicable \*

Flammability:

Flash Point: 424 °F

Flammability (solid, gas):

Autoignition temperature:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Upper flammability limit:

Non-applicable \*

**Particle characteristics:** 

Median equivalent diameter: Non-applicable

9.2 Other information:

# Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Non-applicable \*

Non-applicable \*

Non-applicable \*

components:

Other safety characteristics:

Surface tension at 77 °F:

Refraction index:

Non-applicable \*

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects:

Date of compilation: 1/19/2017 Revised: 9/8/2021 Version: 4 (Replaced 3) Page 6/10

# DURA

# Safety data sheet according to 29 CFR 1910.1200

#### **DriCAT 2508**

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Suspected of damaging fertility or the unborn child
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
2-ethylhexanoic acid, manganese salt	LD50 oral	2150 mg/kg	Rat
CAS: 15956-58-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L (4 h)	

# **Acute Toxicity Estimate (ATE mix):**

	Ingredient(s) of unknown toxicity	
Oral >5000 mg/kg (Calculation method)		Non-applicable
Dermal >5000 mg/kg (Calculation method)		Non-applicable

Date of compilation: 1/19/2017 Revised: 9/8/2021 Version: 4 (Replaced 3) Page 7/10



# **DriCAT 2508**

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Inhalation>20 mg/L (4 h) (Calculation method)Non-applicable

# **SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Ecotoxicity (aquatic and terrestrial, where available):

#### Acute toxicity:

Identification		Concentration	Species	Genus
2-ethylhexanoic acid, manganese salt	LC50	270 mg/L (96 h)	N/A	Fish
CAS: 15956-58-8	EC50	3 mg/L (48 h)	N/A	Crustacean
	EC50	61 mg/L (72 h)	N/A	Algae

# **Chronic toxicity:**

Identification	Concentration		Species	Genus
2-ethylhexanoic acid, manganese salt	NOEC	0.6 mg/L	Oncorhynchus mykiss	Fish
CAS: 15956-58-8	NOEC	25 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

Not available

# 12.3 Bioaccumulative potential:

Not available

# 12.4 Mobility in soil:

Not available

# 12.5 Results of PBT and vPvB assessment:

Non-applicable

#### 12.6 Other adverse effects:

Not described

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Disposal methods:

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See epigraph 6.2.

# Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

# **SECTION 14: TRANSPORT INFORMATION**

# Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:



#### **DriCAT 2508**

# SECTION 14: TRANSPORT INFORMATION (continued)



UN3082 14.1 UN number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-14.2 UN proper shipping name:

ethylhexanoic acid, manganese salt)

14.3 Transport hazard class(es):

14.4 Packing group, if applicable: III 14.5 Marine pollutant:

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

Limited quantities:

Under 49 CFR 171.4, Except when transporting aboard a vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicles, rail

cars, and aircraft 14.7 Transport in bulk (according Non-applicable

to Annex II of MARPOL 73/78 and the IBC Code):

# Transport of dangerous goods by sea:

With regard to IMDG 39-18:

14.1 UN number: UN3082

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-

ethylhexanoic acid, manganese salt)

14.3 Transport hazard class(es):

Labels:

14.4 Packing group, if applicable: III 14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

335, 969, 274 Special regulations: EmS Codes: F-A, S-F Physico-Chemical properties: see section 9

Limited quantities: 5 L

Segregation group: Non-applicable 14.7 Transport in bulk (according Non-applicable

to Annex II of MARPOL 73/78 and the IBC Code):

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2021:



14.1 UN number: UN3082

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-

ethylhexanoic acid, manganese salt)

14.3 Transport hazard class(es): Labels:

14.4 Packing group, if applicable: III 14.5 Marine pollutant:

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

14.7 Transport in bulk (according Non-applicable

to Annex II of MARPOL

73/78 and the IBC Code):

# **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations specific for the product in question:

Version: 4 (Replaced 3) Date of compilation: 1/19/2017 Revised: 9/8/2021 Page 9/10

# DURA

# Safety data sheet according to 29 CFR 1910.1200

#### DriCAT 2508

# SECTION 15: REGULATORY INFORMATION (continued)

Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): 2-ethylhexanoic acid, manganese salt

California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986): Non-applicable

The Toxic Substances Control Act (TSCA): 2-ethylhexanoic acid, manganese salt

Massachusetts RTK - Substance List: 2-ethylhexanoic acid, manganese salt

New Jersey Worker and Community Right-to-Know Act: 2-ethylhexanoic acid, manganese salt

New York RTK - Substance list: 2-ethylhexanoic acid, manganese salt

Pennsylvania Worker and Community Right-to-Know Law: 2-ethylhexanoic acid, manganese salt

CANADA-Domestic Substances List (DSL): 2-ethylhexanoic acid, manganese salt

CANADA-Non-Domestic Substances List (NDSL): Non-applicable

NTP (National Toxicology Program): Non-applicable

Minnesota - Hazardous substances ERTK: 2-ethylhexanoic acid, manganese salt

Rhode Island - Hazardous substances RTK: Non-applicable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable

Hazardous Air Pollutants (Clean Air Act): 2-ethylhexanoic acid, manganese salt

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: 2-ethylhexanoic acid, manganese salt (1 pounds)

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

#### Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

# **SECTION 16: OTHER INFORMATION**

# Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

# Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

# Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50 CL50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).