

Safety Data Sheet

According to EC 1907/2006

Version 4.0GHS

EVERAOX 501

6th Fl., 77 Sec. 2, Tun Hua S. Rd., Taipei, Taiwan.
TEL: 886-2-27066006 FAX: 886-2-27081254

Safety Data Sheet

According to EC 1907/2006

Version: 4.0GHS

Date / revised: 2017/8/24

Product: **EVERAOX 501****HMIS Hazard Ratings:**

Health	1
Flammability	1
Reactivity	0
Personal Protection	B

1. Manufacturer/ Subsidiary

Manufacturer: Everlight Chemical Industrial Corp.

Address: 6th Fl., 77 Sec. 2, Tun Hua S. Rd., Taipei, Taiwan.

Tel: 886-2-27066006

FAX: 886-2-27081254

Emergency information:

Tel: 886-3-4837682

2. Hazard(s) identification**Classification**

Chronic aquatic toxicity, Category 4

Label element**Symbol:** None**Signal word:** None**Hazard statement:**

H413: May cause long lasting harmful effects to aquatic life.

Precautionary statements:

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

3. Composition / Information on ingredients

CAS NO	Product name	Content
-	Antioxidant blends	100%

4. First aid measures**General advice:**

Move victim from the contaminated workplace to ventilated place. Call the hospital for medical

assistance, and provide emergency treatment.

Inhaled:

Remove victim to fresh air. If case of irritation of respiratory system or mucous membranes, in case of indisposition or prolonged exposure, seek medical attention.

Skin contact:

Remove contaminated clothing and shoes. Wash with soap and water.

Contact with eyes:

Immediately flush eyes with water for at least 15 minutes. In case of eye irritation, seek medical attention.

Ingestion:

Immediately induce vomiting. Never give fluids or induce vomiting, if the victim is unconscious or having convulsions. Get immediately medical attention.

Note to physician:

None.

5.Fire fighting measures:

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Suitable extinguishing media:

Water fog, Foam, Dry chemical powder.

Unsuitable extinguishing media for safety reasons: High-pressure water jet.

The following can be given off in a fire:

The CO, CO₂, NO_x can be given off.

Special protective equipment:

Good firefighting practice dictates the use of self-contained breathing apparatus and turnout gear.

Further information:

Contaminated extinguishing water must be disposed of in accordance with local regulations.

6.Accidental release measures:

Personal precautions:

1. Removal of ignition sources.
2. Provision for sufficient ventilation.
3. Respiratory protection.
4. Prevention of skin and eye contact.

Further information:

Environmental precautions:

1. Keep away from drains, surface and groundwater and soil.
2. To alert the neighborhood.

Methods for cleaning up:

Take up mechanically and place in suitable, close container for disposal, avoiding formation of dust.

7. Handling and storage**Handling:**

Use safety glasses and gloves, and coveralls as necessary when using it, to prevent skin contact.

Storage:

The substances in our product are very stable, please put it in the ventilate place. Keep away from food and drink.

8. Exposure controls and personal protection

Additional information on the lay-out of technical plant (see section 7)

Personal protective equipment

Respiratory protection: In case of insufficient ventilation , wear suitable respiratory protective equipment.

Hand protection: Protective gloves.

Eye protection: Goggles.

Body protection: Closed working clothing as necessary to prevent skin contact.

General safety and hygiene measures:

The usual precautions for the handling of chemicals must be observed.

9. Physical and chemical properties:

Physical Form:	Liquid
Colour:	Slightly yellow
Odour:	None
Melting:	N.A.
Boiling point/boiling range	>180°C at 0.55 mmHg
Flash Point:	>150°C
Explosion hazard:	(see section 10)
Bulk density:	N.A. kg/m ³
Ignition temperature :	>360°C
Vapor pressure:	< 1.0E-4Pa at 20°C
Density:	0.97-1.01
Solubility in water:	Insoluble
pH value:	5.7(1% suspension in water at 20 °C)

10. Stability and reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to avoid: Heat, static discharge
Substances to avoid: Strong acid, strong bases and strong oxidizing agents, Moisture.
Hazardous reactions: No.
Hazardous decomposition products: If involved in a fire, CO, CO₂, NO_x, maybe liberated.

11. Toxicological information

Acute toxicity

LD50/oral/rat:	>5000 mg/kg
Skin irritation (tested on rabbits):	Non-irritation
Eye irritation (tested on rabbits):	Non-irritation
Acute skin sensitization (tested on Guinea pig)	Non-sensitization

12. Ecological information

Toxicity to fish:

LC50: zebra fish (96 hrs)	>100 mg/L
----------------------------------	-----------

13. Disposal considerations:

Product:

Incinerate or bury in a licensed facility .Do not discharge into waterways or sewer systems without proper authority.

Contaminated packaging:

Dispose it in a licensed facility. Recommend crushing or other means to prevent non-authorized reuse.

14. Transport information:

Flash point	>150°C
ADR/RID :	Not regulated for this mode of transport
IMDG/IMO :	Not regulated for this mode of transport
IATA/ICAO :	Not regulated for this mode of transport

15. Regulatory informations:

U.S. REGULATIONS:

TSCA INVENTORY STATUS:	Listed
TSCA 12(b) EXPORT NOTIFICATION:	Not listed
CERCLA SECTION 103 (40CFR302.4):	Not Reportable

SARA SECTION 302 (40CFR355.30):	Not Reportable
SARA SECTION 304 (40CFR355.40):	Not Reportable
SARA SECTIONS 311/312 (40CFR370.21)	Not Reportable
SARA SECTION 313 (40CFR372.65):	Not Reportable
OSHA PROCESS SAFETY (29CFR1910.119):	Not Reportable
STATE REGULATIONS:	
California Proposition 65:	Not Reportable

EUROPEAN REGULATIONS:

EC NUMBER:	Listed
------------	--------

TAIWAN REGULATIONS

Listed on Taiwan National Existing Chemical Substance Inventory (NECSI)

16. Other information:

EC Risk and safety phrases:

R53 May cause long-term adverse effects in the aquatic environment.

S37 Wear suitable gloves.

S61 Avoid release to the environment . Refer to special instructions/ Safety data sheets.

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any guarantee with regard to the product's properties.