

TECKROS D95

SAFETY DATA SHEET

1. Identification

Product Identifier/Code Teckros D95, Partially Dimerized Rosin

Recommended use Adhesives, Sealants, Coatings, Wax, and other formulations

Recommended restrictionsNone known **Manufacturer**Teckrez, Inc.

Company address 4209 Baymeadows Rd, Suite 3

Jacksonville, FL 32217 USA Office: 1-904-215-7885 Fax: 1-904-215-7797

Emergency: 1-904-881-2205

2. Hazards Identification

Physical hazards Not classified; molten material will cause thermal burns.

Health hazards Serious eye damage/eye irritation. Category 2B

Sensitization, skin. Category 1B

OSHA defined hazards

Label elements

Combustible dust



Signal word Warning

Hazard statement May form combustible dust concentrations in air and cause allergic skin reaction and eye

irritation.

Precautionary statement Practice good industrial hygiene. Store in protective environment, away from incompatible

materials and elevated temperature equipment. Wash hands and other exposed areas after

handling. Waste disposal in accordance with local requirements.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise

classified (HNOC)

None known

3. Composition/Information on Ingredients

Chemical Name	CAS number	<u>%</u>
Modified and Dimerized Rosin	Proprietary	>99.8%
Antioxidant	Proprietary	0.1-0.2%

Teckros D95 Page 2

Revision date: 01.10.2022 Version 3.0

4. First-aid Measures

Inhalation Move exposed person to fresh air. Keep person

warm and at rest. Get medical attention if symptoms persist.

Skin contact Flush contaminated skin with soap and water. Remove contaminated clothing

and shoes. Cool as quickly as possible if exposed to molten material. Do not attempt to

remove adhered material from skin; material will come off as healing occurs.

Get medical attention if symptoms occur.

Eye contact Immediately flush eyes with water for at least 15 minutes, occasionally lifting

Dust may irritate intestinal track.

the upper and lower eyelids. Check for and remove any contact lenses if easy to do.

Burns should be treated as thermal burns; material will come off as healing occurs.

Get medical attention if irritation occurs and persists.

Ingestion Seek medical attention.

Most important symptoms/ effects, acute and delayed Indication of immediate medical attention and special treatment needed

5. Fire-fighting Measures

Suitable extinguishing

media

Water spray, dry chemical, carbon dioxide

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Avoid high pressure extinguisher application which could spread fire.

Powdered material may cause explosive dust-air combinations, particularly in presence of static electricity. Hazardous decomposition products in the case of a fire includes:

CO₂, carbon monoxide, smoke.

Specific protective

equipment and precautions

Specific methods

Appropriate protective clothing and self- contained breathing apparatus (SCBA)

with a full-face piece operated in positive pressure mode.

Use standard firefighting procedures and consider hazards of other materials.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Methods and materials for Use suitable protective equipment. Keep unnecessary personnel away from material.

Methods and materials for containment and cleaning up

Vacuum or carefully contain and collect material and place in an appropriate container for

disposal. Avoid creating dusty conditions and prevent wind dispersal.

Environmental precautions Keep from drains; prevent uncontrolled run-offs.

7. Handling and Storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Wash thoroughly after handling. Prevent contact with molten material.

Keep container tightly closed in a cool, well-ventilated area. Keep away from ignition sources and static electricity. Employ good housekeeping practices to prevent build-up of dust and

residue.

8. Exposure Controls/Personal

8.1 Occupational exposure limits

USA ACGIH	ACGIH (mh/m³)	10 mg/m³ (inhalable dust)
USA ACGIH	Remark (ACGIH)	Particulates, not otherwise classified

Teckros D95 Page 3
Revision date: 01.10.2022 Version 3.0

USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable dust)
USA OSHA	Remark (US OSHA)	Particulates, not otherwise classified

8.2 Exposure controls

Appropriate engineering

Ensure good ventilation of the work station. Consider explosion proof ventilation equipment.

controls

Hand protectionProtective chemical resistant glovesEye protectionSafety glasses with side shields (or goggles)

Skin and body protection Wear suitable protective clothing, including appropriate clothing for exposure to molten

material.

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection

equipment of approved standard is recommended. Wear appropriate respiratory protection,

if occupational exposure limits are exceeded or irritation/sensitivity is experienced.

9. Physical and Chemical Properties

Appearance

Solid **Physical state Form** Solid Color Pale yellow Odor Bland (slight rosin) рΗ Not available **Melting point** 92-100°C Initial boiling point >260°C (500°F) Flash point Closed cup >190°C

Evaporation rate Not determined; considered negligible

Auto ignition temperature >260°C

Flammability (solid, gas) Not determined

Decomposition temperature Not established. Very low hazard expected at normal operating conditions.

Density 1.05 g/cm₃ (8.549 lb(s)/gal)

Solubility Insoluble in water. Good solubility in aliphatic, aromatic hydrocarbons and alcohols.

Viscosity 4,600 cps @ 125°C

10. Stability and Reactivity

Reactivity andNon-reactive and stable under normal operating conditions. Decomposition can occur at

chemical stability elevated temperatures.

Possibility of hazardousNone known under normal operating conditions.

reactions

Conditions to avoid Open flame, static electricity, dusty conditions

Incompatible materials Strong oxidizing agents

Hazardous decomposition Smoke, carbon dioxide, carbon monoxide

products

11. Toxicology Information

Information on likely routes of exposure

Inhalation Dust and vapor. Fumes may irritate respiratory system.

Skin Contact May cause allergic skin reaction. Molten material causes thermal burns.

Teckrez, Inc. • 4209 Baymeadows Road • Suite 3 • Jacksonville, FL 32217 • USA

www.teckrez.com • 904-215-7885 • info@teckrez.com

Teckros D95 Page 4
Revision date: 01.10.2022 Version 3.0

Eye Contact Causes eye irritation.

Modified Rosin Irritation Corrosion-Eye: data is for similar product; Result: Positive; Species: NZ white rabbit;

Organ: Eye; Test duration: 4 hr; Observation period: 72 hr; Notes: OECD 405

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical, and toxicological characteristics

Dusts may irritate the respiratory tract, skin, and eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause allergic skin reaction and dermatitis.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components	Species	Test Results
Acute Oral LD50	Rat	>5,000 mg/kg; data is for similar product. >2,000 mg/kg; at this dose no death occurred; data is for similar product.
Acute NOAEL	Wistar rat	300 mg/kg/day; 8 wks developmental; data is for similar product.
Acute NOEL	Wistar rat	1,000 mg/kg/day; 8 wks reproductive; data is for similar product.
*Estimates for product may be based on additional component data not shown.		

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Corrosivity (mod. rosin) Irritation Corrosion-Skin: No skin irritation; data is for similar product; Result: negative;

Species: NZ white rabbit; Organ: Skin; Test Duration: 4 hr; Observation Period: 72 hr; Notes:

OECD 404

Serious eye damage/irritation

Causes eye irritation.

Eye contact (mod. rosin)

Irritation Corrosion-Eye: data is for similar product; Result: positive; Species: NZ white rabbit;

Organ: Eye; Test Duration: 4 hr; Observation Period: 72 hr; Notes: OECD 405

Respiratory or skin sensitization

Respiratory sensitization

Not available

Skin sensitization

May cause an allergic skin reaction.

Skin sensitization (mod. rosin)

50% w/Local Lymph Node Assay: Lowest concentration producing reaction; SI=5; may cause

sensitization by skin contact. Result: positive; Species: Mouse; Notes: OECD 429

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity (mod. rosin)

Germ Cell Mutagenicity: Ames, data is for similar product; Result: negative; Species:

Salmonella typhimurium; Notes: OECD 471

Germ Cell Mutagenicity: Chromosome Aberration, data is for similar product; Result:

negative; Species: Human; Notes: OECD 473

In-vitro Mammalian Cell Gene Mutation test, no data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic; data is for similar

product; Result: negative; Species: Mouse; Notes: OECD 476

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.

Not listed.

1001-1050)

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Teckros D95 Page 5

Revision date: 01.10.2022 Version 3.0

Specific target organ

toxicity-single exposure

Specific target organ

Not classified

toxicity-repeated exposure

Aspiration hazard

Not available

Not classified

12. Ecological Information

Ecological impact statement

May cause harmful effects to aquatic life. Not readily biodegradable. No other adverse

environmental effects are expected.

13. Disposal Considerations

Disposal instructions

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. Transport Information

DOTNot regulated as dangerous goodsIATANot regulated as dangerous goodsIMDGNot regulated as dangerous goods

15. Regulatory Information

15.1. US Federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the US EPA TSCA

inventory list. Not regulated

Not listed

Not listed

TSCA Section 12(b) Export

Notification (40 CFR 707,

subpoint D)

CERCLA Hazardous Substance

List (40 CFR 302.4)

OSHA Specially Regulated

Substances

(29 CFR 1010.1001-1050)
Superfund Amendments and
Reauthorization Act 1986 (SARA)

Hazard Categories

Immediate Hazard: No; Delayed Hazard: No; Fire Hazard: No; Pressure Hazard: No;

Reactivity Hazard: No

SARA 302 Emergency Hazardous

Substance

SARA 304 Emergency Release

Notification

Not regulated

Not regulated

SARA 311/312 Hazardous No

Chemical

SARA 313 TRI Reporting Not regulated Clean Air Act (CAA) Section 112 Not regulated

Hazardous Air Pollutants

(HAPs) list

Clean Air Act (CAA) Section 112(r) Not regulated

Accidental Release Prevention

(40 CFR 68.130)

Teckrez, Inc. • 4209 Baymeadows Road • Suite 3 • Jacksonville, FL 32217 • USA www.teckrez.com • 904-215-7885 • info@teckrez.com

Teckros D95 Page 6
Revision date: 01.10.2022 Version 3.0

Safe Drinking Water Act (SDWA) Not regulated

15.2. US State regulations

California Controlled Not listed

Substances, Dept. of Justice (CA Health and Safety Code

Section 11100)

Massachusetts RTK-Substance Not regulated

List

New Jersey Worker and Not listed

Community RTK Act

Pennsylvania Worker and Not listed

Community RTK Law

Rhode Island RTK Not listed

15.3 International regulations

Canada DSL Yes

16. Other Information, including date of preparation or last revision

NFPA health hazard 2
NFPA fire hazard 1
NFPA reactivity 0

HMIS III Rating

Health 2 Flammability 1 Physical hazard 0

Personal protection See section 8 of SDS

Version 3.0

Date of issue January 10, 2022

Teckrez Disclaimer

NO WARRANTIES OF USE OR OTHERWISE ARE EXPRESSLY MADE OR IMPLIED FROM THIS INFORMATION. The information contained here is believed to be accurate and reliable by Teckrez and is provided only to enable the safe use, processing, handling, storage, transportation of this material in considering good health standards and in an environmentally sound manner according to OSHA and other pertinent regulations including GHS (Globally Harmonized System of Classifications and Labelling). It provides guidance on health, safety, and environmental aspects of product and should not be construed as any guarantee of technical performance or suitability for particular applications.

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best knowledge of TECKREZ, INC., or obtained from sources believed by TECKREZ, INC. to be accurate. TECKREZ, INC. does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests before using any product and carefully review technical and safety data information. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. TECKREZ, INC. makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.