

TECKROS HX

SAFETY DATA SHEET

1. Identification

Product Identifier/Code Teckros HX, Hydrogenated Gum Rosin

Recommended use Adhesives, Sealants, Coatings, Wax, and other formulations

Recommended restrictionsNone known **Manufacturer**Teckrez, Inc.

Company address 4209 Baymeadows Rd, Suite 3

Jacksonville, FL 32217 USA Office: 1-904-215-7885 Fax: 1-904-215-7797

Emergency: 1-904-881-2205

2. Hazards Identification

Physical hazards Not classified; molten material will cause thermal burns.

Health hazards Not classified

OSHA defined hazards Combustible dust

Label elements

Hazard Symbol None Signal word None

Hazard statement May form combustible dust concentrations in air.

Precautionary statement Practice good industrial hygiene. Store in protective environment, away from incompatible

materials and elevated temperature equipment. Wash hands and other exposed areas after

handling. Waste disposal in accordance with local requirements.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise

classified (HNOC)

None known

3. Composition/Information on Ingredients

Chemical Name	CAS number	<u>%</u>
Highly Hydrogenated Rosin	65997-06-0	100%

4. First-aid Measures

Inhalation Move exposed person to fresh air. Keep person

warm and at rest. Get medical attention if symptoms persist.

Skin contact Flush contaminated skin with soap and water. Remove contaminated clothing

and shoes. Cool as quickly as possible if exposed to molten material. Do not attempt to

Teckros HX Page 2

Revision date: 01.10.2022 Version 3.0

remove adhered material from skin; material will come off as healing occurs.

Get medical attention if symptoms occur.

Eye contact Immediately flush eyes with water for at least 15 minutes, occasionally lifting

Water spray, dry chemical, carbon dioxide

the upper and lower eyelids. Check for and remove any contact lenses if easy to do.

Get medical attention if irritation occurs and persists.

Ingestion Seek medical attention.

Most important symptoms/ effects, acute and delayed Indication of immediate medical attention and

special treatment needed

Dust may irritate intestinal track.

Burns should be treated as thermal burns; material will come off as healing occurs.

5. Fire-fighting Measures

Suitable extinguishing

media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Powdered material may cause explosive dust-air combinations, particularly in presence

Avoid high pressure extinguisher application which could spread fire.

of static electricity. Hazardous decomposition products in the case of a fire includes:

CO₂, carbon monoxide, smoke.

Specific protective equipment and precautions

Specific methods

Appropriate protective clothing and self- contained breathing apparatus (SCBA)

with a full-face piece operated in positive pressure mode.

Use standard firefighting procedures and consider hazards of other materials.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Methods and materials for

Use suitable protective equipment. Keep unnecessary personnel away from material.

Methods and materials for containment and cleaning up Environmental precautions

Vacuum or carefully contain and collect material and place in an appropriate container for

disposal. Avoid creating dusty conditions and prevent wind dispersal.

Keep from drains; prevent uncontrolled run-offs.

7. Handling and Storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Wash thoroughly after handling. Prevent contact with molten material.

Keep container tightly closed in a cool, well-ventilated area. Keep away from ignition sources and static electricity. Employ good housekeeping practices to prevent build-up of dust and residue.

8.1 Occupational exposure limits

8. Exposure Controls/Personal

USA ACGIH	ACGIH (mh/m³)	10 mg/m³ (inhalable dust)
USA ACGIH	Remark (ACGIH)	Particulates, not otherwise classified
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)
		5 mg/m³ (respirable dust)
USA OSHA	Remark (US OSHA)	Particulates, not otherwise classified

Teckros HX Page 3
Revision date: 01.10.2022 Version 3.0

8.2 Exposure controls

Appropriate engineering Ensure good ventilation of the work station. Consider explosion proof ventilation equipment.

controls

Hand protection Protective chemical resistant gloves

Eye protection Safety glasses with side shields (or goggles)

Skin and body protection Wear suitable protective clothing, including appropriate clothing for exposure to molten

material.

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection

equipment of approved standard is recommended. Wear appropriate respiratory protection,

if occupational exposure limits are exceeded or irritation/sensitivity is experienced.

9. Physical and Chemical Properties

Appearance

Physical state Solid Form Solid

ColorVery pale yellowOdorBland (slight rosin)pHNot availableMelting point76-82°C

Initial boiling point No data available
Flash point Closed cup >190°C

Evaporation rate Not determined; considered negligible

Auto ignition temperature >260°C

Flammability (solid, gas) Not determined

Decomposition temperature Not established. Very low hazard expected at normal operating conditions.

Density 1.05 g/cm₃ (8.549 lb(s)/gal)

Solubility Insoluble in water. Good solubility in aliphatic and aromatic hydrocarbons. Minimal solubility

in alcohols.

Viscosity 500 cps @ 125°C

10. Stability and Reactivity

Reactivity and Non-reactive and stable under normal operating conditions. Decomposition can occur at

chemical stability elevated temperatures.

Possibility of hazardous None known under normal operating conditions.

reactions

Conditions to avoid Open flame, static electricity, dusty conditions

Incompatible materials Strong oxidizing agents

Hazardous decomposition Smoke, carbon dioxide, carbon monoxide

products

11. Toxicology Information

Information on likely routes of exposure

Inhalation Dust and vapor. Fumes may irritate respiratory system.

Skin Contact Molten material causes thermal burns.

Eye Contact Direct contact with eyes may cause temporary irritation

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Teckrez, Inc. • 4209 Baymeadows Road • Suite 3 • Jacksonville, FL 32217 • USA www.teckrez.com • 904-215-7885 • info@teckrez.com

Teckros HX Page 4 Revision date: 01.10.2022 Version 3.0

Components	Species	Test Results
Rosin Ester (CAS Proprietary)		
Acute Dermal LD50	New Zealand white rabbit	>2,000 mg/kg, 14 days at this dose, no
		death occurred; OECD 402
Acute Oral LD50	Sprague-Dawley rat	>5,000 mg/kg, 14 days at this dose, no
		death occurred; OECD 425
*Estimates for product may be based on		
additional component data not shown.		

Skin corrosion/irritation No data available Serious eye damage/irritation No data available Respiratory sensitization No data available

Skin sensitization This product is not expected to cause skin sensitization.

Not listed.

Not classified

Not classified

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated

Substances (29 CFR 1910.

1001-1050)

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity-single exposure

Specific target organ

toxicity-repeated exposure

Aspiration hazard Not available

12. Ecological Information

Ecological impact statement This product is not classified as environmentally hazardous. This does not exclude the

possibility that large or frequent spills could be environmentally damaging. This product is

not readily biodegradable.

13. Disposal Considerations

Disposal instructions Disposal of this product, solutions and any by-products should at all times comply with the

requirements of environmental protection and waste disposal legislation and any regional

local authority requirements.

14. Transport Information

DOT Not regulated as dangerous goods **IATA** Not regulated as dangerous goods **IMDG** Not regulated as dangerous goods

15. Regulatory Information

15.1. US Federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200. All components are on the US EPA TSCA

inventory list.

TSCA Section 12(b) Export

Notification (40 CFR 707,

subpoint D)

Not regulated

Teckrez, Inc. • 4209 Baymeadows Road • Suite 3 • Jacksonville, FL 32217 • USA www.teckrez.com • 904-215-7885 • info@teckrez.com

Teckros HX Page 5

Revision date: 01.10.2022 Version 3.0

CERCLA Hazardous Substance

List (40 CFR 302.4)

Not listed

OSHA Specially Regulated

Not listed

Substances

(29 CFR 1010.1001-1050) **Superfund Amendments and** Reauthorization Act 1986 (SARA)

Hazard Categories

Immediate Hazard: No; Delayed Hazard: No; Fire Hazard: No; Pressure Hazard: No;

Reactivity Hazard: No

SARA 302 Emergency Hazardous

Substance

Not regulated

Not regulated

SARA 304 Emergency Release

Notification SARA 311/312 Hazardous

No

Chemical

SARA 313 TRI Reporting

Not regulated

Clean Air Act (CAA) Section 112

Hazardous Air Pollutants

Not regulated

(HAPs) list

Clean Air Act (CAA) Section 112(r) Not regulated

Accidental Release Prevention

(40 CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated

15.2. US State regulations

California Controlled

Not listed

Substances, Dept. of Justice

(CA Health and Safety Code

Section 11100)

Massachusetts RTK-Substance

Not regulated

List

New Jersey Worker and

Community RTK Act

Not listed

Pennsylvania Worker and

Not listed

Community RTK Law

Rhode Island RTK

Not listed

15.3 International regulations

Canada DSL Yes

16. Other Information, including date of preparation or last revision

NFPA health hazard 1 NFPA fire hazard 1 0 NFPA reactivity

HMIS III Rating

Health 1 **Flammability** 1 **Physical hazard** 0

Personal protection See section 8 of SDS Teckros HX Page 6
Revision date: 01.10.2022 Version 3.0

Version 3.0

Date of issue January 10, 2022

Teckrez Disclaimer

NO WARRANTIES OF USE OR OTHERWISE ARE EXPRESSLY MADE OR IMPLIED FROM THIS INFORMATION. The information contained here is believed to be accurate and reliable by Teckrez and is provided only to enable the safe use, processing, handling, storage, transportation of this material in considering good health standards and in an environmentally sound manner according to OSHA and other pertinent regulations including GHS (Globally Harmonized System of Classifications and Labelling). It provides guidance on health, safety, and environmental aspects of product and should not be construed as any guarantee of technical performance or suitability for particular applications.

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best knowledge of TECKREZ, INC., or obtained from sources believed by TECKREZ, INC. to be accurate. TECKREZ, INC. does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests before using any product and carefully review technical and safety data information. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. TECKREZ, INC. makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.