



TECKROS NC79

SAFETY DATA SHEET

1. Identification

Product Identifier/Code Teckros NC79 Modified Rosin
Recommended use Adhesives, Sealants, Coatings, Wax, and other formulations
Recommended restrictions None known
Manufacturer Teckrez, Inc.
Company address 4217 Baymeadows Rd, Suite 2
Jacksonville, FL 32217 USA
Office: 1-904-215-7885
Fax: 1-904-215-7797
Emergency: 1-904-881-2205

2. Hazards Identification

Physical hazards Not classified; molten material will cause thermal burns.
Health hazards Not classified
OSHA defined hazards Combustible dust
Label elements
Hazard Symbol None
Signal word Combustible Dust
Hazard statement May form combustible dust concentrations in air.
Precautionary statement Practice good industrial hygiene. Store in protective environment, away from incompatible materials and elevated temperature equipment. Wash hands and other exposed areas after handling. Waste disposal in accordance with local requirements.
Storage Store away from incompatible materials.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards not otherwise classified (HNOC) This product contains a very low level of chemically-bound formaldehyde which may be released slowly and in small amounts at 100°C or above. If this product is used in molten form in a manner which might liberate formaldehyde, the OSHA formaldehyde standard (29 CFR 1910.1048) should be applied to airborne formaldehyde in the workplace.

3. Composition/Information on Ingredients

Chemical Name	CAS number	%
Formaldehyde Modified Rosin	91081-53-7	>99.8%
Antioxidant	Proprietary	0.1-0.2%

4. First-aid Measures

Inhalation Move exposed person to fresh air. Keep person warm and at rest. Get medical attention if symptoms persist.
Skin contact Flush contaminated skin with soap and water. Remove contaminated clothing and shoes. Cool as quickly as possible if exposed to molten material. Do not attempt to

Eye contact remove adhered material from skin; material will come off as healing occurs.
Get medical attention if symptoms occur.
Immediately flush eyes with water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do.
Get medical attention if irritation occurs and persists.

Ingestion Seek medical attention.
Most important symptoms/ effects, acute and delayed Dust may irritate intestinal track.

Indication of immediate medical attention and special treatment needed Burns should be treated as thermal burns; material will come off as healing occurs.

5. Fire-fighting Measures

Suitable extinguishing media Water spray, dry chemical, carbon dioxide

Unsuitable extinguishing media Avoid high pressure extinguisher application which could spread fire.

Specific hazards arising from the chemical Powdered material may cause explosive dust-air combinations, particularly in presence of static electricity. Hazardous decomposition products in the case of a fire includes: CO₂, carbon monoxide, smoke.

Specific protective equipment and precautions Appropriate protective clothing and self- contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Specific methods Use standard firefighting procedures and consider hazards of other materials.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Use suitable protective equipment. Keep unnecessary personnel away from material.

Methods and materials for containment and cleaning up Vacuum or carefully contain and collect material and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.

Environmental precautions Keep from drains; prevent uncontrolled run-offs.

7. Handling and Storage

Precautions for safe handling Wash thoroughly after handling. Prevent contact with molten material.

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a cool, well-ventilated area. Keep away from ignition sources and static electricity. Employ good housekeeping practices to prevent build-up of dust and residue.

8. Exposure Controls/Personal

8.1 Occupational exposure limits

USA ACGIH	ACGIH (mg/m ³)	10 mg/m ³ (inhalable dust)
USA ACGIH	Remark (ACGIH)	Particulates, not otherwise classified
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
USA OSHA	Remark (US OSHA)	Particulates, not otherwise classified

8.2 Exposure controls

Appropriate engineering controls	Ensure good ventilation of the work station. Consider explosion proof ventilation equipment.
Hand protection	Protective chemical resistant gloves
Eye protection	Safety glasses with side shields (or goggles)
Skin and body protection	Wear suitable protective clothing, including appropriate clothing for exposure to molten material.
Respiratory protection	Where exposure through inhalation may occur from use, respiratory protection equipment of approved standard is recommended. Wear appropriate respiratory protection, if occupational exposure limits are exceeded or irritation/sensitivity is experienced.

9. Physical and Chemical Properties

Appearance	
Physical state	Solid
Form	Solid
Color	Yellow
Odor	Bland (slight rosin)
pH	Not available
Melting point	76-85°C
Initial boiling point	No data available
Flash point	Closed cup >190°C
Evaporation rate	Not determined; considered negligible
Auto ignition temperature	>260°C
Flammability (solid, gas)	Not determined
Decomposition temperature	Not established. Very low hazard expected at normal operating conditions.
Density	1.05 g/cm ³ (8.549 lb(s)/gal)
Solubility	Insoluble in water. Good solubility in aliphatic and aromatic hydrocarbons. Minimal solubility in alcohols.
Viscosity	800 cps @ 125°C

10. Stability and Reactivity

Reactivity and chemical stability	Non-reactive and stable under normal operating conditions. Decomposition can occur at elevated temperatures.
Possibility of hazardous reactions	None known under normal operating conditions.
Conditions to avoid	Open flame, static electricity, dusty conditions
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Smoke, carbon dioxide, carbon monoxide

11. Toxicology Information

Information on likely routes of exposure

Inhalation	Dust and vapor may irritate respiratory system.
Skin Contact	Molten material causes thermal burns.
Eye Contact	Direct contact with eyes may cause temporary irritation

Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
-----------------------	---

Components	Species	Test Results
Rosin Ester (CAS Proprietary)		

Acute Dermal LD50	Sprague-Dowley rat	>2,000 mg/kg, 14 days at this dose, no death occurred; data is for similar product
Acute Oral LD50	Sprague-Dawley rat	>5,000 mg/kg, 14 days at this dose, no death occurred; data is for similar product
*Estimates for product may be based on additional component data not shown.		

Skin corrosion/irritation

Corrosivity

Modified Rosin

Prolonged skin contact may cause temporary irritation.

Irritation Corrosion - Skin, No skin irritation. Result: Negative Species: New Zealand white rabbit Organ: Skin Test Duration: 4 h Observation Period: 72 h

Serious eye damage/eye irritation

Eye Contact

Modified Rosin

Direct contact with eyes may cause temporary irritation.

Irritation Corrosion - Eye, No eye irritation. Result: Negative Species: New Zealand white rabbit Organ: Eye Observation Period: 72 hours

Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Not available.

This product is not expected to cause skin sensitization.

Skin sensitization

Skin sensitization

Modified Rosin

This product is not expected to cause skin sensitization.

Buehler Test, Not a skin sensitizer. Result: Negative Species: Guinea pig Organ: Skin Notes: OECD 406 Maximization Test, Not a skin sensitizer. Result: Negative Species: Guinea pig Organ: Skin Test Duration: 24 h Observation Period: 48 h

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Modified Rosin

Germ Cell Mutagenicity: Ames, Data is for similar product. Result: Negative Species: Salmonella typhimurium Notes: OECD 471 Germ Cell Mutagenicity: Chromosome Abberation, Data is for similar product. Result: Negative Species: Human Notes: OECD 473 In Vitro Mammalian Cell Gene Mutation Test, No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.; Data is for similar product. Result: Negative Species: Mouse Notes: OECD 476

Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity – single exposure

Not classified.

Specific target organ toxicity – repeated exposure.

Not classified

Aspiration hazard

Not available.

Further information

Small amounts of formaldehyde may be evolved on heating.

Formaldehyde has carcinogenic potential and is a known skin and respiratory sensitizer.

12. Ecological Information

Ecological impact statement

This product is not classified as environmentally hazardous. This does not exclude the possibility that large or frequent spills could be environmentally damaging. This product is not readily biodegradable.

13. Disposal Considerations

Disposal instructions

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14. Transport Information

DOT

Not regulated as dangerous goods

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

15. Regulatory Information

15.1. US Federal regulations

This product a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the US EPA TSCA inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, subpoint D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

OSHA Specially Regulated Substances

Not listed

(29 CFR 1010.1001-1050)

Superfund Amendments and Reauthorization Act 1986 (SARA)

Hazard Categories

Immediate Hazard: No; Delayed Hazard: No; Fire Hazard: No; Pressure Hazard: No; Reactivity Hazard: No

SARA 302 Emergency Hazardous Substance

Not regulated

SARA 304 Emergency Release Notification

Not regulated

SARA 311/312 Hazardous Chemical

Yes

SARA 313 TRI Reporting

Not regulated

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants

Not regulated

(HAPs) list

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention

Not regulated

(40 CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated

15.2. US State regulations

California Controlled

Not listed

**Substances, Dept. of Justice
(CA Health and Safety Code
Section 11100)**

**Massachusetts RTK-Substance
List** Not regulated

**New Jersey Worker and
Community RTK Act** Not listed

**Pennsylvania Worker and
Community RTK Law** Not listed

Rhode Island RTK Not listed

15.3. Canada DSL Registered

16. Other Information, including date of preparation or last revision

NFPA health hazard 1

NFPA fire hazard 1

NFPA reactivity 0

HMIS III Rating

Health 1

Flammability 1

Physical hazard 0

Personal protection See section 8 of SDS

Version 1.0

Date of issue June 1, 2015

Teckrez Disclaimer

NO WARRANTIES OF USE OR OTHERWISE ARE EXPRESSLY MADE OR IMPLIED FROM THIS INFORMATION. The information contained here is believed to be accurate and reliable by Teckrez and is provided only to enable the safe use, processing, handling, storage, transportation of this material in considering good health standards and in an environmentally sound manner according to OSHA and other pertinent regulations including GHS (Globally Harmonized System of Classifications and Labelling). It provides guidance on health, safety, and environmental aspects of product and should not be construed as any guarantee of technical performance or suitability for particular applications.

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best knowledge of TECKREZ, INC., or obtained from sources believed by TECKREZ, INC. to be accurate. TECKREZ, INC. does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests before using any product and carefully review technical and safety data information. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. TECKREZ, INC. makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.